GOLDEN CATCH



2026 FISHING TACKLE CATALOG

GET YOUR BEST CATCH









GOLDEN CATCH

SPINNING RODS 6
FEEDER RODS 23
CARP RODS 30
SEA RODS 33
RODS 36
FLOAT RODS 38
ICE RODS 40
REELS 41
FLUOROCARBON 53
BRAIDED LINES 54
NYLON LINES 57
HARD BAITS 61
TAIL-SPINNERS 69
SPOONS 69
SPINNERS 79
SPINNERBAITS 81
METAL JIGS 82
ICE JIGS 85
READY RIG 87
SABIKI 88
HOOKS 89
TUNGSTEN SINKERS 97
FLOATS 98
FLOAT RIGS 102
BOMBARD FLOATS 103
SNAPS 104
SWIVELS 107
RIG ACCESSORIES 108
CATFISH ACCESSORIES 109
FEEDER / CARP ACCESSORIES 111
TOOLS 113
BITE ALARMS 115
ROD HOLDERS / ROD PODS 116
LANDING NETS 118
LANDING NET HANDLES 122
LANDING NET HEADS 124
SINTEZ 127
BOXES 132
LEADER KEEPERS / BAGS / BUCKETS 137
BACKPACKS / COOL BAGS / TUBES 141
CAMPING FURNITURE 142
TENTS 145
AMBRELLAS / VACUUM FLASKS 147
ACCESSORIES 148
SUNGLASSES 149
TIP GUIDES / GUIDES 151
CLOTHING 153

G.CARP

RODS 158
REELS 161
ROD PODS / HOLDERS 162
LUGGAGE 163
NYLON LINES 167
COATED BRAIDS 168
SHOCKLEADERS 169
HOOKS 170
READY RIGS 171
MOUNTING ACCESSORIES 173
FEEDING ACCESSORIES 179
TOOLS 180
PVA 182
ARTIFICIAL BAITS 183
BITE INDICATORS 185
LIGHTS 186
FISH CARE / OTHER 186
CLOTHING / SUNGLASSES 187

ZEOX

RODS 190
REELS 199
BRAIDED LINES 204
NYLON LINES 205
SPINNERS 209
SPOONS 210
SILICONE 213
HOOKS 217
SEA READY RIGS 220
TUNGSTEN SINKERS / STOPPERS / CONNECTORS 221
SNAPS / SWIVELS 222
LEADERS 223
BITE ALARMS 224
ROD HOLDERS 225
LANDING NET HANDLES 226
LANDING NETS 227
KEEPNETS 233
BAGS / BACKPACKS 235
COVERS 236
BOXES 238
BACKETS 239
ACCESSORIES 239
GUIDES / TIP GUIDES 241
CLOTHING 242

GOLDEN CATCH

Golden Catch has been a trusted brand in the fishing industry for over 20 years, renowned for delivering high-quality products with meticulous attention to detail.

Our diverse selection of fishing gear and outdoor essentials is thoughtfully designed to provide anglers with performance, reliability, and comfort in their fishing experience.

Every product is thoroughly tested in different conditions to ensure excellent performance and durability. We continuously innovate, improving our designs to match the latest trends and anglers' needs.

Golden Catch is more than just a brand – it's a symbol of reliability and expertise. Whether you are a seasoned professional or a passionate enthusiast, we provide the gear you need to elevate every aspect of your fishing experience.

NEW CASCADE







CASCADE – a waterfall of fishing adventure

The CASCADE spinning rod series is designed using high-modulus carbon, providing an optimal balance of stiffness and sensitivity while maintaining minimal blank weight.
Precise layer geometry and controlled fiber orientation enhance torsional stability and speed up recovery after casting, delivering high kinetic response and superior lure control.

Equipped with DKK guide rings and a carbon fiber reel seat, the rod minimizes unwanted vibrations and ensures pure tactile feedback.

CASCADE is a spinning rod where engineering precision meets the thrill of fishing adventure.



CASCADE





- material – carbon
- type of tip – solid

* type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039800	CSS-582S NANO	1.72	2	88	48	0.2-1.5	NANO	extra-fast
2039801	CSS-612UL-S	1.86	2	95	50	0.5-3	UL	extra-fast
2039802	CSS-682UL-S	2.03	2	105	63	0.8-5	UL	extra-fast
2039803	CSS-732UL-S	2.21	2	115	72	1.5-7.5	UL	extra-fast
2039804	CSS-732L-T*	2.21	2	115	76	2.5-12	L	fast
2039805	CSS-762L-T*	2.29	2	119	70	1.5-10	L	fast
2039806	CSS-802L-T*	2.44	2	125	83	2.5-12	L	fast
2039807	CSS-832ML-T*	2.51	2	130	97	4-16	ML	extra-fast

NEW ENDORFIN







ENDORFIN – the hormone of fishing happiness.

The legendary series of spinning rods returns in its second generation, with a strong focus on sensitivity, casting distance, and comfort in use.

The series is designed to deliver maximum enjoyment both from the fishing process itself and from owning high-end tackle. The updated lineup includes new lengths and casting ranges, allowing anglers to select the optimal rod for a wide variety of conditions and tasks.

The blanks are made using a complex combination of high-modulus Toray 40T and 46T carbon, providing an exceptional balance of lightness, strength, stiffness, high sensitivity, and excellent casting performance in a single rod.

To fully unlock the blank's potential, the rods are equipped with Fuji Titan titanium guides with Torzite inserts, as well as a Fuji VSS reel seat, ensuring secure reel fixation and maximum tactile feedback.

The series includes both Solid tip versions and a Tubular model with a length of 2.74 m, designed for maximum casting distance and confident lure control. The ergonomic EVA handle ensures comfort during long fishing sessions.

- Toray carbon blank with 40T and 46T modulus
- Fuji Titan titanium guides with Torzite inserts
- Fuji VSS reel seat
- Ergonomic EVA handle
- High sensitivity and precise lure control
- Excellent casting performance



ENDORFIN



- material – carbon
- type of tip – solid

* type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039613	EDS-662UL-S	1.98	2	103	69	0.2-2.5	UL	fast
2039614	EDS-742L-S	2.24	2	115	89	0.9-10	L	fast
2039615	EDS-842ML-S	2.54	2	130	93	2-14	ML	fast
2039616	EDS-902ML-T*	2.74	2	141	96	2-18	ML	fast

FLICK AIR







Flick Air – the first nano fishing rod by Golden Catch. This spinning rod is a true embodiment of innovative technology and the desires of sports anglers. Flick Air is designed for the most demanding spinning enthusiasts who seek to work with ultra-light gear and experience the maximum pleasure in every cast.

The blank is made of high-quality 24+30T carbon, ensuring perfect sensitivity, flexibility, and resilience. With a length of 1.85 m and a three-piece construction, the spinning rod is easy to transport, takes up little space, and yet retains its key characteristics.

The extended solid-type tip provides precise control over the line when using small lures. The blank is ideal for classic micro jig casting as well as for fishing with high-frequency animations on minnow lures.

The Weibo AT-series guides, featuring ultra-thin inserts comparable to the well-known Torzite, enhance casting distance and extend the lifespan of the line. The small, well-distributed EVA handle and ergonomic reel seat provide maximum comfort, even during long fishing sessions.

Flick Air sets a new standard in nano fishing, making every fishing trip unforgettable and exceptionally enjoyable!








- material – carbon
- type of tip – solid

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039035	6013XULS	1.85	3	62	54	0.2-1.5	UL	moderate-fast



ATTREZZO









ATTREZZO – a series of professional, incredibly stylish, and lightweight rods by Golden Catch.

The blanks are made using a complex combination of 30T, 36T, and 40T carbon, achieving exceptional strength while maintaining maximum sensitivity. ATTREZZO is built with Fuji components and features guides with SiC-S inner rings for superior performance.

- Blank made of mixed 30T, 36T, and 40T carbon
- All components by Fuji
- Guides with Sic inner rings
- Ergonomic, stylish EVA handle
- High sensitivity
- Excellent casting performance

SCAN ME





- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039600	7102LT	2.39	2	122	99	0.9-12	L	fast
2039601	7102MLT	2.39	2	122	108	1.5-18	ML	fast
2039602	832LT	2.51	2	129	103	0.9-10	L	fast
2039603	832MLT	2.51	2	129	107	1.2-16	ML	fast
2039604	902MLT	2.74	2	141	116	1.5-16	ML	regular-fast

INQUISITOR MONSTER EDITION

Inquisitor Monster Edition – series of powerful and super powerful rods from the GOLDEN CATCH brand. Designed specifically for catching trophy fish with large and extra-large lures. Each model has special properties and reveals itself to the fullest in its element. The rods are made of high quality 40T carbon and equipped with high-quality Weibo components. The guides with SiC inserts have a high surface finish, which ensures minimal friction and extends the life of the braided lines.

- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action	recommended #PE
2039425	INC-832SXH	2.51	2	130	166	30-120	SXH	moderate-fast	1.5-4.0
2039426	INS-792H	2.36	2	123	132	14-56	H	fast	1.2-2.5
2039427	INS-802XH	2.44	2	126	153	18-70	XH	fast	1.2-3.0
2039428	INS-862SXH	2.59	2	133	168	25-100	SXH	extra-fast	1.5-3.5



INQUISITOR Monster Edition INC-832SXH – the most powerful model in the series. When paired with a suitable reel, it can handle the largest and most resistant baits. Its medium-fast action ensures comfortable casting of various lure types, while the high stiffness of the blank allows for precise and complex lure animations.

INQUISITOR Monster Edition INS-792H & INS-802XH – designed primarily for jigging in deep waters with strong currents, these models are also well-suited for fishing with large, weightless silicone lures and oversized spoons.

INQUISITOR Monster Edition INS-862SXH – the longest model in the series and the second most powerful in the lineup. It is ideal for fishing with large moving baits such as jerkbaits, bucktails, wobblers, and extra-large spoons and spinners. Additionally, it can be used for weightless silicone fishing and heavy jigging.











SCAN ME

INQUISITOR TRAVEL

- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039400	INS-764ML	2.29	4	63	125	4-18	ML	fast
2039401	INS-764MH	2.29	4	62.5	147	8-32	MH	fast
2039402	INS-794H	2.36	4	64	159	10-42	H	fast



INQUISITOR

- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039300	INS-662M	1.98	2	103	110	5-21	M	fast
2039301	INS-662MH	1.98	2	103	120	8-32	MH	fast
2039315	INC-662MH	1.98	2	103	120	8-32	MH	fast
2039311	INS-692MH	2.06	2	107	127	10-35	MH	fast
2039312	INS-732M	2.21	2	114	125	6-24	M	fast
2039313	INS-762L	2.29	2	119	116	2-12	L	fast
2039302	INS-762ML	2.29	2	118.5	125	4-18	ML	fast
2039303	INS-762MH	2.29	2	119	133	7-32	MH	fast
2039314	INS-802ML	2.44	2	127	121	3-15	ML	fast
2039304	INS-802M	2.44	2	127	130	7-28	M	fast
2039305	INS-802H	2.44	2	127	138	10-42	H	fast
2039306	INS-832M	2.51	2	130	131	6-24	M	fast
2039307	INS-842ML	2.54	2	131	129	4-16	ML	fast
2039309	INS-862ML	2.59	2	134	135	5-21	ML	fast
2039308	INS-862MH	2.59	2	134	134	7-28	MH	fast
2039310	INS-962H	2.89	2	150	185	14-56	H	regular-fast










SCAN ME

INQUISITOR



BLACK JERK







If you're fishing in shallow water with jerkbaits, large silicone baits, and other oversized lures that turn heads, and your target is big pike – then Black Jerk is exactly what you need!

The blank is made from a 24T and 30T carbon mix, ensuring maximum reliability and power. This construction allows the rod to withstand colossal loads when battling trophy-sized fish. The wobbler action of the rod provides smooth and comfortable casting of large baits while also tiring out fish efficiently during retrieval.

The stylish handle with an anti-slip rubber coating not only enhances the rod's appearance but also ensures a secure grip, which is crucial when fighting a trophy fish.

The rod is equipped with Sea Guide SiC guides with LS inner rings. These rings have an ultra-smooth surface, eliminating the risk of premature wear on braided or nylon lines under heavy loads.

Beyond its primary purpose, Black Jerk excels with large and extra-large spinnerbaits, wobbler minnows (160mm+), and spoons.

- Blank made of mixed 24T and 30T carbon
- Ergonomic handle with anti-slip rubber coating
- Sea Guide SiC guides with LS inner rings
- High power and durability
- Excellent performance with big baits during casting and retrieving





- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039440	BJC-602XH	1.80	2	95	179	40-140	XH	fast

MIRROX









MIRROX – an updated series of spinning rods by Golden Catch.

The wide range of models covers almost all fishing conditions, allowing every angler to find the perfect option. The specially designed blanks meet the expectations of even the most demanding anglers.

The blank geometry is engineered to provide exceptional casting performance, high power, and maximum sensitivity. Thanks to its action, the blank clearly detects bottom contact in muddy areas, while on hard bottoms and during retrieval, it offers enhanced tactility due to its high-quality 30T carbon construction.

Completing the package are high-quality Weibo components and ergonomic EVA handles, each precisely sized for its respective model to ensure maximum comfort and control.

- 30T carbon blanks
- High sensitivity
- High-quality Weibo components
- Ergonomic EVA handle
- Stylish design





- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action	recommended #PE
2039700	MRS-662ML	1.98	2	104	115	4-18	ML	fast	0.5-1.0
2039703	MRS-702M	2.13	2	112	114	6-25	M	fast	0.6-1.2
2039704	MRS-702MMH	2.13	2	112	140	7-28	MMH	fast	1.0-2.0
2039705	MRS-702MH	2.13	2	112	135	10-38	MH	fast	0.8-1.5
2039709	MRS-762H	2.29	2	121	162	15-60	H	fast	1.2-2.5
2039713	MRS-802ML	2.44	2	128	137	4-21	ML	fast	0.8-1.5
2039714	MRS-802M	2.44	2	128	133	6-25	M	fast	0.5-1.0
2039715	MRS-822M	2.49	2	130	143	7-28	M	fast	0.8-1.5
2039716	MRS-822MH	2.49	2	130	156	14-42	MH	fast	1.0-2.0
2039717	MRS-822H	2.49	2	130	176	15-65	H	fast	1.2-2.5
2039718	MRS-822XH	2.49	2	130	182	20-90	XH	moderate-fast	1.5-3.5
2039719	MRS-862M	2.59	2	135	150	7-28	M	fast	0.8-1.5

TRAISE

- material – carbon
- type of tip – solid

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039205	TRS-762LS	2.29	2	118	101	2-15	L	fast
2039206	TRS-7102LS	2.39	2	125	100	2-12	L	fast









- material – carbon
- type of tip – solid

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039345	TRS-732ULS	2.21	2	116	87	1.5-10	UL	fast
2039346	TRS-762LS	2.29	2	118	95	2-15	L	fast
2039347	TRS-7102LS	2.39	2	125	96	2-12	L	fast
2039348	TRS-842LS	2.54	2	131	97	2-12	L	fast









VITTOR

- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039391	VTS-762M	2.29	2	119	125	4-20	M	fast
2039392	VTS-802MH	2.44	2	127	155	7-32	MH	fast
2039217	VTS-902MH	2.74	2	141	170	8-35	MH	fast









- material – carbon
- type of tip – tubular
- * type of tip – solid

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039395	VTS-662MML	1.98	2	104	109	5-21	MML	moderate-fast
2039396	VTS-662M	1.98	2	104	116	6-24	M	moderate-fast
2039397	VTS-662MH	1.98	2	104	120	10-35	MH	moderate-fast
2039380	VTS-762M	2.29	2	119	124	4-20	M	fast
2039381	VTS-802MS*	2.44	2	126	137	4-22	M	extra-fast
2039382	VTS-802M	2.44	2	126	147	5-25	M	fast
2039383	VTS-802MH	2.44	2	126	154	7-32	MH	fast
2039384	VTS-902MH	2.74	2	141	184	8-35	MH	fast









VERTAIS

- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039209	VRS-732ULT	2.21	2	116	91	1.5-8	UL	fast
2039210	VRS-762LT	2.29	2	119	98	3-12	L	fast
2039213	VRS-762MLT	2.29	2	119	106	4-18	ML	fast
2039212	VRS-842LT	2.54	2	133	121	4-18	L	fast









- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039330	VRS-732ULT	2.21	2	116	89	1.5-8	UL	fast
2039331	VRS-762LT	2.29	2	119	96	3-12	L	fast
2039332	VRS-762MLT	2.29	2	119	106	4-18	ML	fast
2039333	VRS-792ULT	2.36	2	124	91	1.5-8	UL	fast
2039334	VRS-7102LT	2.39	2	125	106	3-12	L	fast
2039335	VRS-842LT	2.54	2	133	121	4-18	L	fast









WANDERER

- material – carbon
- type of tip – solid
- tube included

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039230	WRS-705ULS	2.13	5	53	108	0.9-8	UL	extra-fast
2039231	WRS-765LS	2.29	5	56	113	2-12	L	fast











DESIRE

- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039375	DSS-662ML	1.98	2	104	116	5-17	ML	fast
2039376	DSS-662M	1.98	2	104	123	5-21	M	fast
2039377	DSS-662MH	1.98	2	104	132	7-28	MH	regular-fast
2039378	DSS-662H	1.98	2	104	138	10-35	MH	fast









FLICK

- material – carbon
- type of tip – solid

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039199	FLS-682ULS	2.03	2	107	76	0.3-4	UL	extra-fast
2039200	FLS-702ULS	2.13	2	111	80	0.5-6	UL	extra-fast
2039201	FLS-732ULS	2.21	2	114	86	0.6-7	UL	extra-fast









- material – carbon
- type of tip – solid

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039030	FLS-682ULS	2.03	2	107	75	0.3-4	UL	extra-fast
2039031	FLS-702ULS	2.13	2	111	80	0.5-6	UL	extra-fast
2039032	FLS-732ULS	2.21	2	114	86	0.6-7	UL	extra-fast
2039033	FLS-762ULS	2.29	2	118	89	0.8-8	UL	fast









VOLT

- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039240	VLS-662ULT	1.98	2	104	90	1.2-5	UL	regular-fast
2039241	VLS-682ULT	2.03	2	107	94	1.5-6	UL	regular-fast
2039242	VLS-732ULT	2.21	2	115	98	2-10	UL	regular-fast
2039243	VLS-742LT	2.24	2	116	103	2-12	L	fast











NEW SPRINTER

- material – carbon
- type of tip – tubular

code	model	length, m	pcs	folded, cm	weight, g	casting, g	power	action
2039115	NSS-702L	2.10	2	108	132	3-15	L	fast
2039116	NSS-702ML	2.10	2	109	134	5-20	ML	fast
2039117	NSS-702M	2.10	2	110	140	7-28	M	fast
2039120	NSS-802L	2.40	2	125	148	3-15	L	fast
2039121	NSS-802ML	2.40	2	124	154	5-20	ML	fast
2039122	NSS-802M	2.40	2	126	168	7-28	M	fast
2039123	NSS-902M	2.70	2	142	192	7-28	M	fast



REEL **SPRINTER**

p. 41





BRAID **SPRINTER PE X4**

LIME GREEN

p. 55

ONNEX FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039010	ONNEX FEEDER	3.30	3+3	118	249	up to 120
2039011	ONNEX FEEDER	3.60	3+3	127	300	up to 120
2039012	ONNEX FEEDER	3.90	3+3	137	336	up to 120





SINTEZ FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039020	SINTEZ FEEDER	2.70	2+3	143	150	up to 60
2039021	SINTEZ FEEDER	3.30	3+3	118	170	up to 90
2039022	SINTEZ FEEDER	3.60	3+3	127	215	up to 120
2039024	SINTEZ FEEDER	3.60	3+3	127	215	up to 150
2039023	SINTEZ FEEDER	3.90	3+3	137	230	up to 150





SCAN ME

QUIVER TIP **SINTEZ FEEDER**

- material – carbon

code	mm	color	OZ	casting, g
1739700	2.65	yellow	0.75	60
1739701	2.65	green	1	60
1739702	2.65	red	2	60
1739703	2.85	yellow	1	90
1739704	2.85	green	2	90
1739705	2.85	red	3	90

code	mm	color	OZ	casting, g
1739706	3.15	yellow	2	120
1739707	3.15	green	3	120
1739708	3.15	red	4	120
1739709	3.15	yellow	3	150
1739710	3.15	green	4	150
1739711	3.15	red	5	150



STELIOS ACTIVE FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039260	STELIOS ACTIVE FEEDER	3.60	3+3	129	248	up to 90
2039265	STELIOS ACTIVE FEEDER	3.60	3+3	129	270	up to 120
2039261	STELIOS ACTIVE FEEDER	3.90	3+3	138	286	up to 90
2039266	STELIOS ACTIVE FEEDER	3.90	3+3	138	300	up to 120
2039267	STELIOS ACTIVE FEEDER	4.20	3+3	149	350	up to 160





STELIOS Active Feeder

SCAN ME

STELIOS RIVER FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039270	STELIOS RIVER FEEDER	3.60	3+3	129	208	up to 110
2039271	STELIOS RIVER FEEDER	3.90	3+3	138	249	up to 130





STELIOS River Feeder

SCAN ME

STELIOS COMPETITION FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039275	STELIOS COMPETITION FEEDER	3.60	3+3	129	221	up to 75
2039276	STELIOS COMPETITION FEEDER	3.90	3+3	138	259	up to 90
2039277	STELIOS COMPETITION FEEDER	4.20	3+3	149	294	up to 90





STELIOS Competition Feeder

SCAN ME

QUIVER TIP STELIOS ACTIVE FEEDER

- material – carbon


code	mm	color	OZ	casting, g
1739770	2.25	yellow	1	90
1739771	2.25	green	2	90
1739772	2.25	red	3	90
1739777	2.25	yellow	2	120
1739778	2.25	green	3	120
1739773	2.25	red	4	120
1739774	2.25	yellow	3	160
1739775	2.25	green	4	160
1739776	2.25	red	5	160



QUIVER TIP STELIOS RIVER FEEDER

- material – carbon

code	mm	color	OZ	casting, g
1739780	2.65	yellow	2	110/130
1739781	2.65	green	3	110/130
1739782	2.65	red	4	110/130



QUIVER TIP STELIOS COMPETITION FEEDER

- material – carbon

code	mm	color	OZ	casting, g
1739785	2.05	yellow	1	75
1739786	2.05	green	2	75
1739787	2.05	red	3	75
1739788	2.05	yellow	1	90
1739789	2.05	green	2	90
1739790	2.05	red	3	90



NEW DESIGN VERTE-X DISTANCE FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039510	VERTE-X DISTANCE FEEDER	3.90	3+3	136	270	up to 100
2039511	VERTE-X DISTANCE FEEDER	4.20	3+3	146	310	up to 130
2039512	VERTE-X DISTANCE FEEDER	4.20	3+3	146	315	up to 160

SCAN ME




QUIVER TIP VERTE-X DISTANCE FEEDER

- material – carbon

code	mm	color	OZ	casting, g
1739745	3	yellow	1	100
1739746	3	green	2	100
1739747	3	red	3	100
1739748	3	yellow	2	130
1739749	3	green	3	130

code	mm	color	OZ	casting, g
1739750	3	red	4	130
1739751	3	yellow	3	160
1739752	3	green	4	160
1739753	3	red	5	160



VERTE-X FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039183	VERTE-X FEEDER	3.60	3+3	127	206	up to 70
2039184	VERTE-X FEEDER	3.60	3+3	127	219	up to 90
2039185	VERTE-X FEEDER	3.60	3+3	127	235	up to 110
2039186	VERTE-X FEEDER	3.90	3+3	137	245	up to 130



- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039080	VERTE-X FEEDER	3.60	3+3	127	187	up to 70
2039081	VERTE-X FEEDER	3.60	3+3	127	201	up to 90
2039082	VERTE-X FEEDER	3.60	3+3	127	235	up to 110
2039083	VERTE-X FEEDER	3.90	3+3	137	245	up to 130



QUIVER TIP VERTE-X FEEDER

- material – carbon (*)

code	mm	color	OZ	casting, g
1739001**	2.7	yellow	1	70
1739002*	2.7	green	2	70
1739003*	2.7	red	3	70
1739018**	2.7	yellow	1	90
1739019*	2.7	green	2	90
1739020*	2.7	red	3	90

- material – glass (**)

code	mm	color	OZ	casting, g
1739012*	2.9	yellow	2	110
1739013*	2.9	green	3	110
1739014*	2.9	red	4	110
1739015**	2.9	yellow	2	130
1739016*	2.9	green	3	130
1739017*	2.9	red	4	130



NEW DESIGN BIONIC METHOD MULTI FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039502	BIONIC METHOD MULTI FEEDER	3.00/3.60	4+3	105	300	40-120
2039507	BIONIC METHOD MULTI FEEDER	3.00/3.60	4+3	105	310	60-160
2039503	BIONIC METHOD MULTI FEEDER	3.30/3.90	4+3	115	330	40-120
2039508	BIONIC METHOD MULTI FEEDER	3.30/3.90	4+3	115	335	60-160



QUIVER TIP BIONIC METHOD MULTI FEEDER

- material – carbon (*)

code	mm	color	OZ	casting, g
1739760**	3.5	yellow	2	40-120
1739761**	3.5	green	3	40-120
1739762*	3.5	red	4	40-120

- material – glass (**)

code	mm	color	OZ	casting, g
1739763**	3.5	yellow	3	60-160
1739764*	3.5	green	4	60-160
1739765*	3.5	red	5	60-160



BIONIC FEEDER BLACK EDITION

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039245	BIONIC FEEDER BLACK EDITION 360M	3.60	3+3	129	260	up to 80
2039246	BIONIC FEEDER BLACK EDITION 360MH	3.60	3+3	129	274	up to 120
2039248	BIONIC FEEDER BLACK EDITION 360H	3.60	3+3	129	300	up to 150
2039255	BIONIC FEEDER BLACK EDITION 360XH	3.60	3+3	129	320	up to 200
2039247	BIONIC FEEDER BLACK EDITION 390MH	3.90	3+3	139	302	up to 120
2039249	BIONIC FEEDER BLACK EDITION 390H	3.90	3+3	139	315	up to 150
2039256	BIONIC FEEDER BLACK EDITION 390XH	3.90	3+3	139	334	up to 200
2039257	BIONIC FEEDER BLACK EDITION 420XH	4.20	3+3	149	367	up to 200





QUIVER TIP BIONIC FEEDER BLACK EDITION

- material – carbon (*)
- material – glass (**)

code	mm	color	OZ	casting, g
1739720**	2.85	yellow	1	80
1739721*	2.85	green	2	80
1739722*	2.85	red	3	80
1739723**	2.85	yellow	2	120
1739724*	2.85	green	3	120
1739725*	2.85	red	4	120
1739726**	2.85	yellow	2	120
1739727*	2.85	green	3	120
1739728*	2.85	red	4	120
1739729**	2.85	yellow	3	150
1739730*	2.85	green	4	150
1739731*	2.85	red	5	150
1739732**	2.85	yellow	3	150
1739733*	2.85	green	4	150
1739734*	2.85	red	5	150
1739735**	2.85	yellow	4	200
1739736*	2.85	green	5	200
1739737*	2.85	red	6	200
1739738**	2.85	yellow	4	200
1739739*	2.85	green	5	200
1739740*	2.85	red	6	200
1739741**	2.85	yellow	4	200
1739742*	2.85	green	5	200
1739743*	2.85	red	6	200



BIONIC FEEDER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039070	BIONIC FEEDER	3.30	3+3	118	257	120
2039071	BIONIC FEEDER	3.60	3+3	129	291	120
2039072	BIONIC FEEDER	3.60	3+3	129	317	150
2039073	BIONIC FEEDER	3.90	3+3	138	307	120
2039074	BIONIC FEEDER	3.90	3+3	138	326	150
2039075	BIONIC FEEDER	4.20	3+3	150	376	180





QUIVER TIP BIONIC FEEDER

- material – carbon (*)

code	mm	color	OZ	casting, g
1739004**	3	white	2	120
1739005**	3	yellow	3	120
1739006*	3	red	4	120

- material – glass (**)

code	mm	color	OZ	casting, g
1739007**	3	white	3	150/180
1739008*	3	yellow	4	150/180
1739009*	3	red	5	150/180



NEW

EVOLUTION X-DUO







EVOLUTION X-DUO – rod with carp and feeder tips offers versatility and functionality for anglers. Available in three lengths - 3.6m, 3.9m and 4.2m - it is suitable for a variety of fishing conditions. The carp tip provides power and durability for catching big fish, while the feeder tip allows for accurate feeder casting and capture the most delicate bites. With a 4lb/180g test, the rod is ideal for both carp and feeder anglers, offering reliability and precision in one tool.

- Two top sections included: feeder and carp
- Blank made of high-modulus carbon (30T), fast action
- WeBo guides with SiC inserts, anti-snag frames.
- Anti-snag tip-top
- Reliable WeBo DPS reel seat
- Split handle with EVA in grip area
- Test: up to 180 g (feeder), 4 lb (carp)
- Includes 2 carbon quiver tips (50 cm, Ø3.5 mm).
- Cover made of high-quality polyester with a separate compartment for the tube



SCAN ME

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g	casting, lb	power	action
2039000	EVOLUTION X-DUO	3.60	3+2/3	126	354	180	4	XH	fast
2039001	EVOLUTION X-DUO	3.90	3+2/3	136	388	180	4	XH	fast
2039002	EVOLUTION X-DUO	4.20	3+2/3	146	442	180	4	XH	fast

QUIVER TIP EVOLUTION X-DUO

- material – carbon

code	mm	color	OZ	casting, g
1739795	3.5	green	5	180
1739796	3.5	red	6	180

SUPER STRONG & SUPER STRONG SPOD

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039045	SUPER STRONG	3.60	3	128	311	3.5
2039046	SUPER STRONG	3.90	3	139	335	3.5
2039135	SUPER STRONG SPOD	3.60	3	128	475	5.5



NEW DESIGN

EVOLUTION X-3

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039050	EVOLUTION X-3	3.30	3	118	368	3.5
2039051	EVOLUTION X-3	3.60	3	128	430	3.5
2039052	EVOLUTION X-3	3.90	3	137	525	3.5



X-3 CARP EVOLUTION

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039192	X-3 CARP EVOLUTION	3.30	3	118	368	3.5
2039190	X-3 CARP EVOLUTION	3.60	3	128	430	3.5
2039191	X-3 CARP EVOLUTION	3.90	3	137	525	3.5



NEW DESIGN EVOLUTION TELE

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039055	EVOLUTION TELE	3.30	7	110	304	3.5
2039056	EVOLUTION TELE	3.60	7	110	334	3.5
2039057	EVOLUTION TELE	3.90	7	110	370	3.5



X-3 CARP EVOLUTION SPOD

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039130	X-3 CARP EVOLUTION SPOD	3.60	3	128	473	5.5



TELE CARP EVOLUTION

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039195	TELE CARP EVOLUTION	3.30	7	110	304	3.5
2039196	TELE CARP EVOLUTION	3.60	7	110	334	3.5
2039197	TELE CARP EVOLUTION	3.90	7	110	370	3.5



AMULLET SURF

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039322	AMULLET SURF	4.20	3	146	535	100-220



AMULLET TELESURF

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039320	AMULLET TELESURF	4.20	8	119	405	100-220



BOAT UNIVERSAL

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g	action
2039041	BOAT UNIVERSAL	1.40-1.70	2+2	82	165	100-200	fast



RIFT TRAVEL

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g	action
2039125	RIFT TRAVEL	2.10	5	55	667	500-2000	fast



ROCKY CATFISH

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039365	ROCKY CATFISH	1.65	2	115	280	20
2039366	ROCKY CATFISH	1.65	2	115	285	30



GIMBAL FISH HOLDER

code
1665990



SKYROS BOAT

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039370	SKYROS BOAT	1.80	2+2	97	106	60-120
2039371	SKYROS BOAT	2.10	2+2	106	120	60-120
2039372	SKYROS BOAT	2.40	3+2	111	156	60-120
2039373	SKYROS BOAT	2.70	4+2	115	195	60-120






SCAN ME

PASSION BOAT TRAVEL

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039515	PASSION BOAT TRAVEL	2.13	4	59	165	20-60
2039516	PASSION BOAT TRAVEL	2.13	4	59	190	30-110
2039517	PASSION BOAT TRAVEL	2.13	4	59	215	40-160
2039518	PASSION BOAT TRAVEL	2.13	4	59	225	80-220





PASSION POWER TRAVEL

- material – carbon

* tube included

code	model	length, m	pcs	folded, cm	weight, g	casting, g	action
2039235	PASSION POWER TRAVEL	2.40	5	55	200	40-125	regular-fast
2039236	PASSION POWER TRAVEL	2.70	5	61	231	40-125	regular-fast
2039238	PASSION POWER TRAVEL	2.40	5	55	230	100-180	regular-fast
2039326	PASSION POWER TRAVEL	2.70	5	61	255	100-180	regular-fast
2039232	PASSION POWER TRAVEL*	2.40	5	55	230	100-180	regular-fast
2039233	PASSION POWER TRAVEL*	2.70	5	66	255	100-180	regular-fast









PASSION POWER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g	action
2039140	PASSION POWER	2.40	2	127	190	40-125	regular-fast
2039150	PASSION POWER	2.40	2	127	220	100-180	regular-fast
2039141	PASSION POWER	2.70	2	143	210	40-125	regular-fast
2039151	PASSION POWER	2.70	2	143	252	100-180	regular-fast
2039142	PASSION POWER	3.00	2	155	225	40-125	regular-fast
2039152	PASSION POWER	3.00	2	155	276	100-180	regular-fast



ARMATUR TELE

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2039090	ARMATUR TELE	1.80	4	80	110	50-150
2039091	ARMATUR TELE	2.10	4	81	125	50-150
2039092	ARMATUR TELE	2.40	5	87	165	50-150
2039093	ARMATUR TELE	2.70	6	90	200	50-150
2039094	ARMATUR TELE	3.00	6	97	218	50-150
2039095	ARMATUR TELE	3.30	6	99	230	50-150









ARMATUR SPIN

- material – composite/graphite


code	model	length, m	pcs	folded, cm	weight, g	casting, g	action
2039169	ARMATUR SPIN	2.10	2	110	180	100-250	extra-fast
2039170	ARMATUR SPIN	2.40	2	126	224	100-250	extra-fast
2039171	ARMATUR SPIN	2.70	2	142	278	100-250	extra-fast
2039172	ARMATUR SPIN	3.00	2	157	292	100-250	extra-fast











SCAN ME

NEW BIONIC

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2539300	BIONIC bolo	4.00	4	126	132	5-30
2539301	BIONIC bolo	5.00	5	126	192	5-30
2539302	BIONIC bolo	6.00	6	126	246	5-30
2539305	BIONIC pole	5.00	5	121	162	5-30
2539306	BIONIC pole	6.00	6	121	218	5-30
2539307	BIONIC pole	7.00	7	121	325	5-30
2539308	BIONIC pole	8.00	8	121	415	5-30



NEW ONNEX

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2539310	ONNEX bolo	4.00	4	119	153	10-30
2539311	ONNEX bolo	5.00	5	121	218	10-30
2539312	ONNEX bolo	6.00	6	121	279	10-30
2539315	ONNEX pole	4.00	4	116	124	10-30
2539316	ONNEX pole	5.00	5	116	189	10-30
2539317	ONNEX pole	6.00	6	116	251	10-30



SINTEZ

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g
2500200	SINTEZ pole	5.00	5	143	107
2500201	SINTEZ pole	6.00	6	143	157
2500202	SINTEZ pole	7.00	7	143	228
2500203	SINTEZ pole	8.00	7	143	281

SCAN ME



HUNTER LEGEND

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2539210	HUNTER LEGEND bolo	4.00	4	114	145	max 30
2539211	HUNTER LEGEND bolo	5.00	5	115	210	max 30
2539212	HUNTER LEGEND bolo	6.00	6	116	310	max 30
2539215	HUNTER LEGEND pole	4.00	4	113	130	–
2539216	HUNTER LEGEND pole	5.00	5	113	170	–
2539217	HUNTER LEGEND pole	6.00	6	113	260	–

SCAN ME



EURO MASTER

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2539200	EURO MASTER bolo	4.00	4	119	154	max 25
2539201	EURO MASTER bolo	5.00	5	120	225	max 25
2539202	EURO MASTER bolo	6.00	6	120	325	max 25
2539205	EURO MASTER pole	4.00	4	116	122	–
2539206	EURO MASTER pole	5.00	5	116	188	–
2539207	EURO MASTER pole	6.00	6	116	264	–

SCAN ME



NEW N-ICE CRYSTAL JIG

- type of tip – solid

code	model	length, m	pcs	folded, cm	weight, g	power	material
2539010	60L	0.60	2	50	55	L	glass




N-ICE CRYSTAL

- type of tip – tubular

* type of tip – solid

code	model	length, m	pcs	folded, cm	weight, g	power	action	material
2539000	50L+ TITAN TIP	0.50	1	50	60	L	fast	carbon
2539001	55ML	0.55	1	55	60	ML	fast	carbon
2539002	60MH	0.60	1	60	63	MH	fast	carbon
2539003	70H	0.70	1	70	66	H	fast	carbon
2539005	50UL+ TITAN TIP*	0.50	1	50	62	UL	fast	glass
2539006	55L*	0.55	1	55	64	L	fast	glass
2539007	60M*	0.60	1	60	67	M	fast	glass



SPRINTER

SPRINTER – a series of lightweight reels by Golden Catch.

The reel's body features a modern design and is made of high-rigidity plastic, preventing deformation and wobbling under load. The high-quality main gear consists of an aluminum drive gear and a brass pinion gear, significantly increasing the reel's lifespan and overall durability.

Six high-quality ball bearings, optimally placed within the reel mechanism, ensure smooth operation and enhanced longevity. The lightweight aluminum spool is specifically designed for use with PE lines of the appropriate diameter, eliminating the need for backing.

The SPRINTER is available in three sizes – 2000S, 3000S, and 4000S – making it suitable for both light fishing setups and heavier tackle applications.





SPRINTER

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m	line capacity, #PE-m
1039030	2000S	5.2:1	235	4	6+1	0.23-100	0.8-150
1039031	3000S	5.2:1	270	5	6+1	0.25-100	1.0-150
1039032	4000S	5.2:1	285	5	6+1	0.32-100	1.5-150

VERTAIS

VERTAIS – a series of lightweight reels by Golden Catch.

Designed specifically for the Vertais rod series, these reels share a unified design with them. The rotor and body are constructed from carbon, ensuring maximum weight reduction and enhanced sensitivity, allowing for a more responsive fishing experience.

- AER CARBON – Carbon body and rotor
- SRW HANDLE – Screw-in handle
- Main Gear – Aluminum and brass construction
- Line Roller – Mounted on two bearings
- Ergonomic Knob – Skeletal carbon fiber design
- Oscillating Slider – Additional metal shaft support
- Line Management – High-quality line laying
- Shallow Spool – Optimized for braided lines
- Bearings – 6+1 ball bearings
- Gear Ratio – 5.1:1








code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m	line capacity, #PE-m
1039040	2000S	5.1:1	205	5	6+1	0.165-120	0.5-150
1039041	2500S	5.1:1	225	8	6+1	0.185-120	0.6-150
1039042	3000S	5.1:1	235	8	6+1	0.205-120	0.8-150

SPOOL VERTAIS

code	model	line capacity, mm-m	line capacity, #PE-m
1739940	2000S	0.165-120	0.5-150
1739941	2500S	0.185-120	0.6-150
1739942	3000S	0.205-120	0.8-150



VOLT

VOLT – the lightest reel series in the GOLDEN CATCH product range.

Designed specifically for the Volt rod series, these reels share a unified design with them. The carbon rotor and body ensure maximum weight reduction and enhanced sensitivity for precise control during fishing.

- AER CARBON – Carbon body and rotor
- SRW HANDLE – Screw-in handle
- Main Gear – Aluminum and brass construction
- Line Roller – Mounted on two bearings
- Ergonomic Knob – Skeletal carbon fiber design
- Oscillating Slider – Additional metal shaft support
- Line Management – High-quality line laying
- Shallow Spool – Optimized for braided lines
- Bearings – 6+1 ball bearings
- Gear Ratio – 5.1:1








code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m	line capacity, #PE-m
1039045	1000S	5.1:1	200	5	6+1	0.148-130	0.4-150
1039046	2000S	5.1:1	205	5	6+1	0.165-120	0.5-150
1039047	2500S	5.1:1	225	8	6+1	0.185-120	0.6-150

SPOOL VOLT

code	model	line capacity, mm-m	line capacity, #PE-m
1739945	1000S	0.148-130	0.4-150
1739946	2000S	0.165-120	0.5-150
1739947	2500S	0.185-120	0.6-150



INQUISITOR

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m/#PE-m
1039015	2500S	5.2:1	225	3	6+1	0.25-70 / 0.8-150
1039016	3000S	5.2:1	250	5	6+1	0.25-95 / 1.0-150
1039017	4000S	5.2:1	260	5	6+1	0.25-140 / 1.2-150





SPOOL INQUISITOR

code	model	line capacity, mm-m/ #PE-m
1739911	2500S	0.25-70 / 0.8-150
1739912	3000S	0.25-95 / 1.0-150
1739913	4000S	0.25-140 / 1.2-150



MIRROX AIR

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m	line capacity, #PE-m
1039002	3000S	5.2:1	250	8	6+1	0.25-70 / 0.8-150	1.5-150
1039003	4000S	5.2:1	260	8	6+1	0.25-140 / 1.2-150	2.0-150




SCAN ME


SPOOL MIRROX AIR

code	model	line capacity, mm-m	line capacity, #PE-m
1739902	3000S	0.25-140 / 0.30-100 / 0.35-70	1.5-150
1739903	4000S	0.25-200 / 0.30-145 / 0.35-105	2.0-150



MIRROX

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m	line capacity, #PE-m
1039000	3000S	5.2:1	260	8	5+1	0.25-140	1.5-150
1039001	4000S	5.2:1	275	8	5+1	0.25-200	2.0-150





SPOOL MIRROX

code	model	line capacity, mm-m	line capacity, #PE-m
1739900	3000S	0.25-140	1.5-150
1739901	4000S	0.25-200	2.0-150



SINTEZ FEEDER

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039075	4500	4.6:1	370	10	11+1	0.26-200 / 0.30-150
1039076	5500	4.6:1	380	10	11+1	0.26-300 / 0.30-230






SPOOL SINTEZ FEEDER

code	model	line capacity, mm-m
1738068	4500	0.26-200 / 0.30-150
1738069	5500	0.26-300 / 0.30-230



ONNEX FEEDER

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039009	5000	5.1:1	380	10	7+1	0.285-250 / 0.330-180






SPOOL ONNEX FEEDER

code	model	line capacity, mm-m
1738033	5000	0.285-250 / 0.330-180



VERTE-X FEEDER

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039068	6000	5.0:1	380	12	6+1	0.26-120



METAL BODY – metal body

X-BS BEARING SYSTEMS – main gear on 4 ball bearings

ACR CARBON – carbon rotor

SRW HANDLE – screw-in handle

SCAN ME

VERTE-X FEEDER 6000

SPOOL VERTE-X FEEDER

code	model	line capacity, mm-m
1739938	6000	0.26-120



AIRONE

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039011	3000M	5.1:1	262	6	7+1	0.18-205 0.23-130 0.28-100
1039012	4000FD	5.5:1	362	8	7+1	0.23-170 0.28-130 0.33-80
1039010	6000FD	5.5:1	380	12	7+1	0.23-200 0.28-150 0.33-100





SCAN ME



SPOOL AIRONE

code	model	line capacity, mm-m
1739908	3000M	0.18-205 / 0.23-130 / 0.28-100
1739909	4000FD	0.23-170 / 0.28-130 / 0.33-80
1739910	6000FD	0.23-200 / 0.28-150 / 0.33-100



BIONIC FEEDER

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039055	4000	5.0:1	289	5	4+1	0.25-120 0.28-100
1039056	5000	4.9:1	406	7	4+1	0.3-130 0.35-100
1039057	6000	4.9:1	422	7	4+1	0.35-118 0.40-100






SPOOL BIONIC FEEDER

code	model	line capacity, mm-m
1739925	4000	0.25-120 / 0.28-100
1739926	5000	0.3-130 / 0.35-100
1739927	6000	0.35-118 / 0.40-100



ONNEX

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039005	4000FD	5.5:1	360	8	5+1	0.24-165 0.28-120 0.30-105
1039006	5000FD	5.5:1	368	12	5+1	0.24-210 0.28-155 0.300-135






SPOOL ONNEX

code	model	line capacity, mm-m
1739905	4000FD	0.24-165 / 0.28-120 / 0.30-105
1739906	5000FD	0.24-210 / 0.28-155 / 0.30-135
1739907	6000FD	0.28-170 / 0.30-150 / 0.35-110



PASSION POWER

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039050	4000FD	5.2:1	356	5	5+1	0.30-150 0.35-110
1039051	5000FD	5.2:1	388	7	5+1	0.35-120 0.40-100
1039052	6000FD	5.2:1	392	7	5+1	0.40-120 0.45-100




SCAN ME


SUPER STRONG

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039065	10000	4.6:1	640	18	5+1	0.30-470 / 0.35-345 / 0.40-265




SCAN ME


SPOOL SUPER STRONG

code	model	line capacity, mm-m
1709937	10000	0.30-470 / 0.35-345 / 0.40-265



EVO-X

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039020	4000BR	5.1:1	350	9	7+1	0.22-180 / 0.25-150 / 0.29-115
1039021	5000BR	5.1:1	475	12	7+1	0.31-175 / 0.33-150 / 0.37-120





SPOOL EVO-X

code	model	line capacity, mm-m
1739915	4000BR	0.22-180 / 0.25-150 / 0.29-115
1739916	5000BR	0.31-175 / 0.33-150 / 0.37-120



BIONIC LONG CAST

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039063	6000	4.7:1	465	12	6+1	0.30-270 / 0.35-195 / 0.40-150






SPOOL BIONIC LONG CAST

code	model	line capacity, mm-m
1739936	6000	0.30-270 / 0.35-195 / 0.40-150



AMULLET SURF

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039060	10000	4.1:1	640	15	5+1	0.30-460 / 0.40-260 / 0.45-200






SPOOL AMULLET SURF

code	model	line capacity, mm-m
1739934	10000	0.30-460 / 0.40-260 / 0.45-200



SKYROS

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039036	4000S	5.1:1	305	5	9+1	0.20-120 / 1.0-200
1039037	5000S	5.1:1	405	7	9+1	0.20-240 / 1.0-400






SPOOL SKYROS

code	model	line capacity, mm-m
1739918	4000S	0.20-120 / 1.0-200
1739919	5000S	0.20-240 / 1.0-400



NEW HUNTER

code	model	gear ratio	weight, g	diameter of spool, mm
1039110	55	1:1	31	55
1039111	65	1:1	58	65








N-ICE CRYSTAL LONG LEG

code	model	gear ratio	weight, g	ball bearings	diameter of spool, mm
1039100	65L	1:1	57	2	65
1039101	75L	1:1	64	2	75





N-ICE CRYSTAL SHORT LEG

code	model	gear ratio	weight, g	ball bearings	diameter of spool, mm
1039102	65S	1:1	50	2	65
1039103	75S	1:1	55	2	75







FLUOROCARBON X-GUARD FC LEADER

- color – Clear

7 m	10 m	20 m	25 m	diameter, mm	test, kg	test, lb
-	-	3939040	3939000	0.141	1.3	2.9
-	-	3939041	3939001	0.161	1.7	3.7
-	-	3939042	3939002	0.178	2.1	4.6
-	3939020	3939043	3939003	0.205	2.6	5.7
-	3939021	3939044	-	0.218	3.1	6.8
-	3939022	3939045	3939004	0.234	3.5	7.7
-	3939023	3939046	3939005	0.257	4.2	9.2
-	3939024	3939047	3939006	0.278	4.7	10.3
-	3939025	3939048	3939007	0.298	5.3	11.7
-	3939026	3939049	3939008	0.333	6.4	14.1
-	3939027	3939050	3939009	0.352	7.0	15.4
-	3939028	3939051	3939010	0.373	7.7	16.9
3939029	-	3939052	3939011	0.418	9.0	19.8
3939030	-	3939053	3939012	0.455	10.7	23.5
3939031	-	3939054	3939013	0.505	13.2	29.0
3939032	-	3939055	3939014	0.555	15.9	35.0
3939033	-	-	-	0.645	20.4	44.9
3939034	-	-	-	0.738	24.6	54.1









SCAN ME



NEW INQUISITOR PE X8 UPGRADE LIME GREEN

- color – Lime Green

150 m	#PE	test, kg	test, lb
4139050	0.2	2.4	6
4139051	0.4	3.7	10
4139052	0.6	5.1	13
4139053	0.8	6.8	18
4139054	1.0	7.7	21
4139055	1.2	9.5	23





MIRROX PE X4 LIME GREEN

- color – Lime Green
- +2 m of fluorocarbon

150 m	#PE	test, kg	test, lb
4139330	0.6	4.1	9.2
4139331	0.8	4.9	10.8
4139332	1.0	5.8	12.2
4139333	1.2	6.5	14.4
4139334	1.5	7.8	17.6
4139335	2.0	9.7	21.5
4139336	2.5	12.0	26.1



MIRROX PE X4 MULTICOLOR

- color – Multicolor
- +2 m of fluorocarbon

150 m	#PE	test, kg	test, lb
4139340	0.6	4.1	9.2
4139341	0.8	4.9	10.8
4139342	1.0	5.8	12.2
4139343	1.2	6.5	14.4
4139344	1.5	7.8	17.6
4139345	2.0	9.7	21.5
4139346	2.5	12.0	26.1



SPRINTER PE X4 LIME GREEN

- color – Lime Green
- +2 m of fluorocarbon

150 m	#PE	test, kg	test, lb
4139350	0.6	5.1	11.2
4139351	0.8	5.9	13.0
4139352	1.0	7.8	17.2
4139353	1.2	8.9	19.6
4139354	1.5	10.8	23.8
4139355	2.0	12.4	27.3
4139356	2.5	13.9	30.6



SPRINTER PE X4 BLUE

- color – Blue

100 m	150 m	#PE	test, kg	test, lb
4139300	4139310	0.6	5.1	11.2
4139301	4139311	0.8	5.9	13.0
4139302	4139312	1.0	7.8	17.2
4139303	4139313	1.2	8.9	19.6
4139304	4139314	1.5	10.8	23.8
4139305	4139315	2.0	12.4	27.3
4139306	4139316	2.5	13.9	30.6



INQUISITOR PE X4 LIME GREEN

- color – Lime Green

150 m	#PE	test, kg	test, lb
4139010	0.4	3.2	7.0
4139011	0.5	4.5	9.0
4139012	0.6	5.2	11.0
4139013	0.8	6.0	13.2
4139014	1.0	8.0	18.0
4139015	1.2	9.0	20.0
4139016	1.5	11.0	24.0
4139017	2.0	12.5	26.0



INQUISITOR PE X8 LIME GREEN

- color – Lime Green

100 m	150 m	200 m	#PE	test, kg	test, lb
–	–	4139030	0.6	5.3	11.7
–	–	4139031	0.8	6.3	13.9
4139042	–	4139032	1.0	8.1	17.8
4139043	–	4139033	1.2	9.3	20.5
4139044	4139024	4139034	1.5	11.5	23.4
–	4139025	4139035	2.0	13.7	30.2
–	–	4139036	2.5	16.1	35.5



BIONIC FEEDER PE X4 BLACK

- color – Black

150 m	#PE	test, kg	test, lb
4139320	0.6	5.0	11.0
4139321	0.8	5.8	12.8
4139322	1.0	7.6	16.8
4139323	1.2	8.7	19.2



BIONIC FEEDER PE X4 ORANGE

- color – Orange

150 m	#PE	test, kg	test, lb
4139325	0.6	5.0	11.0
4139326	0.8	5.8	12.8
4139327	1.0	7.6	16.8
4139328	1.2	8.7	19.2



NEW BIONIC UNIVERSAL CRYSTALINE

- color – Crystaline

150 m	diameter, mm	test, kg	test, lb
4039210	0.18	2.5	5.5
4039211	0.20	3.0	6.6
4039212	0.23	3.9	8.6
4039213	0.26	4.9	10.8
4039214	0.28	5.7	12.5
4039215	0.30	6.5	14.2
4039216	0.32	7.3	16.0
4039217	0.34	8.2	18.0



NEW BIONIC UNIVERSAL MULTICOLOR

- color – Multicolor

150 m	diameter, mm	test, kg	test, lb
4039226	0.20	3.0	6.6
4039227	0.23	3.8	8.3
4039228	0.26	4.7	10.3
4039229	0.28	5.6	12.3
4039230	0.30	6.6	14.4
4039231	0.32	6.9	15.2
4039232	0.34	7.6	16.8



NEW AMULLET SURF SUMMER SUN

- color – Summer Sun

300 m	diameter, mm	test, kg	test, lb
4039240	0.30	5.9	13.1
4039241	0.32	6.3	13.8
4039242	0.34	7.0	15.3



EVO-X CARP LEMONCELLO

- color – Lemoncello

300 m	diameter, mm	test, kg	test, lb
4039140	0.251	6.9	15.2
4039141	0.286	8.2	18.1
4039142	0.309	9.5	20.9
4039143	0.331	10.7	23.6
4039144	0.370	13.2	29.1
4039145	0.410	15.6	34.4

SCAN ME



EVO-X CARP SICILIAN ORANGE

- color – Sicilian Orange

300 m	diameter, mm	test, kg	test, lb
4039160	0.261	6.9	15.2
4039161	0.286	8.2	18.1
4039162	0.309	9.5	20.9
4039163	0.331	10.7	23.6
4039164	0.370	13.2	29.1
4039165	0.410	15.6	34.4

SCAN ME



EVO-X CARP REAL CAMO

- color – Real Camo

300 m	diameter, mm	test, kg	test, lb
4039180	0.261	6.9	15.2
4039181	0.286	8.2	18.1
4039182	0.309	9.5	20.9
4039183	0.331	10.7	23.6
4039184	0.370	13.2	29.1
4039185	0.410	15.6	34.4

SCAN ME



EVO-X CARP SWAMP

- color – Swamp

150 m	300 m	diameter, mm	test, kg	test, lb
4039050	4039061	0.261	6.9	15.2
4039051	4039062	0.286	8.2	18.1
4039052	4039063	0.309	9.5	20.9
4039053	4039064	0.331	10.7	23.6
4039054	4039065	0.370	13.2	29.1
4039055	4039066	0.410	15.6	34.4

SCAN ME



VERTE-X FEEDER VENOM

- color – Venom

150 m	diameter, mm	test, kg	test, lb
4039010	0.234	5.9	13.0
4039011	0.261	7.4	16.3
4039012	0.286	8.7	19.2
4039013	0.309	10.1	22.2
4039014	0.331	11.4	25.1
4039015	0.370	14.0	30.8

SCAN ME



VERTE-X MATCH CRYSTALINE

- color – Crystaline

150 m	diameter, mm	test, kg	test, lb
4039000	0.148	2.6	5.7
4039001	0.165	3.2	7.0
4039002	0.181	3.8	8.4
4039003	0.203	4.7	10.4
4039004	0.234	6.3	13.9
4039005	0.261	7.8	17.2

SCAN ME



VERTE-X LEADER CRYSTALINE

- color – Crystaline

50 m	diameter, mm	test, kg	test, lb
e	0.090	1.2	2.6
4039031	0.104	1.4	3.1
4039033	0.128	1.9	4.2
4039034	0.148	2.6	5.7
4039035	0.165	3.2	7.0
4039036	0.181	3.8	8.4
4039037	0.203	4.7	10.4
4039038	0.234	6.3	13.9
4039039	0.261	7.8	17.2

SCAN ME



AMULLET SURFCASTING SUMMER SUN

- color – Summer sun

300 m	diameter, mm	test, kg	test, lb
4039120	0.261	7.8	17.2
4039121	0.286	9.3	20.5
4039122	0.309	10.7	23.6
4039123	0.331	12.1	26.7
4039124	0.370	14.8	32.6
4039125	0.410	17.5	38.5

SCAN ME



PASSION POWER REAL CAMO

- color – Real camo

100 m	diameter, mm	test, kg	test, lb
4039070	0.181	4.2	9.3
4039071	0.203	5.3	11.7
4039072	0.234	7.0	15.4
4039073	0.261	8.7	19.2
4039074	0.286	10.3	22.7
4039075	0.309	11.9	26.2
4039076	0.331	13.4	29.5
4039077	0.370	16.5	36.3
4039078	0.410	19.5	43.0
4039079	0.440	22.8	50.2
4039080	0.470	25.7	56.6
4039081	0.520	29.4	64.8

SCAN ME



N-ICE CRYSTALINE

- color – Crystaline

30 m	50 m	diameter, mm	test, kg	test, lb
4039041	4039200	0.074	0.8	1.7
4039042	4039201	0.090	1.2	2.6
4039043	4039202	0.104	1.4	3.1
4039045	4039203	0.128	1.9	4.2
4039046	4039204	0.148	2.6	5.7
4039047	4039205	0.165	3.2	7.0
4039048	4039206	0.181	3.8	8.4
4039049	4039207	0.203	4.7	10.4


SCAN ME



NEW ARIEL MINNOW

size	175F	175S
length, mm	175	175
weight, g	26.0	31.0
depth, m	0.5-1.3	0.7-1.5
type of buoyancy	floating	sinking
21	5039910	5039930
23	5039911	5039931
24	5039912	5039932
25	5039913	5039933
27	5039914	5039934
28	5039915	5039935
30	5039916	5039936
31	5039917	5039937
33	5039918	5039938
35	5039919	5039939





NEW TAMER SW

size	120SS
length, mm	120
weight, g	19.0
depth, m	1.0-1.8
type of buoyancy	slow sinking
10	5039290
23	5039291
27	5039292
31	5039293
33	5039294
34	5039295
35	5039296





NEW MAGOON

size	35F-SR
length, mm	35
weight, g	3.2
depth, m	0.3-0.5
type of buoyancy	floating
001	5039350
004	5039351
007	5039352
008	5039353
009	5039354
011	5039355
012	5039356
013	5039357
014	5039358
015	5039359
016	5039360
300	5039361
302	5039362
306	5039363




001

004


007


008


009


011


012


013


014


015


016


300


302


306

NEW LOTO

size	42S
length, mm	42
weight, g	3.0
depth, m	0.3-0.6
type of buoyancy	sinking
001	5039390
003	5039391
004	5039392
007	5039393
010	5039394
011	5039395
012	5039396
100	5039397
101	5039398
300	5039399
305	5039400




001


003


004



007


010


011


012


100


101


300


305



HARISMA SURFACE

size	160F	180F	205F
length, mm	160	180	205
weight, g	18.0	24.0	31.0
depth, m	top water	top water	top water
type of buoyancy	floating	floating	floating
SW01	5039950	5039965	5039980
SW02	5039951	5039966	5039981
SW03	5039952	5039967	5039982
SW04	5039953	5039968	5039983
SW05	5039954	5039969	5039984
SW06	5039955	5039970	5039985
SW07	5039956	5039971	5039986
SW08	5039957	5039972	5039987
SW09	5039958	5039973	5039988
SW10	5039959	5039974	5039989


160F


180F


205F





LUNATIC

size	75S
length, mm	75
weight, g	15.5
depth, m	over 5
type of buoyancy	sinking
003	5039080
005	5039081
006	5039082
007	5039083
200	5039084
300	5039085
302	5039086







RAIDER

size	35SS	70SP	90SP
length, mm	35	70	90
weight, g	2.2	5.2	10.2
depth, m	0.3-0.8	0.5-1.0	0.5-1.3
type of buoyancy	slow-sinking	suspender	suspender
001	5039000	–	–
002	5039001	503940	5039060
003	5039002	503941	5039061
004	5039003	503942	5039062
007	5039011	–	–
008	5039012	–	–
009	5039013	–	–
010	5039014	–	–
011	5039015	–	–
012	5039016	–	–
016	5039008	–	–
100	5039004	503943	5039063
101	5039005	503944	5039064
102	–	503945	5039065
200	5039006	503946	5039066
300	5039007	503947	5039067
301	–	503948	5039068
302	–	503949	5039069
305	5039009	–	–
306	5039010	–	–











TAMER

size	100SP	110SP	120SP
length, mm	100	110	120
weight, g	14.5	17.0	18.7
depth, m	0.8-1.5	0.8-1.5	1.0-1.8
type of buoyancy	suspender	suspender	suspender
002	5039240	5039260	5039280
003	5039241	5039261	5039281
004	5039242	5039262	5039282
100	5039243	5039263	5039283
101	5039244	5039264	5039284
102	5039245	5039265	5039285
200	5039246	5039266	5039286
300	5039247	5039267	5039287
301	5039248	5039268	5039288
302	5039249	5039269	5039289





TREBLE SAFETY COVER


code	quantity in pack, pcs
1639101	6



FLOPPY


size	98SP	110SP
length, mm	98	110
weight, g	10.0	13.7
depth, m	0.5-1.0	1.0-1.5
type of buoyancy	suspender	suspender
002	5039120	5039140
003	5039121	5039141
004	5039122	5039142
100	5039123	5039143
101	5039124	5039144
102	5039125	5039145
200	5039126	5039146
300	5039127	5039147
301	5039128	5039148
302	5039129	5039149





DAZZLER


size	115SP
length, mm	115
weight, g	15.3
depth, m	0.5-1.2
type of buoyancy	suspender
002	5039180
003	5039181
004	5039182
100	5039183
101	5039184
102	5039185
200	5039186
300	5039187
301	5039188
302	5039189



SHAMUS

size	110SP	130SP
length, mm	110	130
weight, g	15.6	22.6
depth, m	1.5-2.0	1.5-2.0
type of buoyancy	suspender	suspender
002	5039200	5039220
003	5039201	5039221
004	5039202	5039222
100	5039203	5039223
101	5039204	5039224
102	5039205	5039225
200	5039206	5039226
300	5039207	5039227
301	5039208	5039228
302	5039209	5039229





COMATOSE MINNOW

size	88SP
length, mm	88
weight, g	7.8
depth, m	0.5-0.8
type of buoyancy	suspender
002	5039100
003	5039101
004	5039102
100	5039103
101	5039104
102	5039105
200	5039106
300	5039107
301	5039108
302	5039109







TAIL-SPINNER YOKE

weight	5.0 g	7.5 g	10.0 g	12.0 g	14.0 g
length	17 mm	20 mm	23 mm	26 mm	28 mm
11SH	5438840	5438800	5438810	5438820	5438830
201	5438841	5438801	5438811	5438821	5438831
203	5438842	5438802	5438812	5438822	5438832
205	5438843	5438803	5438813	5438823	5438833
207	5438844	5438804	5438814	5438824	5438834
209	5438845	5438805	5438815	5438825	5438835
GC01	5438846	5438806	5438816	5438826	5438836
05S	5438847	5438807	5438817	5438827	5438837
16G	5438848	5438808	5438818	5438828	5438838





STRATOS

weight	8.0 g	10.0 g	12.0 g
length	44 mm	52 mm	58 mm
11G	5437268	–	–
02G	5437260	5437275	5437290
03S	5437261	5437276	5437291
05G	5437266	–	–
08G	5437262	5437277	5437292
09G	5437267	–	–
16G	5437263	5437278	5437293
A51G	5437269	–	–
A52G	5437270	–	–
A54G	5437271	–	–
A59B	5437272	–	–
GC01	5437264	5437279	5437294
GC30	5437265	5437280	5437295







NIBOSHI

weight	7.5 g	12.5 g	15.5 g	20.0 g
length	42 mm	48 mm	52 mm	58 mm
01S	5438220	5438230	5438240	5438250
16G	5438370	5438385	5438400	5438255
201	5438222	5438232	5438242	5438252
207	5438223	5438233	5438243	5438253
210	5438224	5438234	5438244	5438254
211UV	5438371	5438386	5438401	5438256
212UV	5438372	5438387	5438402	5438257
213	5438373	5438388	5438403	5438258
214UV	5438374	5438389	5438404	5438259
GC01	5438375	5438390	5438405	5438260
A01	5438221	5438231	5438241	5438251



NIOBI / NIOBI MAX

weight	Niobi 12.0 g	Niobi Max 12.0 g	Niobi Max 17.0 g
length	57 mm	67 mm	67 mm
02G	5438270	5438280	5438290
03S	5438271	5438281	5438291
08G	5438272	5438282	5438292
10G	5438273	5438283	5438293
16G	5438274	5438284	5438294
GC01	5438275	5438285	5438295



SIBI

weight	10.0 g	13.0 g	17.0 g	21.0 g
length	51 mm	51 mm	60 mm	60 mm
02G	5438300	5438310	5438320	5438330
03S	5438301	5438311	5438321	5438331
08G	5438302	5438312	5438322	5438332
10G	5438303	5438313	5438323	5438333
16G	5438304	5438314	5438324	5438334
GC01	5438305	5438315	5438325	5438335



HOVER

weight	5.0 g	7.0 g	10.0 g	14.0 g
length	26 mm	26 mm	40 mm	45 mm
S	5438180	5438190	5438200	5438210
G	5438181	5438191	5438201	5438211
08S	5438182	5438192	5438202	5438212
10G	5438183	5438193	5438203	5438213
16G	5438184	5438194	5438204	5438214
17G	5438185	5438195	5438205	5438215
GC01	5438186	5438196	5438206	5438216
11G	-	-	5438207	5438217

SCAN ME



ARCANE

weight	17.0 g	30.0 g
length	64 mm	78 mm
02G	5438150	5438160
03S	5438151	5438161
08G	5438152	5438162
10G	5438153	5438163
16G	5438154	5438164
210	5438156	–
GC01	5438155	5438165
A01	5438157	–



NIMBLE

weight	6.0 g	8.0 g	10.0 g	15.0 g	20.0 g
length	40 mm	46 mm	50 mm	58 mm	66 mm
01S	5439100	5439120	5439140	5439160	5439180
02G	5439101	5439121	5439141	5439161	5439181
03S	5439102	5439122	5439142	5439162	5439182
04S	5439103	5439123	5439143	5439163	5439183
05G	5439104	5439124	5439144	5439164	5439184
06S	5439105	5439125	5439145	5439165	5439185
07G	5439106	5439126	5439146	5439166	5439186
08G	5439107	5439127	5439147	5439167	5439187
09G	5439108	5439128	5439148	5439168	5439188




BALLISTIC

weight	5.0 g	7.0 g	9.0 g	12.0 g
length	40 mm	44 mm	50 mm	52 mm
01S	5439000	5439030	5439050	5439070
02G	5439001	5439031	5439051	5439071
03S	5439002	5439032	5439052	5439072
04S	5439003	5439033	5439053	5439073
05G	5439004	5439034	5439054	5439074
07G	5439005	5439035	5439055	5439075
08G	5439006	5439036	5439056	5439076
09G	5439007	5439037	5439057	5439077
11G	5439008	5439038	5439058	5439078

SCAN ME





HORIZON

weight	3.5 g	5.0 g	8.0 g	12.0 g	16.0 g	21.0 g
length	30 mm	35 mm	45 mm	52 mm	55 mm	62 mm
01S	5439660	5439670	5439440	5439450	5439460	5439470
03S	5439661	5439671	5439441	5439451	5439461	5439471
04S	5439662	5439672	5439442	5439452	5439462	5439472
06S	5439663	5439673	5439443	5439453	5439463	5439473
09G	5439664	5439674	5439444	5439454	5439464	5439474
201	–	–	5439445	5439455	5439465	–
207	–	–	5439446	5439456	5439466	–
210	–	–	5439447	5439457	5439467	–
A01	–	–	5439448	5439458	5439468	–

SCAN ME





WAVE

weight	4.0 g	8.0 g
length	35 mm	41 mm
01S	5439200	5439220
04S	5439201	5439221
07G	5439202	5439222
08G	5439203	5439223
09G	5439204	5439224
11G	5439205	5439225





ACROS

weight	6.0 g	9.0 g
length	39 mm	48 mm
01S	5439480	5439490
03S	5439481	5439491
04S	5439482	5439492
08G	5439483	5439493
09G	5439484	5439494
11G	5439485	5439495





ZIXE

weight	6.0 g	10.0 g
length	35 mm	45 mm
01S	5439240	5439260
04S	5439241	5439261
07G	5439242	5439262
08G	5439243	5439263
09G	5439244	5439264
11G	5439245	5439265





MOON

weight	4.5 g	8.0 g	10.0 g	14.0 g
length	36 mm	53 mm	53 mm	62 mm
01S	5439400	5439410	5439420	5439430
02GT	5439401	5439411	5439421	5439431
03ST	5439402	5439412	5439422	5439432
04S	5439403	5439413	5439423	5439433
07G	5439404	5439414	5439424	5439434
08G	5439405	5439415	5439425	5439435
10G	5439406	5439416	5439426	5439436
11G	5439407	5439417	5439427	5439437






NATIVE

weight	6.0 g
length	41 mm
01S	5439500
03S	5439501
04S	5439502
06S	5439503
07G	5439504
08G	5439505
10G	5439506



BARCHETTA

weight	5.0 g
length	46 mm
01S	5439090
03S	5439091
04S	5439092
06S	5439093
07G	5439094
08G	5439095



RIDIK TROUT

weight	3.5 g	5.0 g
length	32 mm	39 mm
011G	5437233	5437248
05G	5437230	5437245
08G	5437231	5437246
09G	5437232	5437247
A51G	5437234	5437249
A52G	5437235	5437250
A54G	5437236	5437251
A59B	5437237	5437252





BRIGHT

weight	22.0 g
length	67 mm
G	5437211
LV	5437221
S	5437210
ST01	5437212
ST02	5437213
ST03	5437214
ST04	5437215
ST05	5437216
ST06	5437217
ST07	5437218
ST30	5437219
UA	5437220



HYBRID

weight	10.0 g
length	45 mm
G	5437151
LV	5437161
S	5437150
ST01	5437152
ST02	5437153
ST03	5437154
ST04	5437155
ST05	5437156
ST06	5437157
ST07	5437158
ST30	5437159
UA	5437160



KING REBEL

weight	20.0 g	25.0 g
length	67 mm	85 mm
G	5437071	5437091
LV	5437081	5437101
S	5437070	5437090
ST01	5437072	5437092
ST02	5437073	5437093
ST03	5437074	5437094
ST04	5437075	5437095
ST05	5437076	5437096
ST06	5437077	5437097
ST07	5437078	5437098
ST30	5437079	5437099
UA	5437080	5437100



QUEEN REBEL

weight	18.0 g
length	62 mm
G	5437191
LV	5437201
S	5437190
ST01	5437192
ST02	5437193
ST03	5437194
ST04	5437195
ST05	5437196
ST06	5437197
ST07	5437198
ST30	5437199
UA	5437200



TRUTA

weight	15.0 g
length	68 mm
G	5437171
LV	5437181
S	5437170
ST01	5437172
ST02	5437173
ST03	5437174
ST04	5437175
ST05	5437176
ST06	5437177
ST07	5437178
ST30	5437179
UA	5437180



SKY

weight	18.0 g	24.0 g
length	86 mm	87 mm
G	5437111	5437131
LV	5437121	5437141
S	5437110	5437130
ST01	5437112	5437132
ST02	5437113	5437133
ST03	5437114	5437134
ST04	5437115	5437135
ST05	5437116	5437136
ST06	5437117	5437137
ST07	5437118	5437138
ST30	5437119	5437139
UA	5437120	5437140



NIBOSHI TROUT

weight	2.0 g	3.0 g	4.0 g
length	29 mm	33 mm	36 mm
A50G	5437005	5437035	5438345
A51G	5437006	5437036	5438346
A52G	5437007	5437037	5438347
A53G	5437008	5437038	5438348
A54	5437009	5437039	5438349
A55B	5437010	5437040	5438350
A56W	5437011	5437041	5438351
A57B	5437012	5437042	5438352
A58	5437013	5437043	5438353
A59B	5437014	5437044	5438354
A60B	5437015	5437045	5438355
A61M	5437016	5437046	5438356
A62G	5437017	5437047	5438357
A63FY	5437018	5437048	5438358
A64W	5437019	5437049	5438359
A65G	5437020	5437050	5438360
A66G	5437021	5437051	5438361
A67	5437022	5437052	5438362



NIASA S / NIASA M (TROUT)

weight	Niasa S 1.8 g	Niasa S 2.8 g	Niasa M 2.6 g	Niasa M 3.2 g
length	28 mm	28 mm	30 mm	30 mm
A50G	5439580	5439595	5439610	5439625
A51G	5439581	5439596	5439611	5439626
A52G	5439582	5439597	5439612	5439627
A53G	5439583	5439598	5439613	5439628
A54	5439584	5439599	5439614	5439629
A55B	5439585	5439600	5439615	5439630
A56W	5439586	5439601	5439616	5439631
A57B	5439587	5439602	5439617	5439632
A58	5439588	5439603	5439618	5439633
A59B	5439589	5439604	5439619	5439634
A60B	5439590	5439605	5439620	5439635
A61M	5439591	5439606	5439621	5439636
A62G	5439592	5439607	5439622	5439637
A63FY	5439593	5439608	5439623	5439638
A64W	5439594	5439609	5439624	5439639
A65G	5438565	5438570	5438580	5438590
A66G	5438566	5438571	5438581	5438591
A67	5438567	5438572	5438582	5438592

SCAN ME



BENSHA (TROUT)

weight	1.4 g	2.0 g
length	25 mm	25 mm
A50G	5439520	5439535
A51G	5439521	5439536
A52G	5439522	5439537
A53G	5439523	5439538
A54	5439524	5439539
A55B	5439525	5439540
A56W	5439526	5439541
A57B	5439527	5439542
A58	5439528	5439543
A59B	5439529	5439544
A60B	5439530	5439545
A61M	5439531	5439546
A62G	5439532	5439547
A63FY	5439533	5439548
A64W	5439534	5439549
A65G	5438515	5438525
A66G	5438516	5438526
A67	5438517	5438527

SCAN ME





HEDIK (TROUT)

weight	1.8 g	2.6 g
length	28 mm	28 mm
A50G	5439550	5439565
A51G	5439551	5439566
A52G	5439552	5439567
A53G	5439553	5439568
A54	5439554	5439569
A55B	5439555	5439570
A56W	5439556	5439571
A57B	5439557	5439572
A58	5439558	5439573
A59B	5439559	5439574
A60B	5439560	5439575
A61M	5439561	5439576
A62G	5439562	5439577
A63FY	5439563	5439578
A64W	5439564	5439579
A65G	5438535	5438550
A66G	5438536	5438551
A67	5438537	5438553

SCAN ME





BULLET ASP

BULLET ASP – version of the BULLET spinner specially adapted for catching aspius in strong currents.

The body is made of lead, this allows to increase the weight of spoons without increasing the volume, which positively affects the resistance in the water and increases the casting distance. An eccentric, rigidly fixed body prevents twisting of the line during retrieve. Hook loop is turned in such a way that when you change the treble hook to a single hook, its barb looks upward, which increases the effectiveness of hooks.

- Body material – lead

weight	5.0 g	7.0 g	9.0 g	12.0 g
length	30 mm	33 mm	35 mm	39 mm
01S	5438450	5438465	5438480	5438495
02G	5438451	5438466	5438481	5438496
03S	5438452	5438467	5438482	5438497
04S	5438453	5438468	5438483	5438498
06S	5438454	5438469	5438484	5438499
07S	5438455	5438470	5438485	5438500
08G	5438456	5438471	5438486	5438501
09G	5438457	5438472	5438487	5438502
11SH	5438458	5438473	5438488	5438503
18S	5438459	5438474	5438489	5438504
19S	5438460	5438475	5438490	5438505





BULLET

weight	5.0 g	7.0 g
length	32 mm	38 mm
01S	5439300	5439330
02G	5439301	5439331
03S	5439302	5439332
04S	5439303	5439333
05S	5439304	5439334
06S	5439305	5439335
07S	5439306	5439336
08G	5439307	5439337
09G	5439308	5439338
11SH	5439309	5439339
16G	5439310	5439340





SENSOR

weight	Sensor 0 3.5 g	Sensor 1 6.5 g	Sensor 2 9.5 g
length	25 mm	30 mm	40 mm
03S	5438030	5438045	5438060
04SO	5438031	5438046	5438061
06S	5438032	5438047	5438062
08G	5438033	5438048	5438063
09G	5438034	5438049	5438064
12S	5438035	5438050	5438065
13S	5438036	5438051	5438066



CORRIDA

weight	Corrida 1 2.5 g	Corrida 2 4.0 g	Corrida 3 7.0 g
length	20 mm	27 mm	35 mm
03S	5438075	5438090	5438105
04SO	5438076	5438091	5438106
06S	5438077	5438092	5438107
08G	5438078	5438093	5438108
09G	5438079	5438094	5438109
12S	5438080	5438095	5438110
13S	5438081	5438096	5438111



TROX

weight	3.0 g	4.0 g	6.0 g	8.0 g
length	31 mm	30 mm	33 mm	40 mm
01S	5439350	5439370	5439640	5439390
02G	5439351	5439371	5439641	5439391
03S	5439352	5439372	5439642	5439392
04S	5439353	5439373	5439643	5439393
05S	5439354	5439374	5439644	5439394
06S	5439355	5439375	5439645	5439395
07S	5439356	5439376	5439646	5439396
08G	5439357	5439377	5439647	5439397
09G	5439358	5439378	5439648	5439398
11SH	5439359	5439379	5439649	5439399
16G	5439360	5439380	5439650	5439385




TWIST

weight	Twist 1 4.0 g	Twist 2 6.0 g	Twist 3 9.0 g
length	23 mm	29 mm	33 mm
03S	5439700	5439715	5439730
04SO	5439701	5439716	5439731
06S	5439702	5439717	5439732
08G	5439703	5439718	5439733
09G	5439704	5439719	5439734
12S	5439705	5439720	5439735
13S	5439706	5439721	5439736



JAZZ

weight	Jazz 2 4.5 g	Jazz 3 6.5 g
length	29 mm	32 mm
03S	5438120	5438130
04SO	5438121	5438131
06S	5438122	5438132
08G	5438123	5438133
09G	5438124	5438134
12S	5438125	5438135
13S	5438126	5438136



SKILL

weight	Skill 3 6.5 g	Skill 4 11.0 g
length	33 mm	40 mm
03S	5438000	5438015
04SO	5438001	5438016
06S	5438002	5438017
08G	5438003	5438018
09G	5438004	5438019
12S	5438005	5438020
13S	5438006	5438021



SPINNERBAIT BUMBLEBEE

weight	7.0 g	12.0 g
length	22 mm	27 mm
05S	5439740	5439790
08G	5439741	5439791
09G	5439742	5439792
14G	5439743	5439793
15G	5439744	5439794
GC03	5439745	5439795



NEW FIGARO HEAVY

weight	20.0 g	40.0 g	60.0 g
length	50 mm	63 mm	72 mm
201	5439955	5439970	5439985
206	5439956	5439971	5439986
207	5439957	5439972	5439987
214	5439958	5439973	5439988
215	5439959	5439974	5439989
216	5439960	5439975	5439990





BLAZE HEAVY

weight	20.0 g
length	62 mm
201	5438785
202	5438786
203	5438787
204	5438788
205	5438789
206	5438790
207	5438791
208	5438792
209	5438793
210	5438794
211	5438795
212	5438796
213	5438797




BLAZE

weight	5.0 g	7.0 g	12.0 g	15.0 g
length	39 mm	44 mm	53 mm	56 mm
201	5438600	5438610	5438620	5438770
202	5438601	5438611	5438621	5438771
203	5438602	5438612	5438622	5438772
204	5438603	5438613	5438623	5438773
205	5438604	5438614	5438624	5438774
206	5438605	5438615	5438625	5438775
207	5438606	5438616	5438626	5438776
208	5438607	5438617	5438627	5438777
209	5438608	5438618	5438628	5438778
210	5438609	5438619	5438629	5438779
211	5438633	5438636	5438630	5438780
212	5438634	5438637	5438631	5438781
213	5438635	5438638	5438632	5438782

SCAN ME







DASHER HEAVY

weight	20.0 g	30.0 g	40.0 g	50.0 g
length	67 mm	78 mm	86 mm	92 mm
205	5438730	5438740	5438750	5438760
206	5438731	5438741	5438751	5438761
207	5438732	5438742	5438752	5438762
210	5438733	5438743	5438753	5438763
211	5438734	5438744	5438754	5438764





DASHER

weight	7.0 g	10.0 g	15.0 g
length	47 mm	52 mm	60 mm
201	5438640	5438650	5438660
202	5438641	5438651	5438661
203	5438642	5438652	5438662
204	5438643	5438653	5438663
205	5438644	5438654	5438664
206	5438645	5438655	5438665
207	5438646	5438656	5438666
208	5438647	5438657	5438667
209	5438648	5438658	5438668
210	5438649	5438659	5438669
211	5438673	5438676	5438670
212	5438674	5438677	5438671
213	5438675	5438678	5438672

SCAN ME



SALTY KING


weight	5.0 g	7.0 g	10.0 g
length	40 mm	45 mm	50 mm
201	5438680	5438690	5438700
202	5438681	5438691	5438701
203	5438682	5438692	5438702
204	5438683	5438693	5438703
205	5438684	5438694	5438704
206	5438685	5438695	5438705
207	5438686	5438696	5438706
208	5438687	5438697	5438707
209	5438688	5438698	5438708
210	5438689	5438699	5438709
211	5438713	5438716	5438710

SCAN ME



NORDIC FJORD

weight	300.0 g	400.0 g
length	145 mm	170 mm
NP001	5439750	5439760
NP002	5439751	5439761
NP003	5439752	5439762
NP004G	5439753	5439763



STINGER

weight	300.0 g	500.0 g
length	200 mm	240 mm
NP001	5439770	5439780
NP002	5439771	5439781
NP003	5439772	5439782
NP004G	5439773	5439783



N-ICE BUSTLING

weight	4.0 g	6.0 g
length	22 mm	27 mm
01	5437303	5437318
04	5437304	5437319
07	5437305	5437320
08	5437306	5437321
09	5437307	5437322
10	5437308	5437323
C	5437301	5437316
G	5437302	5437317
S	5437300	5437315



N-ICE FLOUNDER

weight	2.0 g	3.5 g
length	17 mm	21 mm
01	5437378	5437393
04	5437379	5437394
07	5437380	5437395
08	5437381	5437396
09	5437382	5437397
10	5437383	5437398
C	5437376	5437391
G	5437377	5437392
S	5437375	5437390



N-ICE BATISKAF

weight	3.0 g	4.5 g	8.0 g	12.0 g	15.0 g
length	28 mm	31 mm	35 mm	38 mm	41 mm
01	5438850	5438860	5438870	5438880	5438890
02	5438851	5438861	5438871	5438881	5438891
03	5438852	5438862	5438872	5438882	5438892
04	5438853	5438863	5438873	5438883	5438893
05	5438854	5438864	5438874	5438884	5438894
08	5438855	5438865	5438875	5438885	5438895
09	5438856	5438866	5438876	5438886	5438896





N-ICE JIG

weight	7.0 g	11.0 g	21.0 g	28.0 g
length	40 mm	50 mm	67 mm	80 mm
B101	5438900	5438915	5438925	5438935
B102	5438901	5438916	5438926	5438936
B103	5438902	5438917	5438927	5438937
B201	5438903	5438918	5438928	5438938
B202	5438904	5438919	5438929	5438939
B203	5438905	5438920	5438930	5438940
B204	5438906	5438921	5438931	5438941

SCAN ME








NEW STINGER HARD BKK SPEAR-21 UVO

- material – stainless steel


code	4339205	4339206	4339207	4339208
model	SH-70SS	SH-95SS	SH-115SS	SH-130SS
length, mm	70	95	115	130
wire diameter, mm	0.6	0.8	0.8	0.8
size, cm	14-16	17-19	19-21	22-24
hook, №	2	2 + 2	1 + 2	2/0 + 1/0
test, kg	20	25	30	30
test, lb	44	55	66	66



NEW STINGER HARD BKK SPEAR-21SS

- material – stainless steel

code	4339210	4339211	4339212	4339213
model	SH-70SS	SH-95SS	SH-115SS	SH-130SS
length, mm	70	95	115	130
wire diameter, mm	0.6	0.8	0.8	0.8
size, cm	14-16	17-19	19-21	22-24
hook, №	2	2 + 2	1 + 2	2/0 + 1/0
test, kg	20	25	30	30
test, lb	44	55	66	66



STINGER SPIKE SS


code	size	length, mm	wire diameter, mm
1639300	M	16	0.6
1639301	L	18	0.8
1639302	XL	33	1.0



AJI SABIKI FS105/FS1010


- color – Natural
- diameter of line – 0.25 mm
- length of leader – 3 cm
- natural fish skin

code	hook, №	hooks, pcs	length, cm
4339030	6	5	120
4339031	8	5	120
4339032	10	5	120
4339033	12	5	120
4339050	6	10	200
4339051	8	10	200










AJI SABIKI S205/S2010


- color – Pink
- diameter of line – 0.25 mm
- length of leader – 3 cm

code	hook, №	hooks, pcs	length, cm
4339034	6	5	120
4339035	8	5	120
4339036	10	5	120
4339037	12	5	120
4339052	6	10	200
4339053	8	10	200










AJI SABIKI S305/S3010


- color – Green
- diameter of line – 0.25 mm
- length of leader – 3 cm

code	hook, №	hooks, pcs	length, cm
4339038	6	5	120
4339039	8	5	120
4339054	6	10	200
4339055	8	10	200










AJI SABIKI F405/F4010


- color – Multicolor
- diameter of line – 0.25 mm
- length of leader – 3 cm

code	hook, №	hooks, pcs	length, cm
4339042	6	5	120
4339043	8	5	120
4339056	6	10	200
4339057	8	10	200









FEEDER S 1110NI

- 12 pcs/pack
- coating – Nickel

code	№
5547520	15
5547521	12
5547522	11
5547523	10
5547524	9
5547525	8
5547526	7
5547527	6







FEEDER S 1120NI

- 12 pcs/pack
- coating – Nickel

code	№
5547530	12
5547531	11
5547532	10
5547533	9
5547534	8
5547535	7
5547536	6
5547537	5







FEEDER S 1130NI

- 12 pcs/pack
- coating – Nickel

code	№
5547540	15
5547541	14
5547542	12
5547543	10
5547544	8
5547545	6
5547546	5

FEEDER S 1140NI

- 12 pcs/pack
- coating – Nickel

code	№
5547550	14
5547551	13
5547552	12
5547553	11
5547554	10
5547555	9
5547556	8
5547557	7



FEEDER S 1150NI

- 12 pcs/pack
- coating – Nickel

code	№
5547560	15
5547561	14
5547562	12
5547563	11
5547564	10
5547565	9
5547566	8
5547567	7
5547568	6
5547569	5







FEEDER S 1155NI

- 12 pcs/pack
- coating – Nickel

code	№
5547570	16
5547571	15
5547572	14
5547573	12
5547574	11
5547575	10







FEEDER 1011BN

- 12 pcs/pack
- coating – Black Nickel

code	№
5547580	15
5547581	14
5547582	12
5547583	11
5547584	10
5547585	9
5547586	8
5547587	7
5547588	6



FEEDER 1021BN

- 12 pcs/pack
- coating – Black Nickel

code	№
5547600	12
5547601	11
5547602	10
5547603	8
5547604	7
5547605	6
5547606	5
5547607	4
5547608	3
5547609	2
5547610	1



FEEDER 1030BN

- 12 pcs/pack
- coating – Black Nickel

code	№
5547590	16
5547591	15



FEEDER 1040BN

- 12 pcs/pack
- coating – Black Nickel

code	№
5547630	11
5547631	10
5547632	9
5547633	8
5547634	7
5547635	6
5547636	5



FEEDER 1051BN

- 12 pcs/pack
- coating – Black Nickel

code	№
5547615	14
5547616	12
5547617	11
5547618	10
5547619	8
5547620	6
5547621	5
5547622	4
5547623	3
5547624	2
5547625	1



FEEDER 1061BN

- 12 pcs/pack
- coating – Black Nickel


code	№
5547640	16
5547641	15
5547642	14
5547643	13
5547644	12
5547645	11
5547646	10
5547647	9
5547648	8
5547649	6



FEEDER BASIC 1053BN

- 10 pcs/pack
- coating – Black Nickel


code	№
5547805	14
5547804	12
5547803	10
5547802	8
5547801	6
5547800	4



FEEDER BASIC 1223BN

- 10 pcs/pack
- coating – Black Nickel

code	№
5547815	14
5547814	12
5547813	10
5547812	8
5547811	6
5547810	4



FEEDER BASIC 50457BN

- 10 pcs/pack
- coating – Black Nickel

code	№
5547824	14
5547823	12
5547822	10
5547821	8
5547820	6



FEEDER BASIC 50922BN

- 10 pcs/pack
- coating – Black Nickel

code	№
5547835	14
5547834	12
5547833	10
5547832	8
5547831	6
5547830	4



FEEDER BASIC 53117BN

- 10 pcs/pack
- coating – Black Nickel

code	№
5547846	14
5547845	12
5547844	10
5547843	8
5547842	6
5547841	4
5547840	2



FEEDER BASIC F-22BN

- 10 pcs/pack
- coating – Black Nickel

code	№
5547854	14
5547853	12
5547852	10
5547851	8
5547850	6



FEEDER BASIC F-314BN

- 10 pcs/pack
- coating – Black Nickel

code	№
5547877	14
5547876	12
5547875	10
5547874	8
5547873	6
5547872	4
5547871	2
5547870	1



FEEDER BASIC F-31BN

- 10 pcs/pack
- coating – Black Nickel

code	№
5547865	14
5547864	12
5547863	10
5547862	8
5547861	6
5547860	4



ALLROUND

- coating – Black Nickel

code	№	pcs/pack
5547040	12	12
5547041	11	12
5547042	10	12
5547043	9	12
5547044	8	12
5547045	7	12
5547046	6	12
5547047	5	12



SKILFUL

- coating – Black Nickel

code	№	pcs/pack
5547440	9	13
5547441	8	12
5547442	7	11
5547443	6	10
5547444	5	10
5547445	4	10
5547446	3	9
5547447	2	8



BIG CLAW

- coating – Black Nickel

code	№	pcs/pack
5547315	11	14
5547316	10	14
5547317	9	13
5547318	8	13
5547319	7	12
5547320	6	10



BIG GAME

- coating – Black Nickel

code	№	pcs/pack
5547425	10	10
5547426	8	9
5547427	6	8
5547428	4	7
5547429	2	6



BEAK

- coating – Black Nickel

code	№	pcs/pack
5547130	16	13
5547131	14	13
5547132	12	12
5547133	10	12
5547134	8	10
5547135	6	8
5547136	4	7
5547137	2	7



BULLY

- coating – Black Nickel

code	№	pcs/pack
5547140	9	12
5547141	8	12
5547142	7	10
5547143	6	10
5547144	5	9
5547145	4	9
5547146	3	7
5547147	2	7
5547148	1	6
5547149	1/0	6



CARP 1001BN

- coating – Black Nickel

code	№	pcs/pack
5547500	10	10
5547501	8	10
5547502	6	9
5547503	4	6
5547504	2	5



CARP 1002BN

- coating – Black Nickel

code	№	pcs/pack
5547505	10	10
5547506	8	10
5547507	6	9
5547508	4	6
5547509	2	5



CARP 1003BN

- coating – Black Nickel

code	№	pcs/pack
5547510	6	10
5547511	4	8
5547512	2	7



CARPER

- coating – Black Nickel

code	№	pcs/pack
5547435	8	9
5547436	6	8
5547437	4	7
5547438	2	6



DEFT TRAP

- coating – Black Nickel

code	№	pcs/pack
5547230	9	12
5547231	8	12
5547232	7	11
5547233	6	11
5547234	5	10
5547235	4	10
5547236	3	8
5547237	2	7
5547238	1	6
5547239	1/0	5



BAITHOLDER

- coating – Black Nickel

code	№	pcs/pack
5547060	8	10
5547061	6	9
5547062	4	8
5547063	2	7



SEA FISH

- coating – Nickel

code	№	pcs/pack
5547690	1	10
5547691	1/0	10
5547692	2/0	10
5547693	3/0	10



SINGLE WORM 1234BN

- coating – Black Nickel

code	№	pcs/pack
5547702	2	6
5547701	1	6
5547700	1/0	5



SINGLE JIG LIGHT 1212BN

- coating – Black Nickel

code	№	pcs/pack
5547025	12	11
5547026	10	11
5547027	8	10
5547028	6	10



SINGLE JIG 1259BN

- coating – Black Nickel

code	№	pcs/pack
5547035	8	11
5547036	6	10
5547037	4	9
5547038	2	8



SKINNY RIP 4078BN

- coating – Black Nickel

code	№	pcs/pack
5547723	1	5
5547722	1/0	5
5547721	2/0	4
5547720	3/0	4



DEKAPPARI 4093BN

- coating – Black Nickel

code	№	pcs/pack
5547744	1/0	5
5547743	2/0	4
5547742	3/0	4
5547741	4/0	3
5547740	5/0	3



OKAPPARI 4091BN

- coating – Black Nickel

code	№	pcs/pack
5547737	4	6
5547736	2	6
5547735	1	5
5547734	1/0	5
5547733	2/0	4
5547732	3/0	4
5547731	4/0	3
5547730	5/0	3



WORM 4094BN

- coating – Black Nickel

code	№	pcs/pack
5547756	6	7
5547755	4	7
5547754	2	6
5547753	1	5
5547752	1/0	6
5547751	2/0	5
5547750	3/0	4





DOUBLE LONG SPORT 2040BN

- coating – Black Nickel

code	№	pcs/pack
5547901	6	8
5547902	4	8
5547903	2	6
5547904	1	6
5547905	1/0	5
5547906	2/0	5



DOUBLE LONG L2037BN

- coating – Black Nickel

code	№	pcs/pack
5547760	8	8
5547761	6	8
5547762	4	8
5547763	2	6
5547764	1	6
5547765	1/0	6
5547766	2/0	6



DOUBLE 2036BN

- coating – Black Nickel

code	№	pcs/pack
5547775	10	5
5547774	8	5
5547773	6	5
5547772	4	4
5547771	2	4
5547770	1	4



TREBLE 3036BN

- coating – Black Nickel

code	№	pcs/pack
5547790	20	6
5547789	18	6
5547788	16	6
5547787	14	6
5547786	12	6
5547785	10	6
5547784	8	6
5547783	6	6
5547782	5	6
5547781	4	6
5547780	2	6
5547779	1	6



NEW TREBLE ARMOR NEEDLE TS MEDIUM UVG

- coating – UV Finish

code	№	pcs/pack
5548354	12	5
5548355	10	5
5548356	8	5
5548357	6	5
5548358	4	5
5548359	2	4
5548360	1	4
5548361	1/0	4
5548362	2/0	4



NEW TREBLE ARMOR NEEDLE TS MEDIUM UVO

- coating – UV Finish

code	№	pcs/pack
5548369	12	5
5548370	10	5
5548371	8	5
5548372	6	5
5548373	4	5
5548374	2	4
5548375	1	4
5548376	1/0	4
5548377	2/0	4



NEW TREBLE ARMOR NEEDLE TS MEDIUM RED

- coating – Red

code	№	pcs/pack
5548340	12	8
5548341	10	8
5548342	8	8
5548343	6	8
5548344	4	6
5548345	2	6



NEW TREBLE ARMOR NEEDLE TS ULTRA LIGHT BN

- coating – Black Nickel

code	№	pcs/pack
5548390	12	8
5548391	10	8
5548392	8	8
5548393	6	8



NEW TREBLE ARMOR NEEDLE TS SW MEDIUM HEAVY TN

- coating – Tin

code	№	pcs/pack
5548380	12	5
5548381	10	5
5548382	8	5
5548383	6	5
5548384	4	5
5548385	2	4
5548386	1	4



TREBLE 3036BN

- coating – Black Nickel

code	№	pcs/pack
5547790	20	6
5547789	18	6
5547788	16	6
5547787	14	6
5547786	12	6
5547785	10	6
5547784	8	6
5547783	6	6
5547782	5	6
5547781	4	6
5547780	2	6
5547779	1	6



DISMOUNTABLE LOAD

- without coating

code	weight, g	pcs/pack
5202010	1.0	5
5202011	1.5	5
5202012	2.0	5
5202013	3.0	5
5202014	4.0	4
5202015	5.0	3
5202138	8.0	10
5202139	10.0	6
5202140	12.0	6
5202141	14.0	6
5202142	16.0	6

- coating – Black Nickel

code	weight, g	pcs/pack
5202030	1.0	5
5202031	1.5	5
5202032	2.0	5
5202034	4.0	4
5202035	5.0	3

- coating – Gold

code	weight, g	pcs/pack
5202050	1.0	5
5202051	1.5	5
5202052	2.0	5
5202053	3.0	5
5202054	4.0	4
5202055	5.0	3



SET OF DISMOUNTABLE LOADS

- coating – Black Nickel

code	weight, g	pcs/pack
5202020	1–5	6



JIG-RIG STICK

- without coating

code	weight, g	pcs/pack
5202200	3.5	10
5202201	5.3	10
5202202	7.2	10
5202203	10.6	6
5202204	14.0	6



JIG-RIG TEAR

- without coating

code	weight, g	pcs/pack
5202220	3.5	10
5202221	5.5	10
5202222	7.0	10
5202223	9.0	10
5202224	10.5	6
5202225	14.0	6



A01

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no


code	model	load capacity, g	length, mm
6070005	A01-015	1.5	145
6070006	A01-020	2.0	155
6070007	A01-025	2.5	170



A02

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no


code	model	load capacity, g	length, mm
6070009	A02-020	2.0	180
6070010	A02-030	3.0	195
6070011	A02-040	4.0	210
6070012	A02-060	6.0	220
6070013	A02-080	8.0	240



A03

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no


code	model	load capacity, g	length, mm
6070020	A03-008	0.8	180
6070021	A03-010	1.0	185
6070022	A03-015	1.5	190
6070023	A03-020	2.0	205
6070024	A03-025	2.5	210
6070025	A03-030	3.0	215



A04

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – yes

code	model	load capacity, g	length, mm
6070029	A04-008	0.8	180
6070030	A04-010	1.0	190
6070031	A04-020	2.0	200
6070032	A04-030	3.0	210
6070033	A04-040	4.0	220



A05

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – yes

code	model	load capacity, g	length, mm
6070040	A05-020	2.0	150
6070041	A05-030	3.0	160
6070042	A05-040	4.0	170
6070043	A05-050	5.0	180



A10

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no

code	model	load capacity, g	length, mm
6070045	A10-010	1.0	165
6070046	A10-020	2.0	190
6070047	A10-030	3.0	200
6070048	A10-040	4.0	215



A11

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no


code	model	load capacity, g	length, mm
6070135	A11-010	1.0	210
6070136	A11-020	2.0	225
6070137	A11-030	3.0	235
6070138	A11-040	4.0	250



A12

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no


code	model	load capacity, g	length, mm
6070140	A12-010	1.0	140
6070141	A12-015	1.5	150
6070142	A12-020	2.0	155
6070143	A12-025	2.5	160
6070144	A12-030	3.0	165



A13

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no


code	model	load capacity, g	length, mm
6070145	A13-007	0.7	165
6070146	A13-010	1.0	175
6070147	A13-015	1.5	180
6070148	A13-020	2.0	185
6070149	A13-030	3.0	190



A14

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no

code	model	load capacity, g	length, mm
6070150	A14-010	1.0	155
6070151	A14-015	1.5	160
6070152	A14-020	2.0	165
6070153	A14-025	2.5	170
6070154	A14-030	3.0	180



A15

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no


code	model	load capacity, g	length, mm
6070155	A15-010	1.0	170
6070156	A15-015	1.5	180
6070157	A15-020	2.0	185
6070158	A15-025	2.5	195



A16

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no

code	model	load capacity, g	length, mm
6070160	A16-008	0.8	190
6070161	A16-010	1.0	195
6070162	A16-015	1.5	200
6070163	A16-020	2.0	205
6070164	A16-025	2.5	210



A17

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no

code	model	load capacity, g	length, mm
6070165	A17-020	2.0	175
6070166	A17-025	2.5	180
6070167	A17-030	3.0	195
6070168	A17-035	3.5	205
6070169	A17-040	4.0	175



A18

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no

code	model	load capacity, g	length, mm
6070170	A18-020	2.0	180
6070171	A18-025	2.5	185
6070172	A18-030	3.0	195
6070173	A18-040	4.0	205
6070174	A18-050	5.0	225



A19

- type – fixed
- material – balsa
- material of stem – graphite
- detachable antenna – no

code	model	load capacity, g	length, mm
6070175	A19-015	1.5	190
6070176	A19-020	2.0	195
6070177	A19-025	2.5	200
6070178	A19-030	3.0	215
6070179	A19-040	4.0	225



B01

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070050	B01-010	1.0	185
6070051	B01-015	1.5	195
6070052	B01-020	2.0	205
6070053	B01-025	2.5	215



B02

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070060	B02-030	3.0	235
6070061	B02-040	4.0	245
6070062	B02-050	5.0	255
6070063	B02-060	6.0	265



B04

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070079	B04-020	2.0	185
6070080	B04-025	2.5	190
6070081	B04-035	3.5	195
6070082	B04-045	4.5	205
6070083	B04-055	5.5	210



B05

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070090	B05-015	1.5	190
6070091	B05-020	2.0	200
6070092	B05-025	2.5	215
6070093	B05-030	3.0	220



B06

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070099	B06-020	2.0	190
6070100	B06-025	2.5	195
6070101	B06-030	3.0	215
6070102	B06-035	3.5	220
6070103	B06-040	4.0	230
6070104	B06-050	5.0	235
6070105	B06-060	6.0	240



B07

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070110	B07-040	4.0	255
6070111	B07-060	6.0	275
6070112	B07-080	8.0	295
6070113	B07-100	10.0	310



B08

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070120	B08-010	1.0	160
6070121	B08-020	2.0	185
6070122	B08-030	3.0	195
6070123	B08-040	4.0	200



B10

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070125	B10-020	2.0	180
6070126	B10-030	3.0	190
6070127	B10-040	4.0	195
6070128	B10-050	5.0	200



B11

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070190	B11-010	1.0	150
6070191	B11-015	1.5	155
6070192	B11-020	2.0	160
6070193	B11-025	2.5	165
6070194	B11-030	3.0	175



C01

- type – sliding, loaded
- material – balsa
- material of stem – metal
- detachable antenna – no

code	model	load capacity, g	length, mm
6070130	C01-202	2+2	240
6070131	C01-203	2+3	240
6070132	C01-204	4+2	260
6070133	C01-303	3+3	270
6070134	C01-205	2+5	260



D10

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070195	D10-200	20	215
6070196	D10-300	30	225
6070197	D10-400	40	235



D11

- type – sliding
- material – balsa
- material of stem – plastic
- detachable antenna – no

code	model	load capacity, g	length, mm
6070200	D11-200	20	280
6070201	D11-300	30	290
6070202	D11-400	40	305





FT-01C

- length of main line – 7 m
- length of leader – 0.2 m
- material of stem – carbon
- detachable antenna – no

code	load capacity, g	Ø of main line, mm	Ø of leader, mm	hook №
4370020	1.0	0.18	0.16	8
4370021	2.0	0.18	0.16	8
4370022	3.0	0.20	0.18	8
4370023	4.0	0.23	0.20	8



FT-02S

- length of main line – 7 m
- length of leader – 0.2 m
- material of stem – stainless steel
- detachable antenna – no

code	load capacity, g	Ø of main line, mm	Ø of leader, mm	hook №
4370030	1.0	0.18	0.16	8
4370031	2.0	0.18	0.16	8
4370032	3.0	0.20	0.18	8
4370033	4.0	0.23	0.20	8
4370034	5.0	0.23	0.20	8



FT-03C

- length of main line – 7 m
- length of leader – 0.2 m
- material of stem – carbon
- detachable antenna – no

code	load capacity, g	Ø of main line, mm	Ø of leader, mm	hook №
4370040	0.75	0.18	0.16	8
4370041	1.0	0.18	0.16	8
4370042	1.5	0.18	0.16	8
4370043	2.0	0.18	0.16	8
4370044	3.0	0.20	0.18	8



FT-04S

- length of main line – 7 m
- length of leader – 0.2 m
- material of stem – stainless steel
- detachable antenna – no

code	load capacity, g	Ø of main line, mm	Ø of leader, mm	hook №
4370050	3.0	0.20	0.18	8
4370051	4.0	0.20	0.18	8
4370052	5.0	0.23	0.20	8
4370053	6.0	0.23	0.20	8



READY RIG ALLROUND

- 10 pcs/pack
- length of leader – 90 cm
- coating – Black Nickel

code	Ø of leader, mm	hook №
4239030	0.14	12
4239031	0.14	10
4239032	0.16	8
4239033	0.18	6





READY RIG ROACH

- 10 pcs/pack
- length of leader – 90 cm
- coating – Bronze

code	Ø of leader, mm	hook №
4239035	0.14	12
4239036	0.14	10
4239037	0.16	8
4239038	0.18	6





READY RIG FEEDER

- 10 pcs/pack
- length of leader – 90 cm
- coating – Nickel

code	Ø of leader, mm	hook №
4239040	0.14	12
4239041	0.14	10
4239042	0.16	8





READY RIG BREAM

- 10 pcs/pack
- length of leader – 90 cm
- coating – Nickel

code	Ø of leader, mm	hook №
4239045	0.14	12
4239046	0.14	10
4239047	0.16	8
4239048	0.18	6





READY RIG CARP

- 10 pcs/pack
- length of leader – 70 cm
- coating – Black Nickel

code	Ø of leader, mm	hook №
4239050	0.14	12
4239051	0.16	10
4239052	0.18	8
4239053	0.20	6
4239054	0.22	4





READY RIG CRUCIAN CARP

- 10 pcs/pack
- length of leader – 70 cm
- coating – Nickel

code	Ø of leader, mm	hook №
4239055	0.14	12
4239056	0.16	10
4239057	0.18	8
4239058	0.20	6





BAT FLOATING

- type – sinking
- material – plastic

code	weight, g
6070940	12.0
6070941	15.0
6070942	20.0
6070943	25.0
6070944	30.0
6070945	35.0
6070946	40.0
6070947	50.0



FLOATING

- type – sinking
- material – plastic

code	weight, g
6070900	5.0
6070901	8.0
6070902	10.0
6070903	15.0
6070904	20.0
6070905	25.0
6070906	30.0
6070907	35.0
6070908	40.0
6070909	50.0



SLOW SINKING

- type – slow sinking
- material – plastic

code	weight, g
6070920	5.0
6070921	8.0
6070922	10.0
6070923	15.0
6070924	20.0
6070925	25.0
6070926	30.0
6070927	35.0
6070928	40.0
6070929	50.0



SINKING

- type – sinking
- material – plastic

code	weight, g
6070910	5.0
6070911	8.0
6070912	10.0
6070913	15.0
6070914	20.0
6070915	25.0
6070916	30.0
6070917	35.0
6070918	40.0
6070919	50.0





NEW 1052BN SWIVEL HOOKED SNAP

- coating – Black Nickel

№	10	8	6	4	2
test, kg	12	14	18	25	30
pcs/pack	10	10	8	8	6
code	4520020	4520021	4520022	4520023	4520024

- scale – 1:1






2024MB V-SNAP

- coating – Matt Black

№	000	00	0	1
test, kg	8	11	15	18
pcs/pack	12	12	12	12
code	4520115	4520116	4520117	4520118

- scale – 1:1







1022MB ROUND SNAP

- coating – Matt Black

№	000	00	0	1
test, kg	6	9	12	16
pcs/pack	12	12	12	12
code	4520110	4520111	4520112	4520113

- scale – 1:1







1023SS WIDE SNAP

- coating – Stainless Steel

№	000	00	0	1
test, kg	8	12	16	20
pcs/pack	12	12	12	12
code	4520120	4520121	4520122	4520123

- scale – 1:1






1020BN NICE SNAP AMERICAN

- coating – Black Nickel

№	000	00	0
test, kg	4	9	12
pcs/pack	12	12	12
code	4520030	4520031	4520032

№	1	2	3	4	5
test, kg	18	25	30	35	40
pcs/pack	12	12	10	10	8
code	4520033	4520034	4520035	4520036	4520037

- scale – 1:1






1021BN DIAMOND SNAP

- coating – Black Nickel

№	0	1	2	3
test, kg	8	14	22	35
pcs/pack	12	12	12	12
code	4520090	4520091	4520092	4520093

- scale – 1:1






1010BN WRAPPING SNAP

- coating – Black Nickel

№	S	M	L	XL
test, kg	12	18	25	35
pcs/pack	10	10	10	10
code	4520080	4520081	4520082	4520083

- scale – 1:1






1051BN GROSS WITH SWIWEL

- coating – Black Nickel

№	14	12	10	8	7	6	5	4	3	2
test, kg	4	6	10	10	15	15	30	30	40	40
pcs/pack	9	9	9	9	7	7	7	7	5	5
code	4520010	4520009	4520008	4520007	4520006	4520005	4520004	4520003	4520002	4520001


- scale – 1:1





1050BN NICE SNAP WITH SWIVEL

- coating – Black Nickel





№	14	12	10	8	7
test, kg	4	9	12	12	18
pcs/pack	12	12	12	12	10
code	4509355	4509354	4509353	4509352	4509351

№	6	5	4	3	2	1	1/0	2/0	3/0
test, kg	18	25	25	30	30	35	35	40	50
pcs/pack	10	10	10	8	8	6	6	4	4
code	4509350	4509349	4509348	4509347	4509346	4509345	4509344	4509343	4509342

- scale – 1:1

3010BL FLOAT

- coating – Black Nickel
- test – 12 kg

code	№	pcs/pack
4509369	S	10





3015BN FLOAT

- coating – Bronze
- test – 12 kg

code	№	pcs/pack
4520072	S	5





3010BL FLOAT

- coating – Gold
- test – 12 kg

code	№	pcs/pack
4520073	S	5





3015BN FLOAT

- coating – Black Nickel
- test – 12 kg


code	№	pcs/pack
4520076	S	5





1040BN IMPRESSED ROLLING SWIVEL AMERICAN

- coating – Black Nickel





№	14	12	10
test, kg	4	9	14
pcs/pack	12	12	12
code	4409536	4409535	4409534

№	8	7	6	5	4	3	2	1/0	2/0	3/0
test, kg	19	22	27	32	35	40	43	60	75	100
pcs/pack	12	12	12	10	10	10	8	6	6	6
code	4409533	4409532	4409531	4409530	4409529	4409528	4409527	4409525	4409524	4409523

- scale – 1:1

1042BN HIGH SPEED

- type – double
- coating – Black Nickel

№	10	8	6	4
test, kg	14	19	27	35
pcs/pack	12	12	12	12
code	4420203	4420202	4420201	4420200

- scale – 1:1






1043BN HIGH SPEED

- type – triple
- coating – Black Nickel

№	12	10	7	5
test, kg	9	14	22	32
pcs/pack	12	12	12	12
code	4420213	4420212	4420211	4420210


- scale – 1:1





1045BN CROSS-LINE ROLLING SWIVEL TRIPLE

- coating – Black Nickel





№	6	5	4	3	2
test, kg	27	32	35	40	43
pcs/pack	10	10	10	10	10
code	4420014	4420013	4420012	4420011	4420010


- scale – 1:1

1046BN TRIPLE WITH BEADS

- coating – Black Nickel

№	10×12	7×8	5×6
test, kg	9	19	30
pcs/pack	5	5	5
code	4420042	4420041	4420040

- scale – 1:1





3030BL STOPPER

- color – Black

code	№	pcs/pack
1620063	SSS	9
1620062	SS	9
1620060	S	9
1620061	M	9



3035CL STOPPER

- color – Clear

code	№	pcs/pack
1620065	SSS	9
1620066	SS	9
1620067	S	9
1620068	M	9



SPLIT RING 1030BN

- type – forged
- coating – Black Nickel

code	test, kg	№	pcs/pack
2120100	4	4	4
2120101	5	4.5	5
2120102	8	5	8
2120103	12	6	12
2120104	15	7	15
2120105	20	8	20



BRASS TUBE 1060BN

- 30 pcs/pack
- coating – Black Nickel

code	test, kg	№
1620600	10	0.6
1620601	10	0.8
1620602	10	1.0
1620603	10	1.2
1620604	10	1.4



LEADER TITANIUM

- 2 pcs/pack
- material – titan

code	length, cm	diameter, mm	test, kg
4239000	15	0.30	10
4239001	20	0.30	10
4239002	25	0.30	10
4239010	15	0.40	15
4239011	20	0.40	15
4239012	25	0.40	15
4239020	20	0.50	20
4239022	25	0.50	20



SOFT BAIT FIXERS 1070SS

- 20 pcs/pack
- material – stainless steel

code	size
1620020	M
1620021	L






SOFT BAIT FIXERS GC-1071SS

- 20 pcs/pack
- material – stainless steel

code	dimensions, mm
1665660	16.5×3.8






SOFT BAIT FIXERS GC-1072P

- 12 pcs/pack
- material – plastic

code	dimensions, mm
1665650	17×4.2



CATFISH FLOAT

code	load capacity, g	pcs/pack
6065060	10	2
6065061	20	2
6065062	30	2



CATFISH LEADER


code	length, m	diameter, mm	test, kg	test, lb
4165200	20	0.7	50	110
4165201	20	1.0	80	170
4165202	20	1.2	100	220
4165203	20	1.4	150	330



BIG BAIT CATFISH RIG

Special rig for catching catfish with livebaits or deadbaits. It composed of a powerful leader, swivel, 2 trebles and 1 single hook.

code	hook, №	length, cm	test, kg	test, lb	diameter of leader, mm
4365276	8/0	100	100	220	1.2
4365275	6/0	100	100	220	1.2





DOUBLE HOOK CATFISH RIG

Rig for catching catfish with livebaits or deadbaits. Ideal for fishing with large baits. It is composed of two hooks, leader and swivel.

code	hook, №	length, cm	test, kg	test, lb	diameter of leader, mm
4365257	10/0	100	100	220	1.2
4365256	8/0	100	100	220	1.2
4365255	6/0	100	100	220	1.2





SINGLE AND TREBLE CATFISH RIG

Special rig for catching catfish with livebait near the bottom. It can be used on streaming water and on standing water. Composed of powerful leader, swivel, treble and single hooks.

code	hook, №	length, cm	test, kg	test, lb	diameter of leader, mm
4365271	8/0	100	100	220	1.2
4365270	6/0	100	100	220	1.2



SINGLE HOOK CATFISH RIG WITH RATTLE

Can be used with any kind of bait for all catfish fishing methods. It is composed of powerful leader with reliable swivel, single hook and small rattle capsule.

code	hook, №	length, cm	test, kg	test, lb	diameter of leader, mm
4365252	8/0	100	100	220	1.2
4365251	6/0	100	100	220	1.2
4365250	4/0	100	100	220	1.2



TREBLE HOOK CATFISH RIG WITH RATTLE

Can be used with any kind of bait for all catfish fishing methods. It is composed of powerful leader with reliable swivel, treble hook and small rattle capsule.

code	hook, №	length, cm	test, kg	test, lb	diameter of leader, mm
4365266	6/0	100	100	220	1.2
4365265	5/0	100	100	220	1.2



SINGLE HOOK TEXAS CATFISH RIG

Special readymade rig with single hook and underwater float developed to catch catfish near the bottom. Thanks to the underwater float, the bait is located just above the bottom and it prevents rig getting hooked in woods or rocks. The rig is suitable for use on streaming water and on standing water.

code	hook, №	length, cm	test, kg	test, lb	diameter of leader, mm
4365262	8/0	100	100	220	1.2
4365261	6/0	100	100	220	1.2
4365260	4/0	100	100	220	1.2



METHOD FEEDER

code	1639005	1639006	1639007	1639008
size	S	L	XL	XXL



FLAT METHOD FEEDER IN LINE

code	3139006	3139007	3139010	3139011	3139012	3139013	3139014	3139030	3139031
size	S	S	L	L	L	L	L	L	L
weight, g	20	30	20	30	40	50	60	70	80

code	3139015	3139016	3139017
size	XL	XL	XL
weight, g	60	70	80


code	3139020	3139021	3139022
size	XXL	XXL	XXL
weight, g	90	100	110



4010BL

- color – Black
- material – brass


code	dimensions, mm	pcs/pack
1620035	70	2
1620036	90	2



4020FL

- color – Fluo
- material – plastic

code	dimensions, mm	pcs/pack
1620031	120	2
1620030	85	2



FEEDER GUM

- color **BL** – Black
- color **CL** – Clear

code **BL**	code **CL**	length, m	diameter, mm
4165100	4165105	10	0.6
4165101	4165106	8	0.8
4165102	4165107	7	1.0

SCAN ME



BOILIE NEEDLE KIT 5 IN 1

code
1665320



LIGHT STICK

- color – Green

code	model	dimensions, mm	pcs/pack
1639215	LP	4.5×37	2
1639200	ST	4.0×37	2
1639201	ST	4.5×37	2
1639205	ST	4.5×37	5



DOUBLE SLIDER WINDERS

- 10 pcs/pack

code	length, cm
1665605	20
1665606	26





JARS FOR BOILIES


code	1634751
material	PVC white
capacity, g	140
pcs/pack	4



BOILIE STOPS

- 130 pcs/pack

code	color
1620091	red
1620092	yellow



BAIT DRILL

- diameter – 1.45 mm
- length – 40 mm

code
1665326



BOILIE CRUSHER 2 IN 1

- material of body – plastic
- material of blades – steel

code	dimensions, mm
1665340	8.5×12



COATED BRAID STRIPPER 2 IN 1

code
1665390



BAIT BAND

code	size	pcs/pack
1665455	S	60
1665456	M	30
1665457	L	30



2010HB QUICK CHANGE CLIP

- 10 pcs/pack
- coating – Matt Black

code	size
4520100	M



BAIT BANDER

code
1665380

SCAN ME



NEW MINI DIGITAL SCALE

- storage space for 5 groups
- battery level display
- weight capacity 25kg/50lbs
- type-c charger
- LCD screen
- rechargeable battery 3.7v/110mAh

code	length, mm
1839015	80



NEW LIP GRIP MINI WITH RULER

- high-quality shock-resistant plastic
- removable tape measure length: 130 cm

code	length, mm
1839045	145






NEW FOLDING KNIFE

- liner lock
- high-carbon steel blade
- blade length – 85 mm

code	length, mm
1839050	190





NEW MINI BRAID SCISSORS

- serrated cutting edge
- soft molded grips

code	length, mm
1839060	90





NEW LONGNOSE BEND PLIERS

- drop forged high carbon steel
- teflon finished jaws
- comfortable nonslip grips

code	length, mm
1839081	280





NEW MULTIFUNCTIONAL PLIERS

- corrosion resistant teflon coating
- tungsten carbide cutters

code	length, mm
1839082	160





NEW SPLIT RING PLIERS

- additionally treated cutting edge
- special mini split ring opening jaws

code	length, mm
1839083	130





NEW MINI SPLIT PLIERS

- tungsten cutters 6 mm
- lightweight and compact design

code	length, mm
1839084	86





NEW TUNGSTEN CUTTERS

Suitable for:
- GC Multifunctional Pliers
- GC Mini Split Pliers

code	length, mm
1839095	6



NEW LIGHT CARABINER REEL CLIP

- 2 metal carabiners
- lanyard length – 65 cm

code	length, mm
1839102	60



NEW LANYARD WITH CARABINER GOLDEN SPRING

- metal carabiner
- elastic cord that stretches from 10 to 85 cm

code	length, mm
1839101	100





NEW CARABINER REEL CLIP

- metal connector ring
- convenient cord lock/unlock switch
- nylon cord length – 100 cm

code	length, mm
1839100	110





SPRING RETRIEVER

- 2 aluminum carabiner snaps

code	spring length, cm	max. length, cm
1636260	13	90



BITE ALARM SET SN55 4+1

- Tone, volume and sensitivity adjustment
- Memory function
- Power output
- Water resistant
- Low battery warning
- Night mode
- 9 volt batteries (not included)

code	6534754
pieces	4+1





Volume · Tone · Sensitivity · Receiver 3×AAA · 9V Batteries · Up to 150 m · Water Resistant · Night Mode · Silent Mode · Memory Function

BITE ALARM SET SN65 4+1

- Tone, volume and sensitivity adjustment
- Power output
- Water resistant
- Low battery warning
- Night mode
- 7 options of color for light indication
- 9 volt batteries (not included)

code	6534755
pieces	4+1







Volume · Tone · Sensitivity · Multicolor · 9V Batteries · Up to 150 m · Water Resistant · Night Mode · Silent Mode

BITE ALARM S-11

- Tone, volume and sensitivity adjustment
- Water resistant
- 9 volt batteries (not included)

code	color of LED
6534805	– yellow
6534806	– green
6534807	– red
6534808	– blue



BITE ALARM S-21

- Tone, volume and sensitivity adjustment
- Power output
- Water resistant
- 9 volt batteries (not included)

code	color of LED
6534810	– yellow
6534811	– green
6534812	– red
6534813	– blue



ROD POD **SUPER STRONG 3/4 RODS**

code	6730006
material	aluminum
length, cm	90-125
height, cm	40-110
carry tube size, cm	97×32×12
weight, kg	5.25





ROD POD **COMPACT 4×4**

code	6730005
material	aluminum
length, cm	80-138
height, cm	50-80
width, cm	50
carry tube size, cm	95×12
weight, kg	3.8









SURF SAND ROD HOLDER

code	6733010
length, m	1.30





BUTT REST SET GLOW

code	1620011	1620013
size	L	S
pcs/pack	4	4



NEW **BUTT GRIPPER REST**

code	1639150
height, mm	95
width, mm	60



NEW **FEEDER REST**

code	1639151
height, mm	70
width, mm	95



NEW **REAR ROD REST**

code	1639152
height, mm	116
width, mm	65



NEW **ROD SAFE**

code	1639153
height, mm	68
width, mm	46



NEW **REAPER REST**

code	6739000
height, mm	90
width, mm	195



ADAPTER FOR BITE ALARMS AND ROD PODS

code	1630005
size, mm	40×30×30
weight, g	22.5



NEW GRABBER MONSTER LANDING NET

- construction – telescopic

code	6633332	6633333
maximum length, cm	220	250
pieces	2	2
folded, cm	97	111
material of handle	aluminum	aluminum
sizes of head, cm	70×60	85×75
type of head	folding	folding
material of head	aluminum	aluminum
material of mesh	rubber	rubber
sizes of cells, mm	20×20	20×20
depth of net, cm	70	100
color of mesh	black	black
weight, g	960	1199






INQUISITOR MONSTER EDITION LANDING NET

- construction – telescopic

code	6633360
maximum length, cm	180
pieces	1
folded, cm	110
material of handle	aluminum
sizes of head, cm	80×70
type of head	folding
material of head	aluminum
material of mesh	rubber
sizes of cells, mm	13×13
depth of net, cm	70
color of mesh	black
weight, g	570




SCAN ME


GRABBER STREAM FLOAT LANDING NET

- construction – one-piece

code	6633335	6633336
maximum length, cm	70	80
pieces	1	1
folded, cm	43	55
material of handle	aluminum	aluminum
sizes of head, cm	50×40	50×40
type of head	not folding	not folding
material of head	aluminum	aluminum
material of mesh	rubber	rubber
sizes of cells, mm	8×8	8×8
depth of net, cm	25	35
color of mesh	black	black
weight, g	280	330






GRABBER STREAM SILICONE LANDING NET

- construction – one-piece


code	6633338
maximum length, cm	55
pieces	1
folded, cm	55
material of handle	aluminum
sizes of head, cm	37×31
type of head	not folding
material of head	aluminum
material of mesh	silicone
sizes of cells, mm	15×15
depth of net, cm	25
color of mesh	black
weight, g	290




BOAT LANDING NET

- construction – telescopic

code	6633344
maximum length, cm	180
pieces	2
folded, cm	110
material of handle	aluminum
sizes of head, cm	80×70
type of head	folding
material of head	aluminum
material of mesh	rubber
sizes of cells, mm	18×18
depth of net, cm	90
color of mesh	black
weight, g	1220







FOLDING HEAD LANDING NET

- construction – telescopic

code	6633343
maximum length, cm	250
pieces	2
folded, cm	115
material of handle	aluminum
sizes of head, cm	70×60
type of head	folding
material of head	aluminum
material of mesh	rubber
sizes of cells, mm	20×20
depth of net, cm	60
color of mesh	black
weight, g	1100







HANDY LANDING NET

- construction – put over

code	6633345	6633346
maximum length, cm	180	200
pieces	1	1
material of handle	aluminum	aluminum
sizes of head, cm	60×50	80×70
type of head	not folding	not folding
material of head	aluminum	aluminum
material of mesh	rubber	rubber
sizes of cells, mm	20×20	20×20
depth of net, cm	60	70
color of mesh	black	black







COMPACT LANDING NET

- construction – telescopic

code	6633347
maximum length, cm	140
pieces	2
folded, cm	57
material of handle	aluminum
sizes of head, cm	50×40
type of head	not folding
material of head	aluminum
material of mesh	rubber
sizes of cells, mm	6×6
depth of net, cm	30
color of mesh	black
weight, g	470







AREA CARBON OV50402005R

- construction – telescopic

code	6633340
model	OV50402005R
maximum length, cm	250
pieces	5
folded, cm	54
material of handle	graphite
sizes of head, cm	50×40
material of head	graphite
material of mesh	silicone
sizes of cells, mm	15×20
depth of net, cm	30
color of mesh	clear
weight, g	570









SCAN ME

NEW ADAPTIVE

code	model	length, m	folded, cm	pcs	weight, g	type	material
6633090	ADAPTIVE 200	2.00	118	2	206	tele	graphite
6633091	ADAPTIVE 300	3.00	120	3	300	tele	graphite
6633092	ADAPTIVE 400	4.00	125	4	423	tele	graphite







BIONIC

code	model	length, m	folded, cm	pcs	weight, g	type	material
6633065	BIONIC 25 200	2.00	109	2	170	put over	graphite
6633066	BIONIC 25 300	3.00	123	3	266	put over	graphite
6633067	BIONIC 25 400	4.00	120	4	390	put over	graphite



NEW DESIGN WANDERER

code	model	length, m	folded, cm	pcs	weight, g	type	material
6633075	WANDERER 200	2.00	66	4	160	tele	graphite
6633076	WANDERER 300	3.00	69	6	272	tele	graphite



NEW DESIGN SUPERHARD

code	model	length, m	folded, cm	pcs	weight, g	type	material
6633085	SUPERHARD 210	2.10	114	2	270	tele	graphite
6633086	SUPERHARD 300	3.00	118	3	392	tele	graphite



NEW DESIGN COMPETITION

code	model	length, m	folded, cm	pcs	weight, g	length fixation	material
6633080	COMPETITION 210	2.10	115	2	184	yes	graphite
6633081	COMPETITION 240	2.40	117	3	233	yes	graphite
6633082	COMPETITION 270	2.70	117	3	248	yes	graphite
6633083	COMPETITION 300	3.00	117	3	260	yes	graphite




COMPETITION

code	model	length, m	folded, cm	pcs	weight, g	length fixation	material
6633050	COMPETITION 210	2.10	115	2	184	yes	graphite
6633051	COMPETITION 240	2.40	117	3	233	yes	graphite
6633052	COMPETITION 270	2.70	117	3	248	yes	graphite
6633053	COMPETITION 300	3.00	117	3	260	yes	graphite



GRABBER SILICON NET HEAD

code	6633018	6633019
sizes of head, cm	50×40	55×45
material of head	aluminum	aluminum
material of mesh	silicone	silicone
sizes of cells, mm	20×20	20×20
depth of net, cm	25	35
color of mesh	black	black
weight, g	340	400



GRABBER FLOAT NET HEAD

code	6633020
sizes of head, cm	55×45
material of head	aluminum
material of mesh	rubber
sizes of cells, mm	7×7
depth of net, cm	40
color of mesh	black
weight, g	270



GRABBER FEEDER FLOAT NET HEAD

code	6633022
sizes of head, cm	50×45
material of head	aluminum
material of mesh	nylon
sizes of cells, mm	7×7
depth of net, cm	30
color of mesh	clear
weight, g	180



GRABBER FEEDER NET HEAD

code	6633023	6633024
sizes of head, cm	50×45	55×50
material of head	aluminum	aluminum
material of mesh	nylon	nylon
sizes of cells, mm	7×7	7×7
depth of net, cm	35	40
color of mesh	clear	clear
weight, g	210	220




SAPPHIRE AIR

code	6633015	6633016
model	OV504030L	OV554535L
sizes of head, cm	50×40	55×45
material of head	aluminum	aluminum
material of mesh	nylon	nylon
sizes of cells, mm	7×7	7×7
depth of net, cm	30	35
color of mesh	clear	clear
weight, g	123	135



SAPPHIRE FLOAT

code	6633010
model	KV504530L Float
sizes of head, cm	50×45
material of head	aluminum
material of mesh	nylon
sizes of cells, mm	7×7
depth of net, cm	30
color of mesh	clear
weight, g	160



SAPPHIRE


code	6633011	6633012
model	OV504535L	OV555040L
sizes of head, cm	50×45	55×50
material of head	aluminum	aluminum
material of mesh	nylon	nylon
sizes of cells, mm	7×7	7×7
depth of net, cm	45	45
color of mesh	clear	clear
weight, g	130	150



LANDING NET HEAD

code	6633002	6633006
model	OV504070L	OV554570L
sizes of head, cm	50×40	55×45
material of head	aluminum	aluminum
material of mesh	nylon	nylon
sizes of cells, mm	7×8	20×20
depth of net, cm	70	70
color of mesh	black	black
weight, g	170	139

OV504070L



OV554570L




LANDING NET HEAD

code	6633003
model	OV504025R
sizes of head, cm	50×40
material of head	aluminum
material of mesh	silicone
sizes of cells, mm	15×15
depth of net, cm	25
color of mesh	clear
weight, g	381








REPLACEMENT NET AREA 404020R

code	1633300
diameter, cm	40
depth, cm	20
material	silicone



REPLACEMENT NET

code	1620715	1620716	1620717	1620718
diameter, cm	50	60	70	80
material	capron	capron	capron	capron



REPLACEMENT NET

code	1620725	1620726	1620727	1620728
diameter, cm	50	60	70	80
material	nylon line	nylon line	nylon line	nylon line

NET FLOAT

code	1630031
dimensions, cm	15×5





NEW LEADER LINE CRYSTALINE

- color – Crystaline

50 m	diameter, mm	test, kg	test, lb
4039340	0.097	0.8	1.7
4039341	0.115	1.1	2.4
4039342	0.135	1.5	3.2
4039343	0.155	1.9	4.3
4039344	0.175	2.5	5.4
4039345	0.195	3.1	6.8
4039346	0.215	3.7	8.2



NEW METHOD LINE TRUE ORANGE

- color – True Orange

300 m	diameter, mm	test, kg	test, lb
4039350	0.26	4.4	9.6
4039351	0.28	5.2	11.3
4039352	0.30	5.9	13.1
4039353	0.32	6.3	13.8



NEW FEEDER BEADS SNAP LINKS

- 10 pcs/pack
- coating – Matt Black

code	size
4565000	M
4565001	L



NEW SNAP LINK DOUBLE ROLLING SWIVEL

- 10 pcs/pack
- coating – Matt Black

code	size
4565002	M
4565003	L



NEW SNAP LINK SWIVEL

- 10 pcs/pack
- coating – Matt Black

code	size
4565006	M
4565007	L



NEW HOOKLENGTH SWIVEL

- 10 pcs/pack
- coating – Matt Black

code	size
1665552	M
1665553	L



NEW METHOD FEEDER CONNECTORS

- 10 pcs/pack
- color - Dark Green

code	size
1665555	M



NEW QUICK CHANGE BEADS

- 10 pcs/pack
- color - Dark Green

code	size
1665556	S



NEW

MEASURING STICKS WITH DRILL

- equipped with auger tips
- cord length – 5 m
- cover included

code	length, cm	material
1639160	90	aluminum



NEW

DISGORGER DOUBLE

- 1 pcs/pack
- color - Blue

code	length, mm
1665079	140



NEW

LOOP TYER & DISGORGER

- 1 pcs/pack
- color - Blue

code	size
1665420	S
1665421	M



ROD COVER SINTEZ 4 ROD HOLDALL

code	material	length, cm	width, cm	depth, cm	number of sections
7039000	PVC	160	23	28	2

SCAN ME

SINTEZ EVA FEEDER BAG

code	material	dimensions, cm
7139005	EVA 1.0 mm	38×23×31



SCAN ME

- available with or without 4 plastic boxes included
- easy to clean, does not absorb odors or dirt
- 2 side pockets and 1 removable top compartment
- sealed construction
- convenient handles and shoulder strap for carrying



SINTEZ FEEDER ACCESSORY BAG

code	material	dimensions, cm
7139028	PVC	46×33×22



SCAN ME

- 4 outside pockets on all sides and one big pocket on the lid
- strengthened bottom
- 2 cases with zipper included
- removable divider which splits main compartment into 2 parts

ACCESSORY CASE 6 L

- partitions – removable

code	material	dimensions, cm
7139200	EVA 0.8 mm	30×20×10

SCAN ME



CONTAINERS BAIT COMPACT

- 5 containers included

code	material	dimensions, cm
1339101	EVA 0.8 mm	27×17×8

SCAN ME



ACCESSORY CASES SET

- partitions – removable

code	material	dimensions, cm
7339100	EVA 0.8 mm	21×14.5×8 24×15.5×9 27×17×10

SCAN ME



CONTAINERS BAIT SYSTEM

- 5 containers included

code	material	dimensions, cm	
1339102	EVA 0.8 mm	38×27×10 9×12×9.5 19×13×9.5 17×26×9.5	(2 pcs) (1 pcs) (1 pcs)

SCAN ME



EVA COOL BAG

- thickness of thermal insulation layer – 8 mm
- airtight construction

code	material	dimensions, cm
7139100	EVA 0.8 mm	42×22×23

SCAN ME





CARRYALL BAG 55 L

- has a dedicated landing net compartment with secure fixation

code	material	dimensions, cm
7139025	PVC	62×38×43

SCAN ME





GROUNDBAIT BOWL

- sealed construction

code	material	volume, l	dimensions, cm
1339000	EVA 1.0 mm	14	diameter – 30 height – 20

SCAN ME






WATER BUCKET

- length of rope – 4 m (detachable)

code	material	volume, l	dimensions, cm
1339005	EVA 1.0 mm	5.8	18×18×18







SEAT-BOX ANGLERS ARSENAL BOX 7070

- functional tackle box for spinning fishing
- features two compartments: one under the lid for lures and hooks, and an inner compartment for tools, accessory boxes, and essential items
- comes with anti-slip stickers and a shoulder strap

code	material	dimensions, cm
8739000	plastic	43.4×23.3×27








SCAN ME

ROD STAND RS-50

- a perfect addition to the GC Anglers Arsenal Box 7070
- easy to install
- features three height adjustment levels
- rubber-coated top to prevent scratches on the rod and reel

code	material	dimensions, cm
1839000	rubber, plastic	10×7×28





CFC-1710

code	material	dimensions, cm
1339300	EVA, plastic	17.5×10.5×1.8



CLC-1710

code	material	dimensions, cm
1339301	plastic	17.5×10.5×1.8



LB-1610M

code	material	dimensions, cm
1339305	plastic	16×9×3



LB-1810

code	material	dimensions, cm
1339306	plastic	17.8×9.4×3.2



LB-1810C

code	material	dimensions, cm
1339307	plastic	17.8×9.4×3.2



LB-2011

code	material	dimensions, cm
1339308	plastic	20.8×11×4.2



LB-1510F

code	material	dimensions, cm
1339310	plastic	14.5×10.3×2.3



LB-1510

code	material	dimensions, cm
1339311	plastic	13.8×9.6×1.8



LB-1510C

code	material	dimensions, cm
1339312	plastic	14.5×10.3×2.3



MHC-1410

code	material	dimensions, cm
1339315	plastic	13.8×9.6×1.8



RWC-1410F

code	material	dimensions, cm
1339320	EVA, plastic	14×10.4×3.4



LC-2718

code	material	dimensions, cm
1339207	plastic	27.5×18.3×4.5



AB-1007SS

code	material	dimensions, cm
1339200	plastic	10.7×7.3×3



AB-1310SD

code	material	dimensions, cm
1339202	plastic	13.2×9.7×4



AB-1310SS

code	material	dimensions, cm
1339201	plastic	13.2×9.7×3.3



LC-2015

code	material	dimensions, cm
1339205	plastic	20.5×15.5×3.3



LC-2015F

code	material	dimensions, cm
1339206	plastic	20.5×15.5×3.3



RWC-1710

code	material	dimensions, cm
1339209	plastic	17.5×10.5×3.8



RWC-1710F

code	material	dimensions, cm
1339208	EVA, plastic	17.5×10.5×3.8



WC-2015 M

code	material	dimensions, cm
1339210	plastic	20.5×15.5×3.3



WC-2520 L

code	material	dimensions, cm
1339211	plastic	25.5×19.5×3.3



REVERSIBLE

code	model	number of sections	dimensions, cm
1330050	14510	10	20.6×17.5×4.4
1330051	16514	14	27.5×18.7×5
1330052	19518	19	34.5×22×5.2

SCAN ME

14510



16514




19518



BAIT BOX

- for livebaits

code	size	material	dimensions, cm
1339500	S	plastic	17.5×17.5×5
1339501	M	plastic	17.5×17.5×6.5
1339502	L	plastic	17.5×17.5×10



- for stick-mix

code	size	material	dimensions, cm
1339505	L	plastic	17.5×17.5×10



RIG CASE

- can fit – 30 leaders with max. length 25 cm

code	material	dimensions, cm
1330001	EVA, plastic	35×10×5



STIFF RIG WALLET 29×14

code	material	dimensions, cm
7134203	PVC 600D	29×14×4



STIFF RIG WALLET 35×14

code	material	dimensions, cm
7134813	PVC 600D	35×14×4



REEL BAG

- 2 sections

code	material	dimensions, cm
7130066	PVC 600D	20×19×17

SCAN ME



REEL BAG

code	material	dimensions, cm
7134819	PVC 600D	21×16×11



ACCESSORY/REEL BAG

code	material	dimensions, cm
7130067	PVC 600D	27×29×12





BAIT BUCKET **25×22**

code	material	dimensions, cm
7130015	polyester 840D	diameter – 25 height – 22



SAFETY CARP SACK

- with zipper
- cover bag included

code	material	dimensions, cm
7139022	PVC	110×80



BAIT KEEPER BUCKET

code	material	volume, l	dimensions, cm
7134811	PVC 600D	10	diameter – 25 height – 21



BAIT BUCKET

code	material	dimensions, cm
7134815	PVC 600D	diameter – 30 height – 17



MIRROX BAKKAN

code	model	material	dimensions, cm
7139320	M	EVA 2 mm	36×24×26
7139321	L	EVA 2 mm	41×26×27
7139322	XL	EVA 2 mm	47×29×28



ORGANIZER FOR **BAKKAN**

code	model	material	dimensions, cm
7139300	M	plastic	36×24×7.5
7139301	L	plastic	40.5×24.5×9.5
7139302	XL	plastic	46.5×28.5×7.5



MIRROX DOUBLE SIDE EVA TACKLE CASE

code	material	dimensions, cm
7139315	EVA 2 mm	23×23×15



BAKKAN ROD STAND

- number of rod holders – 2 pcs

code	model	material	dimensions, cm
7139305	M	EVA 2 mm	36×24×26
7139306	L	EVA 2 mm	41×26×27
7139307	XL	EVA 2 mm	47×29×28



BAKKAN

- spring-loaded sashes of window for fish

code	model	material	dimensions, cm
7134000	BB-3020E	EVA	30×20×20
7134001	BB-3522E	EVA	35×22×22
7134002	BB-4025E	EVA	40×25×25
7134003	BB-4528E	EVA	45×28×28



SLING BAG

code	material	dimensions, cm
7139030	PVC 840D	34×24×12



HIP BAG

code	material	dimensions, cm
7139041	PVC 840D	30×15×19

SCAN ME





ACCESSORY BAG

code	material	dimensions, cm
7134818	PVC 600D	32×24×15



SPINNING BAG (4 BOXES)

- 4 plastic boxes included:
  sizes 27.5×18×4.2 cm – 3 pcs
  sizes 23×12×4.2 cm – 1 pcs

code	material	dimensions, cm
7130011	PVC 600D	29×20×20



TRAVEL DUFFLE BAG

- volume – 60 l
- color – black

code	material	dimensions, cm
7139032	oxford 600D	36×36×60

SCAN ME



BOOTS BAG

code	material	dimensions, cm
7139090	PVC canvas, PVC 300D PE	30×45×38



WP DUFFLE BAG

- WP – Waterproof
- color – black

code	material	dimensions, cm
7139035	PE 840D	62×52×38



FISHING VEST

- 19 pockets – 10 of them with zippers, 2 pockets with a retractor, and 2 pockets with a carabiner
- built-in landing net holder on the back
- mesh material on the back
- durable PVC 600D material

code	size
2630004	OSFA









BACKPACK GREEN

code	material	dimensions, cm	volume, l
7230001	PVC 600D	38×60×28	50



BACKPACK CITY

code	material	dimensions, cm	volume, l
7239000	PVC 840D	32×50×15	24

SCAN ME



BACKPACK ONE SHOULDER BAG

- retriever included
- volume – 10 l

code	material	dimensions, cm
7230009	PVC 600D	25×10×57





BACKPACK MIRROX

code	material	dimensions, cm	volume, l
7239001	PVC 600D	25×10×57	30

SCAN ME



COOL BAG

code	material	dimensions, cm	volume, l
7139104	PVC 840D	32×19×23	12
7139105	PVC 840D	36×25×28	20
7139106	PVC 840D	41×26×30	28

SCAN ME





TUBE

code	material	length, cm	diameter, cm
7034840	PVC 600D	118	8.5
7034806	PVC 600D	135	8.5

SCAN ME







COMPACT CAMPING COT

- frame – steel tube d = 16 mm, leg profile – 17×10 mm
- folded – 45×25×10 cm

code	7439003
material	PVC 600D
dimensions, cm	191×66×18
weight, kg	5.2
max load, kg	120

SCAN ME





3 SEASON SLEEPING BAG

- double-sided powerful zipper

code	7634207
dimensions, cm	215×95
outer material	190T Polyester
inner material	Polar 50 breathable
filling	350 g/m² sintepon
weight, kg	3.5















COMFORT RECLINER CHAIR 5 MODES

- profile – aluminum tube d = 19/25 mm
- maximum load – 120 kg
- 5 back adjust angles
- 4 height-adjustable legs

code	7439018
material	PVC 600D
assembled, cm	93×64×14
height of back, cm	70
width of back, cm	54
seat dimensions, cm	45×55
weight, kg	4.65







CHAIR WITH STRENGTHENED ARMRESTS

- profile – steel tube d = 20 mm, 16 mm
- maximum load – 100 kg
- cover with handles included

code	7434742
material	PVC 600D
assembled, cm	60×55×35
height of back, cm	55
width of back, cm	50
seat dimensions, cm	50×55
weight, kg	4.9







CHAIR WITH SOFT ARMRESTS

- profile – steel tube d = 16 mm
- maximum load – 100 kg
- cover with handles included

code	7434716
material	PVC 600D
assembled, cm	50×48×37
height of back, cm	47
width of back, cm	50
seat dimensions, cm	42×55
weight, kg	3.0









PORTABLE CHAIR **TRAP**

- maximum load – 80 kg
- cover with handles included

code	7533111	7534701
material	PVC 600D	PVC 600D
dimensions, cm	40×20×35	30×15×26
model	L	S
weight, kg	0.9	0.7





S



L



CAMPING TABLE

- profile – aluminum tube d = 16/25 mm
- 4 height-adjustable legs
- maximum load – 80 kg
- cover with handles included

code	7339002
cover material	PVC 600D
assembled, cm	80×60
dimensions, cm	80×60×55/78
weight, kg	6.4








FOLDABLE TABLE (SET)

- profile – aluminum tube d = 19/22/25 mm
- hole for umbrella in the middle of the table
- 4 chairs and cover included
- maximum load of table – 30 kg , of chair – 100 kg

code	7339000
cover material	PVC 600D
assembled, cm	60×60×12
dimensions, cm	120×60×55/70
sizes of chairs, cm	40×30×42 (4 pcs.)
weight, kg	9.25








CASABLANCA-4

- profile – aluminum tubes d = 11 mm
- outer material – 210T PU polyester, hydrostatic head 3000 mm
- inner material – 190T breathable polyester
- floor – polyethylene 10×10 PE
- sewn-in bottom provides good water resistance
- insect mesh door

code	7730131
height, cm	190
assembled, cm	75×35×35
weight, kg	9.7






SOFIA-4

- profile – fiberglass tubes d = 9.5/11 mm
- outer material – 68D 190T PU polyester, hydrostatic head 2500 mm
- inner material – 68D 190T breathable polyester
- floor – polyethylene 10×10 PE
- insect mesh windows
- insect mesh door

code	7730133
height, cm	180
assembled, cm	53×25×25
weight, kg	8.5








GCARP DUO-2

- profile – aluminum tubes d = 16 mm
- outer material – 210D PU polyester, hydrostatic head 5000 mm
- floor – removable PVC 0.42 mm
- removable front panel
- insect mesh door

code	7730001
height, cm	155
assembled, cm	116×25×25
weight, kg	13.9






SCREEN DINING LUKSOR

- profile – fiberglass tubes d = 11 mm, steel d = 19 mm
- material of ceiling part – 68D 190T PU polyester, hydrostatic head 1500 mm
- material of walls – insect mesh + 68D 190T PU polyester
- 3 entrances

code	7730101
height, cm	220
assembled, cm	79×34×34
weight, kg	10.9






SCREEN DINING KAIR

- profile – steel tubes d = 16 mm
- material of ceiling part – 68D 190T PU polyester, hydrostatic head 1500 mm
- material of walls – insect mesh
- 2 entrances

code	7730102
height, cm	249
assembled, cm	100×18.5×18.5
weight, kg	14.6





UMBRELLA SINTEZ

- base – aluminum tubes d=19/22 mm
- spokes – Ø=6.9 mm fiberglass
- 2 pegs and cover included

code	7739005
model	Flat Back Brolly 250
diameter, cm	250
height, cm	max 190 / min 130
assembled, cm	130
weight, kg	2.7
canopy material	2000D polyester
hydrostatic, mm	PU2000



UMBRELLA SHELTER

- base – aluminum tubes d=19/22 mm
- walls partially made of mosquito netting and cover included

code	7739000
diameter, cm	250
height, cm	max 235 / min 135
weight, kg	3.8
canopy material	66D 190T polyester
hydrostatic, mm	PU1500



VACUUM FLASK MURRAY

- convenient folding handle for carrying the vacuum flask
- the outer lid of the thermos can be used as a mug

code		6139005	6139006
volume, l		1.5	2.0
weight, kg		825	1000
height, cm		35	34
material		stainless steel	
thermal insulation, °C	0 hours	› 98 °C	› 98 °C
	6 hours	› 84 °C	› 86 °C
	12 hours	› 77 °C	› 79 °C
	24 hours	› 64 °C	› 66 °C

SCAN ME



VACUUM FLASK HEIZ

- fully metal construction, durable and long-lasting
- vacuum metal flask retains beverage temperature for extended periods

code		6139000	6139001	6139002
volume, l		0.5	0.75	1.0
material		stainless steel		
thermal insulation, °C	0 hours	› 98 °C	› 98 °C	› 98 °C
	6 hours	› 80 °C	› 82 °C	› 84 °C
	12 hours	› 72 °C	› 74 °C	› 76 °C
	24 hours	› 58 °C	› 60 °C	› 62 °C



HEADLIGHT **FV201 W/UV SENSOR WITH CLIP**

- 2 types of LED – white and UV, white LED has 3 levels of brightness
- type of battery: lithium polymer (3.7V/500 mAh (built in)
- charging connector Type-C
- 4 lighting modes
- run time: 4 hours on maximum brightness
- with motion sensor
- elastic headband and Type-C cable included

code	8539002
maximum brightness	110 lumens
switch type	push on / off switch
waterproof	IPX5
weight, g	33
distance of flashlight, m	7



NEOPRENE PROTECTIVE ROD

- material – neoprene

code	length, cm
7020308	100-150
7020309	120-180



LIGHT ROD STRAP

- material – neoprene
- 2 pcs/pack

code	dimensions, mm	thickness, mm	color
1620305	230×24	5	grey



ROD BELT RB-02N GREY M

- material – neoprene
- 2 pcs/pack

code	dimensions, mm	thickness, mm	color
1620301	210×20	3	grey



NEOPRENE REEL BAG

- material – neoprene

code	dimensions, mm	material thickness, mm	reels size
7020315	60×35	5	2000-3000
7020316	95×60	5	4000-6000



NEOPRENE REEL COVER

- material – neoprene

code	dimensions, mm	material thickness, mm	reels size
7020310	150×140×40	5	1000-2500
7020311	160×150×45	5	3000-4000



FLEXIBLE ROD PROTECTOR FRP-02N

- material – neoprene

code	length, cm	color
7020306	80-130 (stretches up to 200 cm)	gray



ROD STAND **FOR 16 RODS**

- compact plastic rod stand
- can be used to showcase and store rods
- the double-sided storage stand stacks 8 rods on each side (16 in total)
- material – plastic
- color – black/grey

code	6733001
can fit rods, pcs	16
dimensions, cm	44×90×21
folded, cm	21×47×12

SCAN ME



SUNGLASSES **POLARIZED**

code	model
2920043	Military Black YL



code	model
2920044	Military Camo Green GR



code	model
2920045	Military Camo Green YL



code	model
2920046	Mirrox RR



code	model
2920004	SBK192GR



code	model
2920032	SBL201BLR



SUNGLASSES **POLARIZED**

code	model
2920047	Sintez BL-F

- floatable



code	model
2920020	MG232BR



code	model
2920024	MG221BLR



code	model
2920025	SB511BLR



code	model
2920039	MW512BLR



code	model
2920031	SB513YE



code	model
2920029	MG911BR



code	model
2920033	MBL1111WHM



code	model
2920040	MBB171GR



code	model
2920002	MB821BLR-F

- floatable



code	model
2920003	MB822BR-F

- floatable



code	model
2920036	MB1421BRL-F

- floatable



code	model
2920037	MBC1521GRR-F

- floatable



code	model
2920005	MBC401BR Cap Clip-on



code	model
2920001	SBF131BR-W



SUNGLASSES ACCESSORIES

code	model
1620106	hard case “Elite”



code	model
1620105	hard case



code	model
1620110	strap



TIP GUIDE **BKGTST** BLACK

- 10 pcs/pack

code	inner ring, mm	rod fitting Ø, mm
2139000	5	1.4
2139001	5	1.6
2139002	5	1.8
2139003	5	2.0
2139004	5	2.2
2139005	6	1.6
2139006	6	1.8
2139007	6	2.0
2139008	6	2.2
2139009	6	2.4
2139010	8	2.0
2139011	8	2.2
2139012	8	2.4
2139013	8	2.6
2139014	8	2.8





TIP GUIDE **BMKTST** BLACK

- 10 pcs/pack

code	inner ring, mm	rod fitting Ø, mm
2139020	4	1.0
2139021	4	1.2
2139022	4	1.4
2139023	5	1.0
2139024	5	1.2
2139025	5	1.4
2139026	5	1.6
2139027	5	1.8
2139028	6	1.2
2139029	6	1.4
2139030	6	1.6
2139031	6	1.8





TIP GUIDE **GSULTLST** GUN SMOKE

- 10 pcs/pack

code	inner ring, mm	rod fitting Ø, mm
2139060	5	0.8
2139061	5	1.0
2139062	5	1.2
2139063	5	1.4
2139064	5	1.6
2139065	5	1.8
2139066	5	2.0





GUIDE **BSMTSG** BLACK

- 10 pcs/pack
- sliding

code	inner ring, mm	rod fitting Ø, mm
2139200	6	2.2
2139201	6	2.4
2139202	6	2.6
2139203	6	2.8
2139204	6	3.0
2139205	6	3.2
2139206	6	3.4
2139207	6	3.6





GUIDE **BMKTSG** BLACK

code	inner ring, mm	pcs/pack
2139240	4	10
2139241	5	10
2139242	6	10
2139243	8	10





GUIDE **BKLLSG** BLACK

code	inner ring, mm	pcs/pack
2139210	12	10
2139211	16	10
2139212	20	5
2139213	25	5





GUIDE **KLLSG** CHROME

code	inner ring, mm	pcs/pack
2139215	12	10
2139216	16	10
2139217	20	5
2139218	25	5





GUIDE **BKTLSG** BLACK

code	inner ring, mm	pcs/pack
2139220	3	10
2139221	4	10
2139222	5	10
2139223	6	10
2139224	8	10
2139225	10	10





GUIDE **KTLSG** CHROME

code	inner ring, mm	pcs/pack
2139230	3	10
2139231	4	10
2139232	5	10
2139233	6	10
2139234	8	10
2139235	10	10





GUIDE **BKWLSG** BLACK

code	inner ring, mm	pcs/pack
2139400	6	10
2139401	8	10
2139402	10	10
2139403	12	10
2139404	16	10
2139405	20	5
2139406	25	5
2139407	30	5





GUIDE **KWLSG** CHROME


code	inner ring, mm	pcs/pack
2139410	6	10
2139411	8	10
2139412	10	10
2139413	12	10
2139414	16	10
2139415	20	5
2139416	25	5
2139417	30	5





GLOVES **TITANIUM 3 CUT TR-303**


code	size	palm size, cm
2639920	M	22-23
2639921	L	23-24
2639922	XL	24-25
2639923	XXL	25-27





GLOVES **TITANIUM 5 CUT TR-305**


code	size	palm size, cm
2639955	M	22-23
2639956	L	23-24
2639957	XL	24-25
2639958	XXL	25-27





GLOVES **SUNGLOVE 5 CUT PN-101**

code	size	palm size, cm
2639990	S	19-20
2639991	M	20.5-22
2639992	L	22-23.5
2639993	XL	23.5-25







NEW CAP SPORT CAP UA

- cotton – 35%
- polyester – 65%

code	size
2839009	54-60



NEW CAP MESH TRUCKER CAP UA WITH MESH

- cotton – 35%
- polyester – 65%

code	size
2839010	54-60



NEW CAP MESH TRUCKER CAP VORTEX AIR WITH MESH

- cotton – 35%
- polyester – 65%

code	size
2839011	54-60



CAP TRUCKER MINIMAL BLACK WITH MESH

- cotton – 100%

code	size
2839003	56-59



CAP BASEBALL MINIMAL BLACK

- cotton – 100%


code	size
2839002	56-59



NEW HOODIE DEEP WATER SUN SHIRT

- material – 100% polyester
- sun protection UPF +50

code	size	width, cm	height, cm	sleeve length, cm
2639100	S	52	72	82
2639101	M	56	74	84
2639102	L	59	76	87
2639103	XL	64	79	90
2639104	2XL	66	81	92
2639105	3XL	72	84	95






NEW HOODIE VORTEX AIR SUN SHIRT

- material – 100% polyester
- sun protection UPF +50

code	size	width, cm	height, cm	sleeve length, cm
2639090	S	52	72	82
2639091	M	56	74	84
2639092	L	59	76	87
2639093	XL	64	79	90
2639094	2XL	66	81	92
2639095	3XL	72	84	95






JERSEY VORTEX AIR SUN SHIRT

- material – 100% polyester
- sun protection UPF +50

code	size	width, cm	height, cm	sleeve length, cm
2639020	S	51	72	78
2639021	M	54	74	79
2639022	L	55	75	80
2639023	XL	59	78	81
2639024	2XL	61	80	83
2639025	3XL	63	82	86





GOLDEN CATCH
G.CARP

G.Carp – Professional Carp Fishing Gear.

G.Carp by Golden Catch is designed for anglers who are truly passionate about carp fishing.


This comprehensive range covers everything from terminal tackle to reels and rods, providing all the essential gear for serious carp anglers.Engineered with precision and a commitment to quality, G.Carp delivers reliability, innovation, and top-tier performance.

With a focus on continuous development, G.Carp is expanding its lineup to offer even greater comfort, organization, and versatility – providing a complete solution for every carp angler.

NEW FURY SLIM









G.Carp Fury Slim – is a modern carp rod that combines a lightweight design with impressive power. With a 3.5 lb test, it ensures confident long-distance casting and effective control over trophy fish.

Available in two length options – 3.6 m and 3.9 m, allowing anglers to choose the perfect model for their fishing conditions. The two-piece construction provides high stiffness and excellent energy transfer during casting.

G.Carp Fury Slim is the ideal choice for carp anglers seeking a lightweight, refined, yet incredibly powerful rod for long casts and confident battles with big fish.

Features of G.Carp Fury Slim:

- Slim yet powerful blank
- Fast action
- High-quality guide rings
- 50mm butt ring
- Anti-tangle tip
- Shrink tube handle
- Reliable reel seat
- Alignment markers for butt section and tip



FURY SLIM




- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039540	FURY SLIM	3.60	2	185	420	3.5
2039541	FURY SLIM	3.90	2	200	464	3.5

NEW FURY SPOD MARKER









G.Carp Fury Spod/Marker – powerful and sensitive rod that becomes an indispensable tool for any carp angler. The strong fast-action blank allows for confident casting of the largest spods over long distances, while the sensitive tip ensures precise control of the rig and allows effective bottom exploration.

Markings on the blank at 15, 30, and 50 cm make depth determination much easier, and the large guides ensure smooth line flow, increasing casting distance. Ideal for anglers who value the combination of power, sensitivity, and accuracy.

- Alignment markers for butt section and tip
- High-quality shrink wrap handle
- Anti-tangle lightweight guides with Minima stainless steel inserts
- 16 mm anti-tangle tip guide
- 50 mm butt guide
- Reliable reel seat



FURY SPOD MARKER




- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039535	FURY SPOD MARKER	3.90	2	200	585	7

NEW FURY COMPACT









G.Carp Fury Compact – line of powerful rods with a unique feature. Thanks to the combined design of a telescopic butt section and a classic spigot connection between the butt and the tip, it was possible to significantly reduce the transport length without losing the key advantages of two-piece rods.

Another advantage is the reduction in rod length when fully rigged, which is necessary for so-called stalking or search fishing, where frequent location changes are required. The Fury Compact blank is made of high-modulus carbon, making it strong, reliable, and powerful. It is suitable for powerful casts with rigs and PVA bags, fighting large fish, and is also ideal for fishing in currents, “boat drop” fishing, or from a boat.

- Alignment markers on the butt and top section
- Carbon line clip
- High-quality heat-shrink handle
- Anti-tangle lightweight Minima rings with stainless steel inserts
- 16 mm anti-tangle tip ring
- 50 mm guide ring
- Reliable reel seat



FURY COMPACT





- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2039530	FURY COMPACT	3.60	2	146	375	3.5
2039531	FURY COMPACT	3.90	2	157	428	3.5

FURY

GC G.Carp Fury 10000 – a reel that combines the best technologies and systems to ensure smooth rotor rotation and maximum reliability of the mechanism. The main gear is designed with X-BS Bearing System technology, enhancing durability with four ball bearings.

Line lay is controlled by a worm shaft and an ultra-slow oscillation system. The large-diameter metal spool in a “long cast” form factor with a conical lip allows for extreme casting distances. A strong, power-driven aluminum handle with a lightweight rubberized T-shaped knob screws directly into the main gear, minimizing backlash and maximizing power transfer from the handle to the spool. The reel features a fast and powerful drag system with a maximum load capacity of 12 kg.









- 11 ball bearings and 1 roller bearing
- Instant anti-reverse system
- Powerful mechanism with a low gear ratio of 4.4:1
- Line guard to prevent line from getting under the spool
- Forged aluminum long-cast spool
- Conical spool lip
- Two spring-loaded metal line clips in different colors
- Fast and powerful drag system
- Comfortable T-shaped detachable rubberized knob
- Soft fabric pouch included

SRW HANDLE - CNC-machined aluminum handle that screws directly into the main gear

CERAMIC LINE ROLLER - ceramic line roller

WORM SHAFT - worm shaft system

X-BS BEARING SYSTEMS - main gear supported by four ball bearings

FURY 10000

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1039080	10000	4.4:1	630	12	11+1	0.30-600 / 0.35-470 / 0.40-340

SPOOL FURY

code	model	line capacity, mm-m
1738052	10000	0.30-600 / 0.35-470 / 0.40-340



ROD POD **MINIMA 3**

code	6730010
material	aluminum
length, mm	92-141
height, cm	27-37
width, cm	35-53
folded, cm	60×10×6
weight with cover, kg	1.3
weight without cover, kg	1.5




NEW **BUTT LOCK**

- reliably holds the rod butt even during strong bites
- available in two sizes – for cork handles and handles with shrink tubing

code	size
1665008	M
1665009	L







MAGNETIC ROD REST

- magnetic lock reliably holds rod
- maximum diameter of blank – 20 mm

code
1665005







BUTT ROD REST

- flexible jaws are equipped with rubber pads
- maximum diameter of blank – 23 mm

code
1665006









NEW **LEADER STORAGE**

G.Carp Leader Storage 6 rig – compact system for storing ready-made leadcore leaders. It allows you to spool the leader with a lead clip or «helicopter» rig. Holds up to 6 ready-made leadcore leaders. Compatible with the G.Carp Tackle Box.
• Durable ABS-plastic construction
• Holds up to 6 ready-made rigs

code	material	dimensions, cm
1365100	plastic	7.7×5.1×4.9







DEEP TACKLE BOX

Durable carp tackle box made of ABS plastic and polypropylene. It has 21 compartments under a transparent lid for small accessories, plus a main section with two removable dividers for tools, rig materials, and essentials.

code	material	dimensions, cm
1339224	plastic	24.2×14.2×7.2





FLAT TACKLE BOX

Multifunctional box for flat feeder and carp fishing, made of ABS plastic and polypropylene. Transparent compartments store small tackle; the built-in rig holder with pins and a ruler on the lid simplify rig making and storage.

code	material	dimensions, cm
1339225	plastic	34.5×17.5×7.5






HOOK BOX

Convenient and compact carp hook box for storage and transportation. Holds up to 66 hooks.

code	material	dimensions, cm
1339215	plastic	10.2×8.8×2.4





MAJOR TACKLE BOX L SET

Multifunctional box made of durable ABS plastic and polypropylene. The lid has 17 compartments for small tackle, while the deep main section contains six removable dividers for flexible storage. A built-in rig holder with pins and a ruler on the lid simplifies rig making and storage. The set comes with two GC G.Carp Mini Boxes: one with 6 compartments and one two-tier box with 8 compartments.

code	material	dimensions, cm
1339226	plastic	28.5×20.5×7






MULTI TACKLE BOX XL SET

Spacious and practical box for carp and feeder fishing, made of ABS plastic and polypropylene. The deep section is divided with removable dividers included in the set. A double-sided rig holder with pins ensures secure fixation, while a ruler on the lid helps with accurate rig preparation. The set includes eight GC G.Carp Mini Boxes for accessories: with 1, 2, 3, 4, 6, and 8 compartments, plus two two-tier boxes with 8 and 12 compartments.

code	material	dimensions, cm
1339227	plastic	38×30×5.5





LIGHT TACKLE BOX

Lightweight multifunctional box made of ABS plastic and polypropylene, ideal for feeder and carp fishing. It has 28 transparent compartments divided into sections for quick access and easy identification of rig components. An additional open compartment without a lid provides extra space for storing tools, rig materials, and needles, making the box convenient both for fishing sessions and for organizing gear at home.


code	material	dimensions, cm
1365010	plastic	24×12×3.5



GC G.Carp Mini Box – a series of boxes with compartments for various accessories. Ideal for storing swivels, beads, clips, boilie stops, sinkers, and more. They fit perfectly inside the Multi Tackle Box XL and Tackle Box L. The contents remain visible thanks to transparent tinted lids. The boxes are equipped with secure locking mechanisms.

MINI BOX 2 LAYER 8 SECTION


code	dimensions, cm
1339222	10.2×8.8×2.4





MINI BOX 2 LAYER 12 SECTION


code	dimensions, cm
1339223	10.2×8.8×2.4





MINI BOX 1 SECTION


code	dimensions, cm
1339216	10.2×8.8×2.4





MINI BOX 2 SECTION


code	dimensions, cm
1339217	10.2×8.8×2.4





MINI BOX 3 SECTION


code	dimensions, cm
1339218	10.2×8.8×2.4





MINI BOX 4 SECTION


code	dimensions, cm
1339219	10.2×8.8×2.4





MINI BOX 6 SECTION


code	dimensions, cm
1339220	10.2×8.8×2.4





MINI BOX 8 SECTION

code	dimensions, cm
1339221	10.2×8.8×2.4





ACTION STATION

Rig station allows you to keep all essential tools and accessories within easy reach. The main lid features 12 compartments with transparent covers, divided into multiple sections for organized storage of small tackle accessories. A built-in rig holder with a set of pins for secure fixation and a ruler on the lid provide convenience for rig making. The station is made of ABS plastic and polypropylene. A multi clamp for attaching the station to any side stand is included.

code	material	dimensions, cm
1339228	plastic	34.5×17.5×5.5



MULTI CLAMP

It is suitable for lateral fixing of boxes:
- Flat Tackle Box
- Deep Tackle Box
- Major Tackle Box L set
- Action Station

code	material	dimensions, cm
1639190	plastic	13×7.7×4.7



RIG BOX

- the set includes 15 double pins and 30 single pins
- can fit 60 leaders

code	model	material	dimensions, cm
1365000	MEDIUM	plastic	23.5×10.2×35

- the set includes 20 double pins and 30 single pins
- can fit 90 leaders

code	model	material	dimensions, cm
1365001	LARGE	plastic	34.5×11.3×36

SCAN ME





DOUBLE PINS

- 20 pcs/pack

code	color
1665010	YELLOW



SINGLE PINS

- 30 pcs/pack

code	color
1665011	YELLOW



GC G.Carp Phantom Line - high-quality monofilament fishing line of premium class, made from Japanese materials. The unique coating formula ensures exceptional smoothness, long-distance casting, and resistance to abrasion. The line is designed for trophy fishing, has a stable diameter, sinks quickly, and stands out with increased knot strength, low visibility in water, minimal memory, and optimal stretch for shock absorption during fish fights.

A 600 m spool of fishing line has a control mark at 300 m. A 1000 m spool has three marks – at 250, 500, and 750 m. These marks make it easy to monitor the length of line being unwound and ensure an equal amount on each reel when spooling from a single spool.

NEW PHANTOM LINE 3D INVISIBLE

- color – 3D Invisible

300 m	600 m	1000 m	diameter, mm	test, kg	test, lb
4039250	4039260	4039270	0.26	4.7	10.3
4039251	4039261	4039271	0.28	5.6	12.3
4039252	4039262	4039272	0.30	6.6	14.4
4039253	4039263	4039273	0.32	6.9	15.2
4039254	4039264	4039274	0.34	7.6	16.8



NEW PHANTOM LINE TWO ORANGE

- color – Two Orange

300 m	600 m	1000 m	diameter, mm	test, kg	test, lb
4039280	4039290	4039300	0.26	4.4	9.6
4039281	4039291	4039301	0.28	5.2	11.3
4039282	4039292	4039302	0.30	5.9	13.0
4039283	4039293	4039303	0.32	6.3	13.8
4039284	4039294	4039304	0.34	7.0	15.3



NEW PHANTOM LINE WEED GREEN

- color – Weed Green

300 m	600 m	1000 m	diameter, mm	test, kg	test, lb
4039310	4039320	4039330	0.26	4.7	10.3
4039311	4039321	4039331	0.28	5.6	12.3
4039312	4039322	4039332	0.30	6.4	14.0
4039313	4039323	4039333	0.32	6.9	15.2
4039314	4039324	4039334	0.34	7.6	16.8



CHOD STIFF RIG

- without coating

Khaki	length, m	test, kg	test, lb
4065010	20	25	12
4065011	20	35	12



ZIG LINE

- without coating
- sinking

Khaki	length, m	test, kg	thickness, mm
4065015	100	4.2	0.23
4065016	100	5.4	0.25
4065017	100	6.1	0.28



SUPER BRAID SOFT FLAT X4

- without coating

Weed Green	length, m	test, kg	test, lb
4165210	50	6.8	15
4165211	50	11.3	25
4165212	50	15.9	35



STRONG BRAID HOOKLINK X6

- without coating

Dark Green	length, m	test, kg	test, lb
4165205	20	6.3	15
4165206	20	9.1	20
4165207	20	11.3	25



COATED BRAID SOFT

- with coating

Weed Green	Brown	length, m	test, kg	test, lb
4165230	4165225	20	6.8	15
4165231	4165226	20	11.3	25
4165232	4165227	20	15.9	35



COATED BRAID SEMI-STIFF

- with coating

Weed Green	Brown	length, m	test, kg	test, lb
4165220	4165215	20	6.8	15
4165221	4165216	20	11.3	25
4165222	4165217	20	15.9	35



COATED BRAID STIFF

- with coating

Weed Green	Brown	length, m	test, kg	test, lb
4165240	4165235	20	6.8	15
4165241	4165236	20	11.3	25
4165242	4165237	20	15.9	35



COREFREE

- color – Camo Green
- without lead

code	4165000
length, m	10
test,lb	50



LEADCORE

- color – Camo Green
- with lead

code	4165001
length, m	10
test,lb	50



TAPERED LEADER

- color – Clear

code	4065000
length, m	5×15
diameter, mm	0.26-0.57



NEW

HOOK **GRIP**

- 10 pcs/pack
- coating – teflon

code	size
5565035	8
5565036	6
5565037	5
5565038	4
5565039	2



HOOK **CHOD & ZIG**

- 10 pcs/pack
- coating – teflon

code	size
5565000	8
5565001	6
5565002	4
5565003	2

SCAN ME



HOOK **CURVE SHANK**

- 10 pcs/pack
- coating – teflon

code	size
5565005	8
5565006	6
5565007	4
5565008	2

SCAN ME



HOOK **KRANK**

- 10 pcs/pack
- coating – teflon

code	size
5565010	8
5565011	6
5565012	4
5565013	2

SCAN ME



HOOK **WIDE GAPE**

- 10 pcs/pack
- coating – teflon

code	size
5565015	8
5565016	6
5565017	4
5565018	2

SCAN ME



HOOK **V-CLAW**

- 10 pcs/pack
- coating – teflon

code	size
5565020	8
5565021	6
5565022	4
5565023	2

SCAN ME



HOOK **MIXA**

- 10 pcs/pack
- coating – teflon

code	size
5565025	10
5565026	8
5565027	6
5565028	4

SCAN ME



HOOK **WIDE GAPE 45°**

- 10 pcs/pack
- coating – teflon

code	size
5565030	8
5565031	6
5565032	4
5565033	2

SCAN ME



METHOD WIDE GAPE READY RIG

- 2 pcs/pack
- without coating

code	hook, №	test, lb	length, mm	hair length
4265005	8	15	10	10
4265006	6	25	10	10
4265007	4	25	10	10



BRAID X6 WIDE GAPE READY RIG

- 1 pcs/pack
- without coating

code	hook, №	test, lb	length, mm	hair length
4265010	8	20	18	16
4265011	6	25	18	16
4265012	4	25	18	20
4265013	2	25	18	20



BLOW BACK READY RIG

- 1 pcs/pack
- with coating

code	hook, №	test, lb	length, mm	hair length
4265015	8	20	18	16
4265016	6	25	18	16
4265017	4	25	18	20
4265018	2	25	18	20



V-CLAW READY RIG

- 1 pcs/pack
- with coating

code	hook, №	test, lb	length, mm	hair length
4265020	8	15	18	16
4265021	6	25	18	16
4265022	4	25	18	20
4265023	2	35	18	20



KRANK READY RIG

- 1 pcs/pack
- with coating

code	hook, №	test, lb	length, mm	hair length
4265025	8	15	18	16
4265026	6	25	18	16
4265027	4	25	18	20
4265028	2	35	18	20



CHOD READY RIG

- 3 pcs/pack
- hard mono material

code	hook, №	test, lb	length, mm	hair length
4265030	8	25	4	16
4265031	6	25	4	16
4265032	4	25	4	20
4265033	2	25	4	20



HELI RIGS

- 3 pcs/pack
- color - Camo Green

code	length, cm	test, lb
4365020	75	50





LEADCORE SAFETY CLIP LEADER

- 3 pcs/pack
- color - Camo Green

code	length, cm	test, lb
4365015	75	50





LOOPED LEADCORE WITH QUICK CHANGE

- 3 pcs/pack
- color - Camo Green

code	length, cm	test, lb
4365010	75	50






DOUBLE LOOPED LEADCORE

- 3 pcs/pack
- color - Camo Green

code	length, cm	test, lb
4365013	75	50






SHOCK BEAD RUBBER

- 24 pcs/pack
- material – rubber

code	diameter, mm	color
1665113	5	Khaki
1665115	6	Khaki








BAIT SCREW

- 10 pcs/pack
- anti-reflective coating

code	length, mm	color
1665140	7	Black
1665141	10	Black








BAIT SCREW 360°

- 10 pcs/pack
- anti-reflective coating

code	length, mm	color
1665142	10	Clear/Black
1665143	13	Clear/Black








POP-UP SCREW

- 25 pcs/pack

code	color
1665144	Clear






BAIT SPIKE

- 12 pcs/pack

code	length, mm
1665312	7
1665313	10








BAIT STING

- 12 pcs/pack
- for hard or well-dried baits

code	length, mm
1665315	7
1665316	10
1665317	15






TUNGSTEN PUTTY

- lead-free, non-toxic formula
- well adheres to leader material

code	weight, g	color
1665440	15	Brown
1665441	16	Green






BOILIE STOPS SOFT

- 200 pcs/pack



code	color
1665480	Brown
1665481	Clear
1665483	Yellow



BOILIE STOPS

- 120 pcs/pack



code	color
1665485	Brown
1665486	Clear
1665488	Yellow

HAIR EXTENDER STOPS

- 126 pcs/pack

code	color
1665490	Brown
1665491	Clear
1665492	Dark Green

PELLET STOPS

- 134 pcs/pack


code	color
1665495	Brown
1665496	Clear




MICRO ROLLING SWIVEL WITH RING

- 10 pcs/pack
- anti-reflective coating

code	№
4465002	14






QUICK CHANGE HELI SWIVEL

- 10 pcs/pack
- anti-reflective coating

code	№
4465004	4






QUICK CHANGE SWIVEL LONG

- 10 pcs/pack
- anti-reflective coating

code	№
4465006	4






QUICK CHANGE SWIVEL

- 10 pcs/pack
- anti-reflective coating

code	№
4465009	7
4465008	4






QUICK CHANGE SWIVEL LONG

- 10 pcs/pack
- anti-reflective coating

code	№
4465010	4








QUICK CHANGE SWIVEL LONG

- 10 pcs/pack
- anti-reflective coating

code	№
4465014	11







QUICK CHANGE SWIVEL LONG

- 10 pcs/pack
- anti-reflective coating

code	№
4465020	4






QUICK CHANGE SWIVEL LONG

- 20 pcs/pack
- color – Matt Black

code	diameter, mm
2165000	3.1








QUICK CHANGE SWIVEL LONG

- 10 pcs/pack
- anti-reflective coating

code	size
4565010	M








SPEED LINK

- 10 pcs/pack
- anti-reflective coating

code	size
4565012	M







BAIT STOPS

- 10 pcs/pack

code	color
1665499	Clear



HOOK RING STOPS

- 20 pcs/pack

code	size
1665500	S
1665501	M





POWER LEAD CLIP

- 5 pcs/pack

code	color
1665016	Khaki



ANTI TANGLE SLEEVES

- 10 pcs/pack

code	weight, g
1665020	20

SAFETY LEAD CLIP

- 5 pcs/pack
- model – **with Quick Change**

code	1665017
color	Khaki



- 5 pcs/pack
- model – **with Stops**


code	1665018
color	Khaki



NAKED LINE TAIL RUBBERS

- 10 pcs/pack

code	weight, g
1665021	38






ZIG RIG ANTI TANGLE SLEEVES

- 10 pcs/pack

code	weight, g
1665022	60






LEAD CLIP TAIL RUBBER

- 10 pcs/pack

code	color
1665024	Khaki






SILICONE HOOK TUBE

- length – 1 m

code	diameter, mm
1665081	0.5






SHRINK TUBE

- 10 pcs/pack
- color – Khaki

code	diameter, mm
1665083	1.5
1665085	2.5
1665087	3.5






HOOK KICKERS

- 10 pcs/pack
- color – Khaki

code	size
1665030	S
1665031	M
1665032	L





FLOSS CAPS

- 24 pcs/pack

code	color
1665075	Clear

D-RIG KICKERS

- 10 pcs/pack
- color – Khaki

code	size
1665025	S
1665026	M
1665027	L



SET SEMI FIXED RING BUFFER & RING

- 10 pcs/pack

code	color
1665040	Khaki



CHOD/HELI BUFFER SLEEVES

- 10 pcs/pack


code	size
1665055	L



BUFFER BEAD

- 10 pcs/pack

code	color
1665053	Khaki





BAIT FLOSS

- color – White

code	1665050
length, m	30



G-SPOD LARGE

- floating bait rocket with a four-section opening system
- can be loaded in two ways for maximum bait efficiency
- aerodynamic shape ensures long-distance, stable, and accurate casting
- equipped with 24 magnets for secure section locking
- made from durable, flexible plastic, resistant to heavy loads
- suitable for various bait types: pellets, boilies, bulk baits, grains, and liquids

code	weight, g
1865000	65







STABLE MARKER FLOAT

- the G.Carp aerodynamic marker float is designed for long-distance casting and marking baiting and fishing spots
- made from durable molded plastic with excellent buoyancy
- flight accuracy is ensured by three interchangeable stabilizers in three colors for better visibility in all conditions
- comes with two sets of glow-in-the-dark stickers for the stabilizer blades, ideal for night fishing

code	length, mm
6065051	230







DISTANCE STICKS

- three groups of notches for fishing line
- plug for light stick
- adjustable marking tape length 3 and 4 meters with glow elements
- cover included

code	dimensions, mm	material
1665100	735×12	aluminum



SLOT CAP FOR DISTANCE STICKS

code
1765000




MARKER ELASTIC

- does not damage the fishing line
- easy to remove
- stays in place during casting

code	length, m	color
1665445	5	Green
1665446	5	Orange







NEW MINI KRIMPING TOOL

- dimensions of crimping – 0.5–0.9 mm
- rubberized handle
- jaws with nickel coating

code	length, mm	material
1839020	127	stainless steel







NEW DOUBLE BARREL SLEEVES

- 50 pcs/pack

code	size, mm
1665540	0.5
1665541	0.6
1665542	0.7





NEW BRAID LINE CUTTER PLIERS

- ergonomic plastic handles with non-slip inserts

code	length, mm	material
1839061	127	stainless steel




NEW BRAID SCISSORS

- special serrations on one of the blades ensure precise cutting of braided lines without slipping
- easily cut fishing lines and cords

code	length, mm	material
1839062	100	stainless steel




NEW FISHING HOOK SHARPENER

- convenient body with protective coating

code	length, mm
1839120	80







NEW BOILIE NEEDLE KIT 4 IN 1

- includes 3 needles and a drill
- fully made of metal, with handles that provide a comfortable grip

code
1665321




NEW BAIT DRILL

code	length, mm
1665326	40



BAIT DRILL & CORKS

- with cork sticks

code	Ø, mm
1665071	4
1665072	6
1665073	8



BALANCING & ZIG FOAM

- 6 pcs/pack
- color – Black, Yellow, Red, White

code	Ø, mm
1665065	6
1665066	8



CORK STICKS

- 6 pcs/pack
- length – 5 cm

code	Ø, mm
1665059	4
1665060	6
1665061	8



BAITING NEEDLE

code	length, mm
1665307	55



BOILIE NEEDLE

code	length, mm
1665305	55




SPLICING NEEDLE

code	length, mm
1665308	55



STRINGER NEEDLE

code	length, mm
1665306	100



HAIR GAUGE

code	length, mm
1665385	10-40



MULTI KNOT TOOL 4 IN 1


code
1665355



NEW

PVA LIQUID INJECTOR WITH FUNNEL

code	capacity, ml
1665600	30





NEW

PVA MESH SYSTEM SLOW MELT

- length - 7m

code	diameter, mm
3265040	16 (stick)
3265041	23 (boilie)
3265042	37 (wide)





NEW

PVA MESH REFILL SLOW MELT

- length - 5m

code	diameter, mm
3265030	16 (stick)
3265031	23 (boilie)
3265032	37 (wide)



PVA BAG

- 10 pcs/pack

code	size	dimensions, mm
3265010	S	55×110
3265012	M	70×160
3265011	L	55×140
3265013	XL	70×190



PVA BAG LOADER KIT

code	diameter, mm
3265000	32 & 42



PVA STRING

- time of full dissolve at temperature +20 °C up to 35 sec

code	length, mm
3265005	20



PVA BAIT BAG SYSTEM

- PVA bag loading system

code	size	dimensions, mm
3265001	S	55×110
3265002	L	70×160





PVA BAG STEMS

- 5 pcs/pack
- color – Khaki

code	size
1665150	S
1665151	L



PVA BAG KIT SLOW MELT

- 10 pcs/pack
- supplied in a sealed pack with a loader for filling.

code	size	dimensions, mm
3265015	S	60×120
3265016	M	65×130
3265017	L	70×140



POP-UP FLAVORED CORN IN DIP
COLA

- 12 pcs/pack

code	dimensions, mm
3065048	10



POP-UP FLAVORED CORN IN DIP
CHEESE

- 12 pcs/pack

code	dimensions, mm
3065049	10



POP-UP FLAVORED CORN IN DIP
CHOCOLATE

- 12 pcs/pack

code	dimensions, mm
3065050	10
3065060	8



POP-UP FLAVORED CORN IN DIP
GARLIC

- 12 pcs/pack

code	dimensions, mm
3065051	10
3065061	8



POP-UP FLAVORED CORN IN DIP
HONEY

- 12 pcs/pack

code	dimensions, mm
3065052	10
3065062	8



POP-UP FLAVORED CORN IN DIP
PINEAPPLE

- 12 pcs/pack

code	dimensions, mm
3065053	10
3065063	8



POP-UP FLAVORED CORN IN DIP
SHRIMP

- 12 pcs/pack

code	dimensions, mm
3065054	10
3065064	8



POP-UP FLAVORED CORN IN DIP
STRAWBERRY

- 12 pcs/pack

code	dimensions, mm
3065055	10
3065065	8



POP-UP FLAVORED CORN IN DIP
SWEETCORN

- 12 pcs/pack

code	dimensions, mm
3065056	10
3065066	8



POP-UP FLAVORED CORN IN DIP
ACID PEAR

- 12 pcs/pack

code	dimensions, mm
3065057	10



POP-UP FLAVORED CORN IN DIP
PEPPER

- 12 pcs/pack

code	dimensions, mm
3065058	10



POP-UP FLAVORED CORN IN DIP
SQUID

- 12 pcs/pack

code	dimensions, mm
3065059	10



POP-UP FLAVORED TRIPLE CORN IN DIP **CHOCOLATE**

- 18 pcs/pack

code
3065070



POP-UP FLAVORED TRIPLE CORN IN DIP **GARLIC**

- 18 pcs/pack

code
3065071



POP-UP FLAVORED TRIPLE CORN IN DIP **HONEY**

- 18 pcs/pack

code
3065072



POP-UP FLAVORED TRIPLE CORN IN DIP **PINEAPPLE**

- 18 pcs/pack

code
3065073



POP-UP FLAVORED TRIPLE CORN IN DIP **SHRIMP**

- 18 pcs/pack

code
3065074



POP-UP FLAVORED TRIPLE CORN IN DIP **STRAWBERRY**

- 18 pcs/pack

code
3065075



POP-UP FLAVORED TRIPLE CORN IN DIP **SWEETCORN**

- 18 pcs/pack

code
3065076



POP-UP CORN YELLOW

- 18 pcs/pack
- with hair stops

code
3065081





SWINGER **HI-VIZ BOBBIN**

- bite indication in both directions
- line clamp adjuster
- built-in luminescent stick with a socket for an isotope (not included) for bite indication in the dark
- includes 2 weights of 18.5 g each
- chain length – 15 cm

SCAN ME

code	6534980	6534981	6534982	6534983	6534984	6534985
color	– black	– blue	– green	– violet	– red	– yellow



SWINGER **ILLUMINATED STIFF**

- metal line clip
- sliding weight on arm
- light indication (electronic)
- plug for connecting to bite alarm

SCAN ME

code	6565005	6565006	6565007	6565008
color of LED	– yellow	– green	– red	– blue



EURO CLIP

- 2 pcs/pack
- spare clip for GC G.Carp Illuminated Stiff Swinger


code
1665095



LINE CLIP

- 2 pcs/pack
- for fishing line fixation
- color – black

code
1665015




SCAN ME

TI-BLUE HEADLIGHT

- 4 modes – white light (bright / medium / low), blue light
- water and dust protection rating – IP67
- shockproof body
- 3.7V/3400mA lithium-ion battery included
- fast charging via TYPE-C port
- magnetic mount for attachment to metal surface
- cover included

code	dimensions, mm	weight, g
8539004	8.9×2.45×3.18	50





SCAN ME

NEW

FISH CARE CARP SPRAY

- cleans and disinfects open wounds from hooks, lost scales, and other skin and fin damage in fish


code	capacity, ml
1665000	30



FINGER STALL

- material – seude

code
1639805





NEW

EVA NET FLOAT

- made of floating EVA material.
- suitable for handles of all diameters.

code
6065000








NEW

HOODIE GRUNGE SUN SHIRT

- material – 100% polyester
- sun protection UPF +50

code	size	width, cm	height, cm	sleeve length, cm
2639110	S	52	72	82
2639111	M	56	74	84
2639112	L	59	76	87
2639113	XL	64	79	90
2639114	2XL	66	81	92
2639115	3XL	72	84	95





NEW

CAP SPORT CAMO OSFA

- cotton – 35%
- polyester - 65%

code	size
2839005	54-60



NEW

CAP MESH TRUCKER CAMO OSFA

- cotton – 35%
- polyester - 65%

code	size
2839006	54-60



SUNGLASSES POLARIZED KHAKI GREEN

code
2920042



SUNGLASSES POLARIZED GRN

code
2920041





ZEOX – Affordable. Reliable. Designed for Every Angler.

ZEOX is a dynamic tackle brand that seamlessly combines affordability, quality, and modern design. Built for anglers who seek practical and dependable gear, it offers a comprehensive range of tackle and accessories for all types of fishing.

With a focus on reliability and ease of use, every product is designed to deliver consistent performance, making fishing more accessible and enjoyable for everyone. Offering excellent quality at an unbeatable price, ZEOX ensures that every fishing experience is smooth and satisfying.

ZEOX – Main Fishing Element.

MAROON

- medium action
- material – composite

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010100	MAROON	2.10	2	110	155	10-30
2010101	MAROON	2.40	2	125	185	10-30









ELEMENT FEEDER

- medium action
- material – fiberglass

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010040	ELEMENT FEEDER	2.40	2+3	126	220	up to 120
2010041	ELEMENT FEEDER	2.70	2+3	141	269	up to 120
2010042	ELEMENT FEEDER	3.00	3+3	107	285	up to 120
2010043	ELEMENT FEEDER	3.30	3+3	117	325	up to 120
2010044	ELEMENT FEEDER	3.60	3+3	127	365	up to 120





FACTOR UNIVERSAL

- material – fiberglass

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010067	FACTOR UNIVERSAL	2.10	5	70	194	120
2010068	FACTOR UNIVERSAL	2.40	5	70	212	120
2010069	FACTOR UNIVERSAL	2.70	6	72	274	120
2010070	FACTOR UNIVERSAL	3.00	6	75	292	120









REVERS CARP

- material – glassplastic

code	model	length, m	pcs	folded, cm	weight, g	casting, lb
2010030	REVERS CARP	3.30	3	119	380	3.75
2010031	REVERS CARP	3.60	3	129	477	3.75
2010032	REVERS CARP	3.90	3	139	500	3.75








SPECTR SURF

- material – glassplastic

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010060	SPECTR SURF	3.60	4	118	350	200
2010061	SPECTR SURF	3.90	5	127	475	200
2010062	SPECTR SURF	4.20	5	127	495	200







ELEMENT POWER

- medium fast action
- material – fiberglass

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010045	ELEMENT POWER	2.40	2	127	229	130
2010048	ELEMENT POWER	2.40	2	142	285	160
2010046	ELEMENT POWER	2.70	2	127	229	130
2010049	ELEMENT POWER	2.70	2	142	285	160





NETRINO PRO

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010310	NETRINO PRO	2.10	5	66	180	30-100
2010311	NETRINO PRO	2.40	5	73	195	30-100
2010312	NETRINO PRO	2.70	6	86	292	40-120
2010313	NETRINO PRO	3.00	6	87	300	50-140
2010314	NETRINO PRO	3.60	7	93	390	60-170





SCAN ME



NETRINO

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010300	NETRINO	2.10	5	66	185	30-60
2010301	NETRINO	2.40	5	73	200	40-90
2010302	NETRINO	2.70	6	86	305	40-90
2010303	NETRINO	3.00	6	87	320	50-120
2010304	NETRINO	3.60	7	93	400	60-160





SCAN ME



TOTEM

- material – composite

code	model	length, m	pcs	folded, cm	weight, g
2510040	TOTEM bolo	3.00	3	115	158
2510041	TOTEM bolo	4.00	4	117	279
2510042	TOTEM bolo	5.00	5	117	430
2510045	TOTEM pole	3.00	3	113	109
2510046	TOTEM pole	4.00	4	114	212
2510047	TOTEM pole	5.00	5	115	353

















TOTEM COMPACT TELE

- material – composite

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010126	TOTEM COMPACT TELE	1.80	6	41	126	50
2010127	TOTEM COMPACT TELE	2.10	7	42	135	50
2010128	TOTEM COMPACT TELE	2.40	8	43	200	50















MIST

- medium fast action
- material – composite

code	model	length, m	pcs	folded, cm	weight, g
2510050	MIST bolo	3.00	3	115	140
2510051	MIST bolo	4.00	4	116	243
2510052	MIST bolo	5.00	5	117	390









ELEMENT EA TELE

- material – glassplastic

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010000	ELEMENT EA TELE	0.50	2	33	33	–
2010001	ELEMENT EA TELE	0.70	3	33	40	–
2010002	ELEMENT EA TELE	1.00	4	33	64	–



ELEMENT EC TELE

- material – glassplastic

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010020	ELEMENT EC TELE	1.80	5	48	120	20-100
2010024	ELEMENT EC TELE	3.00	7	59	318	20-100



ELEMENT EC TELE

- material – fiberglass

code	model	length, m	pcs	folded, cm	weight, g	casting, g
2010015	ELEMENT EC TELE	2.10	5	54	145	120
2010016	ELEMENT EC TELE	2.40	6	54	200	120
2010017	ELEMENT EC TELE	2.70	6	57	215	120
2010018	ELEMENT EC TELE	3.00	7	57	300	120





ELEMENT EA

- material – composite

code	model	length, m	pcs	folded, cm	weight, g
2510000	ELEMENT EA bolo	3.0	3	119	155
2510001	ELEMENT EA bolo	4.0	4	122	220
2510002	ELEMENT EA bolo	5.0	5	122	335
2510003	ELEMENT EA bolo	6.0	6	122	480
2510005	ELEMENT EA pole	3.0	3	113	120
2510006	ELEMENT EA pole	4.0	4	115	180
2510007	ELEMENT EA pole	5.0	5	115	290
2510008	ELEMENT EA pole	6.0	6	115	405





ELEMENT EX

- material – carbon

code	model	length, m	pcs	folded, cm	weight, g
2510020	ELEMENT EX bolo	4.0	4	125	171
2510021	ELEMENT EX bolo	5.0	5	127	248
2510022	ELEMENT EX bolo	6.0	6	129	357
2510025	ELEMENT EX pole	4.0	4	121	140
2510026	ELEMENT EX pole	5.0	5	121	213
2510027	ELEMENT EX pole	6.0	6	121	312






POLAR GUIDE

- material – fiberglass

code	model	length, m	pcs	folded, cm	weight, g	diameter of spool, mm
2510105	0245PG	0.45	2	26	43	55
2510106	0248PG	0.48	2	28	53	70
2510107	0452PG	0.52	2	37	41	70



FROST DAGGER

- material – fiberglass

code	model	length, m	pcs	folded, cm	weight, g	diameter of spool, mm
2510100	0325FD	0.25	1	20	20	45



POLAR GUIDE TELE

- material – composite

code	model	length, m	pcs	folded, cm	weight, g
2510110	0155PGTL	0.55	3	30	52
2510111	0165PGTL	0.65	3	30	54
2510112	0175PGTL	0.75	3	31	58





NEW DESIGN SPECTR 2BB

- FD – Front Drag
- plastic spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010105	FD302	5.1:1	242	5	2	0.25-245 0.30-170 0.35-125







NEW DESIGN SPECTR 3BB

- FD – Front Drag
- plastic spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010110	FD303	5.1:1	242	5	3	0.25-245 0.30-170 0.35-125







NEW DESIGN SPECTR 4BB

- FD – Front Drag
- plastic spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010115	FD304	5.1:1	242	5	4	0.25-245 0.30-170 0.35-125







FACTOR FD

- FD – Front Drag
- plastic spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010080	101FD	5.1:1	224	4	1	0.18-215 0.20-125 0.25-110
1010082	201FD	5.1:1	230	4	1	0.18-240 0.20-195 0.25-125
1010084	301FD	5.1:1	260	5	1	0.25-245 0.30-170 0.35-125
1010086	401FD	5.1:1	284	5	1	0.30-195 0.35-145 0.40-110
1010088	501FD	5.1:1	364	7	1	0.35-275 0.40-210 0.50-135
1010090	601FD	5.1:1	384	7	1	0.45-195 0.50-155 0.60-110







code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010081	103FD	5.1:1	224	4	3	0.18-215 0.20-125 0.25-110
1010083	203FD	5.1:1	230	4	3	0.18-240 0.20-195 0.25-125
1010085	303FD	5.1:1	260	5	3	0.25-245 0.30-170 0.35-125
1010087	403FD	5.1:1	284	5	3	0.30-195 0.35-145 0.40-110
1010089	503FD	5.1:1	364	7	3	0.35-275 0.40-210 0.50-135
1010091	603FD	5.1:1	384	7	3	0.45-195 0.50-155 0.60-110







MAROON

- metal spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010503	4000	5.2:1	285	5.0	4+1	0.30-175 0.35-130 0.40-110







SPOOL MAROON

code	model	line capacity, mm-m
1710800	1000	0.18-235 / 0.20-195 / 0.25-120
1710801	2000	0.18-285 / 0.20-230 / 0.25-150
1710802	3000	0.25-215 / 0.30-150 / 0.35-110
1710803	4000	0.30-175 / 0.35-130 / 0.40-110



BLINK

- metal spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m/#PE
1010250	2000	5.2:1	235	5	4+1	0.235-100/ #0.8-150
1010251	3000	5.2:1	238	5	4+1	0.250-100/ #1.0-150
1010252	4000	5.2:1	255	6	4+1	0.285-100/ #1.2-150



REVERS CARP LONG CAST

- Baitrunner system
- plastic spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010204	5000LC	5.2:1	360	12	3	0.20-265 0.25-170 0.30-120
1010205	6000LC	5.2:1	354	12	3	0.30-220 0.35-160 0.40-120







SPOOL REVERS CARP BR

code	model	line capacity, mm-m
1710805	5000LC	0.20-265 / 0.25-170 / 0.30-120
1710806	6000LC	0.30-220 / 0.35-160 / 0.40-120



REVERS CARP BR

- Baitrunner system
- metal spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010200	4000BR	5.5:1	365	12	3	0.40-140 0.35-180 0.30-250
1010201	5000BR	5.5:1	390	12	3	0.40-180 0.35-230 0.30-320







NETRINO

- metal spool

code	model	gear ratio	weight, g	max. drag power, kg	ball bearings	line capacity, mm-m
1010303	5000	5.2:1	300	5.5	3+1	0.24-150 0.30-90 0.35-75
1010304	6000	5.0:1	440	6.5	3+1	0.24-290 0.30-190 0.35-130







SPOOL NETRINO

code	model	line capacity, mm-m
1710810	5000	0.24-150 / 0.30-90 / 0.35-75
1710811	6000	0.24-290 / 0.30-190 / 0.35-130



POLAR GUIDE

- Baitrunner system
- metal spool

code	model	diameter of spool, mm	weight, g	ball bearings	line capacity, mm-m
1010030	PG50	50	65	1	0.25-100
1010031	PG60	60	70	1	0.25-180





ELEMENT PE X4 FLUO GREEN / ORANGE

- color FG – Fluo Green
- color OR – Orange

FG **150 m**	OR **150 m**	PE #	test, kg	test, lb
4110010	4110060	0.6	6.2	13.7
4110011	4110061	0.8	7.6	16.8
4110012	4110062	1.0	10.3	22.7
4110013	4110063	1.2	12.1	26.9
4110014	4110064	1.5	13.3	29.3
4110015	4110065	2.0	15.7	34.6
4110016	4110066	2.5	17.2	37.9
4110017	4110067	3.0	19.6	43.2
4110018	4110068	3.5	23.0	50.7



ELEMENT PE X4 MOSS GREEN

- color – Moss Green

150 m	**1000 m**	PE #	test, kg	test, lb
4110040	4110020	0.6	6.2	13.7
4110041	4110021	0.8	7.6	16.8
4110042	4110022	1.0	10.3	22.7
4110043	4110023	1.2	12.1	26.9
4110044	4110024	1.5	13.3	29.3
4110045	4110025	2.0	15.7	34.6
4110046	4110026	2.5	17.2	37.9
4110047	4110027	3.0	19.6	43.2
4110048	4110028	3.5	23.0	50.7





ELEMENT LEADER BRAID CAMO/SILT

- color – Camo/Silt

Camo	**Silt**	length, m	diameter, mm	test, kg	test, lb
4110100	4110120	25	0.12	7.6	16.8
4110101	4110121	25	0.14	10.3	22.7
4110102	4110122	25	0.16	12.1	26.9
4110103	4110123	25	0.18	13.3	29.3
4110104	4110124	25	0.20	15.7	34.6
4110105	4110125	25	0.22	17.2	37.9
4110106	4110126	25	0.25	19.6	43.2
4110107	4110127	25	0.28	23.0	50.7
4110108	4110128	25	0.30	25.9	57.1
4110109	4110129	25	0.35	31.6	69.7
4110110	4110130	25	0.40	38.7	85.3



HI-VIZ ELEMENT SEA FLUO PINK

- color – Fluo Pink

150 m	**300 m**	diameter, mm	test, kg	test, lb
4010240	4010245	0.256	7.4	16.3
4010241	4010246	0.285	9.5	21.0
4010242	4010247	0.309	10.3	22.7
4010243	4010248	0.330	12.1	26.7
4010244	4010249	0.350	13.4	29.6



3D ELEMENT CARP MOTOR OIL

- color – Motor Oil

150 m	diameter, mm	test, kg	test, lb
4010260	0.256	7.4	16.3
4010261	0.285	9.5	21.0
4010262	0.309	10.3	22.7
4010263	0.330	12.1	26.7
4010264	0.350	13.4	29.6



3D ELEMENT FEEDER AMBER BROWN

- color – Amber Brown

150 m	diameter, mm	test, kg	test, lb
4010274	0.309	10.3	22.7
4010275	0.330	12.1	26.7
4010276	0.350	13.4	29.6



ELEMENT FEEDER BLACK

- color – Black

150 m	diameter, mm	test, kg	test, lb
4010180	0.205	6.0	13.3
4010181	0.235	6.7	14.5
4010182	0.256	7.4	16.3
4010183	0.285	9.5	21.0
4010184	0.309	10.3	22.7
4010185	0.330	12.1	26.7
4010186	0.350	13.4	29.6



ELEMENT CARP MULTICOLOR

- color – Multicolor

150 m	300 m	1000 m	diameter, mm	test, kg	test, lb
4010060	4010070	–	0.256	7.4	16.3
4010061	4010071	4010080	0.285	9.5	21.0
4010062	4010072	4010081	0.309	10.3	22.7
4010063	4010073	4010082	0.350	13.4	29.6
4010064	4010074	4010083	0.405	16.3	36.0



ELEMENT CARP MOSS GREEN

- color – Moss Green

150 m	300 m	1000 m	diameter, mm	test, kg	test, lb
4010090	4010100	–	0.256	7.4	16.3
4010091	4010101	4010110	0.285	9.5	21.0
4010092	4010102	4010111	0.309	10.3	22.7
4010093	4010103	4010112	0.350	13.4	29.6
4010094	4010104	4010113	0.405	16.3	36.0



ELEMENT CARP FLUO GREEN

- color – Fluo Green

150 m	diameter, mm	test, kg	test, lb
4010120	0.256	7.4	16.3
4010121	0.285	9.5	21.0
4010122	0.309	10.3	22.7
4010123	0.350	13.4	29.6
4010124	0.405	16.3	36.0



ELEMENT SEA YELLOW

- color – Yellow

150 m	300 m	diameter, mm	test, kg	test, lb
4010220	4010230	0.256	7.4	16.3
4010221	4010231	0.285	9.5	21.0
4010222	4010232	0.309	10.3	22.7
4010223	4010233	0.330	12.1	26.7
4010224	4010234	0.350	13.4	29.6
4010225	4010235	0.405	16.3	36.0



ELEMENT UNIVERSAL CLEAR

- color – Clear

100 m	150 m	1000 m	diameter, mm	test, kg	test, lb
4010020	–	–	0.128	2.4	5.3
4010021	–	–	0.148	2.9	6.4
4010022	4010040	–	0.165	3.2	7.1
4010023	4010041	–	0.185	5.3	11.7
4010024	4010042	–	0.205	6.0	13.2
4010025	4010043	4010050	0.256	7.4	16.3
4010026	4010044	4010051	0.309	10.3	22.7
4010027	4010045	4010052	0.350	13.4	29.6
4010028	4010046	4010053	0.405	16.3	36.0
4010029	4010047	–	0.505	22.6	49.8
4010030	–	–	0.605	25.7	56.7



ELEMENT UNIVERSAL BLACK GREEN

- color – Black Green

100 m	150 m	diameter, mm	test, kg	test, lb
4010000	4010010	0.185	5.3	11.7
4010001	4010011	0.205	6.0	13.2
4010002	4010012	0.256	7.4	16.3
4010003	4010013	0.309	10.3	22.7
4010004	4010014	0.350	13.4	29.6
4010005	4010015	0.405	16.3	36.0
4010007	4010017	0.605	25.7	56.7
4010008	4010018	0.700	28.2	62.2



ELEMENT LONG DISTANCE ORANGE

- color – Orange

150 m	300 m	diameter, mm	test, kg	test, lb
4010150	4010160	0.256	7.4	16.3
4010151	4010161	0.285	9.5	21.0
4010152	4010162	0.309	10.3	22.7
4010153	4010163	0.330	12.1	26.7
4010154	4010164	0.350	13.4	29.6
4010155	4010165	0.405	16.3	36.0



ELEMENT LEADER CLEAR

- color – Clear

50 m	diameter, mm	test, kg	test, lb
4010200	0.104	1.9	4.2
4010201	0.128	2.4	5.3
4010202	0.148	2.9	6.4
4010203	0.165	3.2	7.1
4010204	0.185	5.3	11.7
4010205	0.205	6.0	13.2
4010206	0.235	6.7	14.3



ELEMENT ICE CLEAR WINTER

- color – Clear

30 m	diameter, mm	test, kg	test, lb
4010210	0.104	1.9	4.2
4010211	0.128	2.4	5.3
4010212	0.148	2.9	6.4
4010213	0.165	3.2	7.1
4010214	0.185	5.3	11.7
4010215	0.205	6.0	13.2
4010216	0.235	6.7	14.3





DOMINATOR

weight, g	#3 6	#4 9
001 Silver	5410250	5410265
002 Gold	5410251	5410266
008 Silver/Black Dot	5410252	5410267
009 Gold/Black Dot	5410253	5410268
010 Black/Red Dot	5410254	5410269
011 Black/Yellow Dot	5410255	5410270
012 Fluo/Black Dot	5410256	5410271
013 Fluo	5410257	5410272
014 Fluo Tiger	5410258	5410273
015 Fluo Tiger/Black Dot	5410259	5410274



FUROR

weight, g	#3 6	#4 11
001 Silver	5410285	5410300
002 Gold	5410286	5410301
008 Silver/Black Dot	5410287	5410302
009 Gold/Black Dot	5410288	5410303
010 Black/Red Dot	5410289	5410304
011 Black/Yellow Dot	5410290	5410305
012 Fluo/Black Dot	5410291	5410306
013 Fluo	5410292	5410307
014 Fluo Tiger	5410293	5410308
015 Fluo Tiger/Black Dot	5410294	5410309




REACTIVE

weight, g	#3 6	#4 11
001 Silver	5410360	5410375
002 Gold	5410361	5410376
008 Silver/Black Dot	5410362	5410377
009 Gold/Black Dot	5410363	5410378
010 Black/Red Dot	5410364	5410379
011 Black/Yellow Dot	5410365	5410380
012 Fluo/Black Dot	5410366	5410381
013 Fluo	5410367	5410382
014 Fluo Tiger	5410368	5410383
015 Fluo Tiger/Black Dot	5410369	5410384




REACTIVE LONG

weight, g	#2 6	#3 10	#4 13
001 Silver	5410315	5410330	5410345
002 Gold	5410316	5410331	5410346
007 Silver/Holo	5410317	5410332	5410347
008 Silver/Black Dot	5410318	5410333	5410348
009 Gold/Black Dot	5410319	5410334	5410349
010 Black/Red Dot	5410320	5410335	5410350
011 Black/Yellow Dot	5410321	5410336	5410351
012 Fluo/Black Dot	5410322	5410337	5410352
013 Fluo	5410323	5410338	5410353
014 Fluo Tiger	5410324	5410339	5410354
015 Fluo Tiger/Black Dot	5410325	5410340	5410355




PIKE

weight, g	23
length, mm	72
001 Silver	5410150
002 Gold	5410151
005 Tiger	5410152
014 Fiuo Tiger	5410153
015 Copper	5410154
018 Natural	5410155
019 Trout	5410156
022 Natural Tiger	5410157




SHTORLING

weight, g	10	20	26
length, mm	49	59	69
001 Silver	5410165	5410180	5410195
002 Gold	5410166	5410181	5410196
005 Tiger	5410167	5410182	5410197
014 Fiuo Tiger	5410168	5410183	5410198
015 Copper	5410169	5410184	5410199
018 Natural	5410170	5410185	5410200
019 Trout	5410171	5410186	5410201
022 Natural Tiger	5410172	5410187	5410202




CLASSIC

weight, g	14	18
length, mm	51	79
001 Silver	5410090	5410105
002 Gold	5410091	5410106
005 Tiger	5410092	5410107
014 Fluo Tiger	5410093	5410108
015 Copper	5410094	5410109
018 Natural	5410095	5410110
019 Trout	5410096	5410111
022 Natural Tiger	5410097	5410112




PEAR

weight, g	14	18
length, mm	51	65
001 Silver	5410120	5410135
002 Gold	5410121	5410136
005 Tiger	5410122	5410137
014 Fluo Tiger	5410123	5410138
015 Copper	5410124	5410139
018 Natural	5410125	5410140
019 Trout	5410126	5410141
022 Natural Tiger	5410127	5410142



KOLHER

weight, g	14	18
length, mm	51	64
001 Silver	5410210	5410225
002 Gold	5410211	5410226
005 Tiger	5410212	5410227
014 Fluo Tiger	5410213	5410228
015 Copper	5410214	5410229
018 Natural	5410215	5410230
019 Trout	5410216	5410231
022 Natural Tiger	5410217	5410232



BRISK

weight, g	12	17	26
length, mm	61	75	90
001B Silver	5410060	5410070	5410080
002B Gold	5410061	5410071	5410081
014B Fluo Tiger	5410062	5410072	5410082
015B Copper	5410063	5410073	5410083
016B Green	5410064	5410074	5410084
018B Fluo	5410065	5410075	5410085
021B Violet	5410066	5410076	5410086



KASTMASTER

weight, g	7	10	14	18	21
length, mm	38	48.5	50.5	53.5	57
Silver	5410000	5410010	5410020	5410030	5410040
Gold	5410001	5410011	5410021	5410031	5410041
Silver/Blue	5410002	5410012	5410022	5410032	5410042
Silver/Gold	5410003	5410013	5410023	5410033	5410043
Tiger	5410004	5410014	5410024	5410034	5410044
Fire Tiger	5410005	5410015	5410025	5410035	5410045





TRIGGER CRAW

size	2.7"	3.2"	3.7"
length, mm	68	82	94
weight, g	2.9	4.0	6.4
pcs/pack	8	6	5
002 Ultra-violet	5610300	5610320	5610340
003 Motor Oil RF	5610301	5610321	5610341
004 Violet SF	5610302	5610322	5610342
006 Chartreuse RF	5610303	5610323	5610343
204 green/Red PP	5610304	5610324	5610344
207 White Night BF	5610305	5610325	5610345
208 Fire Truck PP	5610306	5610326	5610346
209 Fire/Ice	5610307	5610327	5610347
210 Chart/Crystal BSF	5610308	5610328	5610348
211 Blue/Crystal SF	5610309	5610329	5610349
212 Watermelon/ Yellow MF	5610310	5610330	5610350
213 Violet/Red BSF	5610311	5610331	5610351




CATCHY SHAD

size	2.9"	3.2"
length, mm	75	85
weight, g	5.0	7.2
pcs/pack	8	6
001 Brown RF	5610380	5610400
002 Ultra-violet	5610381	5610401
003 Motor Oil RF	5610382	5610402
004 Violet SF	5610383	5610403
005 Acid green PP	5610384	5610404
006 Chartreuse RF	5610385	5610405
201 Kiwi	5610386	5610406
202 Pumpkin	5610387	5610407
203 Ultra-violet/Acid green	5610388	5610408
204 green/Red PP	5610389	5610409
205 Ice/Acid green	5610390	5610410
206 Dragon Fruit	5610391	5610411
207 White Night BF	5610392	5610412
209 Fire/Ice	5610393	5610413
210 Chart/Crystal BSF	5610394	5610414
211 Blue/Crystal SF	5610395	5610415
212 Watermelon/Yellow MF	5610396	5610416
213 Violet/Red BSF	5610397	5610417



PIXIE TAIL

size	1.7"
length, mm	44
weight, g	0.3
pcs/pack	10
101 Glow	5610360
102 Glow Milk Sf	5610361
103 Glow Pink Sf	5610362
104 Glow Orange Sf	5610363
105 Glow Chart Sf	5610364
106 Glow Acid Green	5610365



SHEMI SHAD

size	2.7"	3.7"	4.2"	5.0"	6.5"
length, mm	70	95	108	127	152
weight, g	2.3	5.0	7.5	9.0	21.0
pcs/pack	8	6	5	4	3
001 Brown RF	5610000	5610030	5610050	–	–
002 Ultra-violet	5610001	5610031	5610051	–	–
003 Motor Oil RF	5610002	5610032	5610052	–	–
004 Violet SF	5610003	5610033	5610053	–	–
005 Acid green PP	5610004	5610034	5610054	–	–
006 Chartreuse RF	5610005	5610035	5610055	–	–
201 Kiwi	5610006	5610036	5610056	–	–
202 Pumpkin	5610007	5610037	5610057	5610430	5610450
203 Ultra-violet/ Acid green	5610008	5610038	5610058	5610431	5610451
204 green/Red PP	5610009	5610039	5610059	–	–
205 Ice/Acid green	5610010	5610040	5610060	5610432	5610452
206 Dragon Fruit	5610011	5610041	5610061	–	–
207 White Night BF	5610012	5610042	5610062	–	–
209 Fire/Ice	5610013	5610043	5610063	5610433	5610453
210 Chart/Crystal BSF	5610014	5610044	5610064	5610434	5610454
211 Blue/Crystal SF	5610015	5610045	5610065	5610435	5610455
212 Watermelon/ Yellow MF	5610016	5610046	5610066	–	–
213 Violet/Red BSF	5610017	5610047	5610067	5610436	5610456
214 CNSF	5610018	5610048	5610068	5610437	5610457
102 GMSF	5610019	5610049	5610069	–	–



TRIGGER SHAD TAIL

size	2.2"	2.9"	3.4"
length, mm	55	75	92
weight, g	0.85	2.0	3.2
pcs/pack	10	8	6
001 Brown RF	5610080	5610110	5610140
002 Ultra-violet	5610081	5610111	5610141
003 Motor Oil RF	5610082	5610112	5610142
004 Violet SF	5610083	5610113	5610143
005 Acid green PP	5610084	5610114	5610144
006 Chartreuse RF	5610085	5610115	5610145
201 Kiwi	5610086	5610116	5610146
202 Pumpkin	5610087	5610117	5610147
203 Ultra-violet/ Acid green	5610088	5610118	5610148
204 green/Red PP	5610089	5610119	5610149
205 Ice/Acid green	5610090	5610120	5610150
206 Dragon Fruit	5610091	5610121	5610151
207 White Night BF	5610092	5610122	5610152
209 Fire/Ice	5610093	5610123	5610153
210 Chart/ Crystal BSF	5610094	5610124	5610154
211 Blue/Crystal SF	5610095	5610125	5610155
212 Watermelon/ Yellow MF	5610096	5610126	5610156
213 Violet/Red BSF	5610097	5610127	5610157



TRIGGER FAT TAIL

size	1.7"	2.7"
length, mm	45	70
weight, g	1.0	3.2
pcs/pack	10	7
001 Brown RF	5610170	5610190
002 Ultra-violet	5610171	5610191
003 Motor Oil RF	5610172	5610192
004 Violet SF	5610173	5610193
005 Acid green PP	5610174	5610194
006 Chartreuse RF	5610175	5610195
201 Kiwi	5610176	5610196
202 Pumpkin	5610177	5610197
203 Ultra-violet/Acid green	5610178	5610198
204 green/Red PP	5610179	5610199
205 Ice/Acid green	5610180	5610200
206 Dragon Fruit	5610181	5610201
207 White Night BF	5610182	5610202
209 Fire/Ice	5610183	5610203
210 Chart/Crystal BSF	5610184	5610204
211 Blue/Crystal SF	5610185	5610205
212 Watermelon/Yellow MF	5610186	5610206
213 Violet/Red BSF	5610187	5610207



COMMA GRUB

size	2.4"	3.4"
length, mm	60	85
weight, g	0.7	2.4
pcs/pack	10	7
001 Brown RF	5610220	5610270
002 Ultra-violet	5610221	5610271
003 Motor Oil RF	5610222	5610272
004 Violet SF	5610223	5610273
005 Acid green PP	5610224	5610274
006 Chartreuse RF	5610225	5610275
201 Kiwi	5610226	5610276
202 Pumpkin	5610227	5610277
203 Ultra-violet/Acid green	5610228	5610278
204 green/Red PP	5610229	5610279
205 Ice/Acid green	5610230	5610280
206 Dragon Fruit	5610231	5610281
207 White Night BF	5610232	5610282
209 Fire/Ice	5610233	5610283
210 Chart/Crystal BSF	5610234	5610284
211 Blue/Crystal SF	5610235	5610285
212 Watermelon/Yellow MF	5610236	5610286
213 Violet/Red BSF	5610237	5610287





ISEAMA 101BN

- coating – Black Nickel

code	№	pcs/pack
5510005	10	10
5510006	8	10
5510007	6	10
5510008	4	10
5510009	2	10
5510010	1	8
5510011	1/0	8
5510012	2/0	6



ALLROUND 102NI

- coating – Nickel

code	№	pcs/pack
5510020	14	10
5510021	12	10
5510022	10	10
5510023	8	8
5510024	7	7
5510025	6	7



FEEDER 103BN

- coating – Black Nickel

code	№	pcs/pack
5510030	14	10
5510031	12	10
5510032	10	8
5510033	8	7
5510034	6	7
5510035	4	6



AKITASODE 104BN

- coating – Black Nickel

code	№	pcs/pack
5510040	12	10
5510041	10	10
5510042	8	10
5510043	6	10
5510044	4	8



AKITAKITSUNE 105BN

- coating – Black Nickel

code	№	pcs/pack
5510050	14	10
5510051	12	10
5510052	10	10
5510053	8	8



SODE 106NI

- coating – Nickel

code	№	pcs/pack
5510060	12	10
5510061	10	10
5510062	8	10
5510063	6	10
5510064	4	10



KOAJI 107BN

- coating – Black Nickel

code	№	pcs/pack
5510070	14	10
5510071	12	10
5510072	10	10
5510073	8	10
5510074	6	10



CARP DOWN 201BN

SCAN ME

- coating – Black Nickel

code	№	pcs/pack
5510200	10	10
5510201	8	10
5510202	6	8
5510203	4	8
5510204	2	6
5510205	1	6



CARP CLASSIC 202BN

SCAN ME

- coating – Black Nickel

code	№	pcs/pack
5510210	10	10
5510211	8	10
5510212	6	10
5510213	4	8
5510214	2	8
5510215	1	6



CATFISH 301BN

SCAN ME

- coating – Black Nickel

code	№	pcs/pack
5510300	1/0	8
5510301	2/0	7
5510302	4/0	6
5510303	6/0	4



WORM 302BN

SCAN ME

- coating – Black Nickel

code	№	pcs/pack
5510310	1/0	6
5510311	2/0	5
5510312	3/0	5
5510313	4/0	5
5510314	5/0	4



RYUSEN 401R

SCAN ME

- coating – Red

code	№	pcs/pack
5510400	10	10
5510401	8	10
5510402	6	10
5510403	4	8
5510404	2	6
5510405	1	5
5510406	1/0	5
5510407	2/0	4



BAITHOLDER LS 402NI

SCAN ME

- coating – Nickel
- LS – Long Shank

code	№	pcs/pack
5510410	8	10
5510411	6	10
5510412	4	10
5510413	2	8
5510414	1	8
5510415	1/0	6
5510416	2/0	6
5510417	3/0	5
5510418	4/0	4



BAITHOLDER 403NI

SCAN ME

- coating – Nickel

code	№	pcs/pack
5510420	8	10
5510421	6	10
5510422	4	10
5510423	2	10
5510424	1	8
5510425	1/0	8
5510426	2/0	8
5510427	3/0	6
5510428	4/0	6



BASIC 110BN

SCAN ME

- coating – Black Nickel

code	№	pcs/pack
5510900	10	100
5510901	9	100
5510902	7	100
5510903	5	100
5510904	3	100
5510905	1	100
5510906	1/0	100
5510907	2/0	100
5510908	3/0	100
5510909	4/0	100
5510910	5/0	100
5510911	6/0	100
5510912	7/0	100
5510913	8/0	100
5510914	9/0	100



BASIC DOUBLE 320BN

SCAN ME

- coating – Black Nickel

code	№	pcs/pack
5510940	8	50
5510941	6	50
5510942	4	50
5510943	2	50
5510944	1	50
5510945	1/0	50
5510946	2/0	50



BASIC TREBLE 330BN

SCAN ME

- coating – Black Nickel


code	№	pcs/pack
5510960	11	30
5510961	10	30
5510962	9	30
5510963	8	30
5510964	7	30
5510965	6	30
5510966	5	30
5510967	4	30
5510968	3	30
5510970	1	30



SALT RIG METAL

- sea ready rigs
- color of plastic beads – Red, Green (Glow), Yellow, size 6 mm
- diameter of line – 0.50 mm/0.35 mm
- metal wire anti tangle – 15 cm/1.0 mm

code	model	hook, №	color of hook	hooks, pcs	length, cm
4310000	401R	4	Red	3	130
4310001	401R	2	Red	3	130
4310002	401R	1	Red	3	130
4310005	403NI	4	Nickel	3	130
4310006	403NI	2	Nickel	3	130
4310007	403NI	1	Nickel	3	130






Red Nickel



SALT RIG PLASTIC

- sea ready rigs
- color of plastic beads – Red, Green (Glow), Yellow, size 6 mm
- diameter of line – 0.50 mm/0.35 mm
- plastic anti tangle – 15 cm/2.0 mm

code	model	hook, №	color of hook	hooks, pcs	length, cm
4310020	401R	4	Red	3	130
4310021	401R	2	Red	3	130
4310022	401R	1	Red	3	130
4310025	403NI	4	Nickel	3	130
4310026	403NI	2	Nickel	3	130
4310027	403NI	1	Nickel	3	130





Red Nickel



SPLIT SHOT SET **LEAD SPLIT-SHOT**

- material – lead

code	weight, g	set, g
5210002	45	0.8; 1.0; 1.2; 1.5

- material – lead

code	weight, g	set, g
5210003	60	0.1; 0.2; 0.25; 0.3; 0.4; 0.5; 0.6

- material – lead

code	weight, g	set, g
5210004	80	0.5; 0.6; 0.8; 1.0; 1.2; 1.5; 2.0








STOPPER **SILICONE BK 1×15**

- color – black

code	size	pcs
1610310	S	1×15
1610311	M	1×15
1610312	L	1×15
1610313	XL	1×15
1610314	XXL	1×15



CONNECTOR **ZEOX**

- color – black

code	diameter, mm	pcs
1610200	1.2	25
1610201	1.4	25
1610202	1.6	25
1610203	1.8	25
1610204	2.0	25



CROSS-LINE ROLLING SWIVEL **121BN**

- color – Black Nickel

code	№	test, kg	pcs
4410010	6	27	10
4410011	5	32	10
4410012	4	35	10
4410013	3	40	10





ROLLING SWIVEL **101BN**

- coating – Black Nickel

code	№	test, kg	pcs
4410002	10	14	10
4410003	8	19	10
4410004	7	22	10
4410005	6	27	10
4410006	5	32	10
4410007	4	35	10
4410008	3	43	8
4410009	2	60	6





QUICK SNAP **201BN**

- coating – Black Nickel

code	№	test, kg	pcs
4510000	000	4	10
4510001	00	9	10
4510002	0	12	10
4510003	1	18	10
4510004	2	25	10
4510005	3	30	8
4510006	4	35	8





BRASS TUBE **301BN**

- coating – Black Nickel

code	№	test, kg	pcs
1610400	1.0	10	20
1610401	1.2	10	20
1610402	1.4	10	20
1610403	1.6	10	20
1610404	1.8	10	20





SPLIT RING **401NI**

- coating – Nickel

code	№	test, kg	pcs
2110200	4	4	10
2110201	5	8	10
2110202	6	12	10
2110203	7	15	10
2110204	8	20	10





SWIVEL QUICK SNAP **221BN**

- coating – Black Nickel

code	№	test, kg	pcs
4510020	14	4	10
4510021	12	9	10
4510022	10	12	10
4510023	8	14	10
4510024	6	18	8
4510025	4	25	8
4510026	2	30	6
4510027	1	35	5





SWIVEL HOOKED SNAP **222BN**

- coating – Black Nickel

code	№	test, kg	pcs
4510030	10	12	10
4510031	8	14	10
4510032	6	18	8
4510033	4	25	8
4510034	2	30	6





WIRE LEADER **ZEOX**

- 10 pcs/pack
- color – bronze

code	length, cm	Ø, mm	test, kg
4210120	10	0.30	15
4210121	15	0.30	15
4210122	17	0.35	20
4210123	20	0.40	26
4210124	25	0.40	26





FLUOROCARBON LEADER **ZEOX**

- 5 pcs/pack
- color – clear

code	length, cm	Ø, mm	test, kg
4210140	15	0.40	10
4210141	15	0.50	12
4210142	15	0.60	14
4210145	20	0.40	10
4210146	20	0.50	12
4210147	20	0.60	14
4210150	25	0.40	10
4210151	25	0.50	12
4210152	25	0.60	14
4210153	25	0.70	18
4210155	30	0.60	14
4210156	30	0.70	18
4210157	35	0.70	18
4210158	40	0.70	18






LEADER **ZEOX**

- 2 pcs/pack
- color – bronze

code	fibers	length, cm	test, kg
4210100	1×7	15	10
4210101	1×7	15	15
4210102	1×7	20	10
4210103	1×7	20	15
4210104	1×7	25	10
4210105	1×7	25	15
4210110	7×7	20	10
4210111	7×7	20	15
4210112	7×7	25	10
4210113	7×7	25	15





LEADER SET **ZEOX**

- 60 pcs/pack
- color – bronze

code	fibers	length, cm	test, kg
4210000	1×7	15 20 25	10
4210001	1×7	15 20 25	15
4210002	7×7	20 25 30	10
4210003	7×7	20 25 30	15






ELEMENT BITE ALARM

Simple and reliable electronic bite alarm which has all the necessary settings and functions – volume, sensitivity and tonality adjustments.
Bright LEDs clearly visible at any time of the day.
There is a socket on the body for connecting electronic swinger.

SCAN ME

- Light indication of a bite
- Sound indication of a bite
- Tone adjustment
- Volume control
- Sensitivity adjustment






code	6510050	6510051	6510052	6510053
color	blue	green	red	yellow
connection	micro-Jack 2.5 mm	micro-Jack 2.5 mm	micro-Jack 2.5 mm	micro-Jack 2.5 mm
battery (not included)	1 element 6LR61 9V (crone)	1 element 6LR61 9V (crone)	1 element 6LR61 9V (crone)	1 element 6LR61 9V (crone)

STIFF LUMI

Sensitive swinger for carp fishing with adjustable line tension. The tension can be adjusted by moving the movable weight along the bar.
Equipped with a plug for connecting to bite alarm, due to which the swinger glows during the bite. It also comes with a connector for attachment to rod pod.
Stiff swivel construction almost completely eliminates swinging by wind, and at the same time makes it possible to detect the most careful bites. Ball clip for fishing line completely eliminates its damage.
Available in 4 colors.





code	6510000	6510001	6510002	6510003
connection	micro-Jack 2.5 mm	micro-Jack 2.5 mm	micro-Jack 2.5 mm	micro-Jack 2.5 mm
color	blue	green	red	yellow

ROD HOLDER ZEOX TH

- universal thread
- material – metal
- telescopic construction

code	6710010	6710011
model	TH-100	TH-120
length, cm	55-100	65-120






ROD HOLDER ZEOX TH-CL

- universal thread
- material – aluminum alloy
- telescopic construction

code	6710012	6710013
model	TH-120CL	TH-150CL
length, cm	67-120	80-150





ROD HOLDER FEEDER REST

The universal feeder rest is made of high-strength plastic that is not afraid of temperature changes and retains its properties in the range from -20 to +50 degrees.
Sufficient width allows you to lay the rod blindly, without risk of damage to the tackle. The clamping screw allows you to adjust the angle of the stand in a wide range – from 0 to 180 degrees.
Universal thread allows you to attach the rest to all types of stands and tripods.




code	6710000	6710001	6710002	6710003	6710004
model	FR-10V	FR-30V	FR-15U	FR-30U	FR-20L

POLE REST

- universal thread
- material – EVA

code	section, pcs	length, cm	fastening, pcs
6710100	6	31.5	1
6710101	8	41.5	1
6710102	12	51.5	3



TRIPOD TELE

- material – aluminum
- head attachment type – standard thread

code	height min, cm	height max, cm	folded, cm	weight, g
6710200	53	150	56	1060



FACTOR NET HANDLE TELE

- universal thread
- material – carbon
- telescopic construction
-

code	6610054	6610055
model	200	300
length, cm	113-200	114-300
weight, g	208	350





NETRINO NET HANDLE TELE

- universal thread
- material – carbon
- telescopic construction

code	6610057	6610058
model	200	300
length, cm	113-200	114-300
weight, g	219	348





DELTA FOLDING RM

- folding

code	6610000	6610001
model	RM-60	RM-70
folded, cm	66	75
sizes of head, cm	60×55	70×65
material of head	composite	composite
material of mesh	rubber	rubber
sizes of cells, mm	8×8	8×8
depth of net, cm	40	60
color of mesh	black	black
weight, g	361	498







ELLIPSE FLY

code	6610102
model	RM-5035070
length, cm	70
folded, cm	70
material of handle	plastic
sizes of head, cm	55×35
material of head	aluminum
material of mesh	rubber
sizes of cells, mm	7×7
depth of net, cm	35
weight, g	350








ELLIPSE PEM-7260155B (CORD THREAD)

code	6610101
model	PEM-7260155B
maximum length, cm	160
folded, cm	90
material of handle	aluminum
sizes of head, cm	68x58
material of head	aluminum
material of mesh	cord thread
sizes of cells, mm	45x45
depth of net, cm	100
color of mesh	black
weight, g	460









DELTA TELE FOLDING RM

- folding

code	6610270	6610271
model	RM-60210	RM-70210
maximum length, cm	210	210
pieces	2	2
folded, cm	115	115
material of handle	composite	composite
sizes of head	60×50	70×60
material of head	composite	composite
material of mesh	rubber	rubber
sizes of cells, mm	7×7	7×7
depth of net, cm	50	60
color of mesh	black	black
weight, g	650	795






DELTA UNIVERSAL TELE PEM

- folding

code	6610278
model	PEM-60160
maximum length, cm	160
pieces	2
folded, cm	93
material of handle	aluminum
sizes of head	60×50
material of head	aluminum
material of mesh	cord thread
sizes of cells, mm	30×30
depth of net, cm	60
color of mesh	grey
weight, g	720






RING CLASSIC TELE RM

- folding

code	6610152
model	RM-45210
maximum length, cm	210
pieces	2
folded, cm	114
material of handle	composite
sizes of head	50×45
material of head	composite
material of mesh	rubber
sizes of cells, mm	7×7
depth of net, cm	30
color of mesh	black
weight, g	560








QUAD FOLDING RM

- folding

code	6610208
model	RM-60180
maximum length, cm	180
pieces	2
folded, cm	106
material of handle	aluminum
sizes of head	60×60
material of head	aluminum
material of mesh	rubber
sizes of cells, mm	12×12
depth of net, cm	60
color of mesh	black
weight, g	1230






QUAD FOLDING NM

- folding

code	6610205
model	NM-60180
maximum length, cm	180
pieces	2
folded, cm	106
material of handle	aluminum
sizes of head	60×60
material of head	aluminum
material of mesh	nylon
sizes of cells, mm	30×30
depth of net, cm	60
color of mesh	multicolor
weight, g	880






SQUARE TELE FOLDING NM

- folding

code	6610200
model	NM-6055220
maximum length, cm	220
pieces	2
folded, cm	88
material of handle	aluminum
sizes of head, cm	60×55
material of head	aluminum
material of mesh	nylon
sizes of cells, mm	30×30
depth of net, cm	90
color of mesh	multicolor






SQUARE TELE PEM

- folding

code	6610201
model	PEM-6055220
maximum length, cm	220
pieces	2
folded, cm	88
material of handle	aluminum
sizes of head, cm	60×55
material of head	aluminum
material of mesh	cord thread
sizes of cells, mm	30×30
depth of net, cm	90
color of mesh	grey






TRIGON TELE

- folding

code	6610260	6610261	6610262
model	RM-50170N	RM-60180N	RM-70190N
maximum length, cm	170	180	190
pieces	2	2	2
folded, cm	80	80	80
material of handle	aluminum		
sizes of head, cm	50×50	60×60	70×70
material of head	aluminum		
material of mesh	rubber		
sizes of cells, mm	7×7	7×7	7×7
depth of net, cm	40	50	60
color of mesh	black		






- folding

code	6610263	6610264	6610265
model	RM-50170V	RM-60180V	RM-70190V
maximum length, cm	170	180	190
pieces	2	2	2
folded, cm	80	80	80
material of handle	aluminum		
sizes of head, cm	50×50	60×60	70×70
material of head	aluminum		
material of mesh	rubber		
sizes of cells, mm	7×7	7×7	7×7
depth of net, cm	40	50	60
color of mesh	black		






ROUND BASIC PLUS

code	6810005	6810006	6810007
model	PEM-40150	PEM-40200	PEM-40250
number of rings	4	5	6
diameter, cm	40	40	40
length, cm	150	200	250
material of mesh	nylon		
sizes of cells, mm	5×5	5×5	5×5
color	blue		





ROUND

code	6810018	6810019
model	RM-45200	RM-45250
number of rings	5	6
diameter, cm	45	45
length, cm	200	250
rings material	aluminum	
material of mesh	PVC coated	
sizes of cells, mm	8×8	8×8
color	blue	





ROUND BASIC

code	6810000	6810001
model	PEM-30090	PEM-35100
number of circles	5	5
diameter, cm	25-30	25-35
length, cm	90	100
material of mesh	capron	
sizes of cells, mm	3×3	3×3
color	blue	



SQUARE

code	6810020	6810021	6810022
model	KNS-403020	KNS-403025	KNS-403030
diameter, cm	40×30	40×30	40×30
length, cm	200	250	300
rings material	aluminum		
material of mesh	capron		
sizes of cells, mm	2×2	2×2	2×2
color	black		











BAG FOR KEEPNET BASIC EVA

code	7110000	7110001
dimensions, cm	42×42×10	52×52×12
material	EVA 0.8 mm	EVA 0.8 mm



CLASSIC BACKPACK

- 2 additional front pockets
- 2 mesh side pockets

code	7210001
material	PVC600D
dimensions, cm	52×35×17
volume, l	30





STANDARD BACKPACK

- 3 additional front pockets
- 2 mesh side pockets

code	7210002
material	PVC600D
dimensions, cm	52×35×17
volume, l	30





STANDARD REEL-IN

- material – PVC 840D
- width of section for reel – 23 cm
- number of sections – 2
- color – dark blue

code	dimensions, cm
7010020	80×17
7010021	100×17
7010022	135×17
7010023	150×17
7010024	160×17



STANDARD PLUS REEL-IN

- material – PVC 840D
- width of section for reel – 23 cm
- number of sections – 2
- color – dark blue

code	dimensions, cm
7010030	80×15
7010031	100×15
7010032	135×15
7010033	150×15
7010034	160×15



HARD CASE REEL-IN

- material – PVC 600D (hard)
- width of section for reel – 23 cm
- number of sections – 1
- color – dark blue

code	dimensions, cm
7010055	125×10
7010056	135×10
7010057	150×10





HARD CASE SLIM

- material – PVC 600D (hard)
- section for reel – no
- number of sections – 1
- color – dark blue

code	dimensions, cm
7010050	118×10
7010051	135×10
7010052	150×10



BASIC REEL-IN

- material – PVC 600D
- width of section for reel – 23 cm
- number of sections – 2
- color – grey

code	dimensions, cm
7010000	80×17
7010001	100×17
7010002	130×17
7010003	150×17
7010004	160×17



- material – PVC 600D
- width of section for reel – 23 cm
- number of sections – 3
- color – grey

code	dimensions, cm
7010010	80×16
7010011	100×16
7010012	130×16
7010013	150×16
7010014	160×16



ACCESSORIES BOX **ACCESSORY BOX**

code	model	dimensions, cm
1310010	AB-1006 S	10×6.5×3



code	model	dimensions, cm
1310011	AB-1210 M	12×10.5×3.5



BAIT BOX **LURE BOX**

code	1310017	1310015	1310016
model	LB-1910	LB-2212	LB-2216
dimensions, cm	19×10×3.5	22.5×12.5×4.5	22.5×16×6



BUCKET WITH ROPE AND MESH

- rope with winder (3 m)
- mesh

code	dimensions, cm	material	volume, l
1310905	20×20×20	EVA 1 mm	8
1310906	25×23×23	EVA 1 mm	15



FOLDING ROUND BUCKET

- rope with winder (3 m)
- mesh

code	dimensions, cm	material	volume, l
1310910	21×22	PVC	7
1310911	22×23	PVC	9



BUCKET BAKKAN MINI

- rope with winder (3 m)
- cover with a valve

code	dimensions, cm	material	volume, l
1310900	26×24×24	EVA 1 mm	15



STAINLESS FISH STRINGER

- rope with winder (3 m)

code	rope length, m	qnt. of locks	material
1810200	4.5	5	metal




ANGLERS FORCEPS

code	length, cm
1810050	16
1810051	18



PIKE GAP

code	length, cm
1810150	18



DUAL ALERT BELLS

code	pcs/pack
1610000	100



TIP CLIP TWIN BELL

code	pcs/pack
1610001	100



ROD STAND

- compact plastic rod stand
- can be used to showcase and store rods
- the double-sided storage stand stacks 8 rods on each side (16 in total)
- color – black/blue
- material – plastic

code	6710020
can fit rods, pcs	16
dimensions, cm	44×90×21
folded, cm	21×47×12

SCAN ME





SUNGLASSES POLARIZED ELEMENT MBL

code	2910000	2910001	2910002	2910003
lens color	Blue	Brown	Mirror	Red



TIP GUIDE ZEOX BK PST

- 20 pcs/pack

code	inner ring, mm	rod fitting, mm
2110500	5	1.4
2110501	5	1.6
2110502	5	1.8
2110503	5	2.0
2110504	5	2.2
2110505	6	1.6
2110506	6	1.8
2110507	6	2.0
2110508	6	2.2
2110509	6	2.4
2110510	6	2.6
2110515	8	2.0
2110516	8	2.2
2110517	8	2.4
2110518	8	2.6
2110519	8	2.8
2110520	8	3.0

- 10 pcs/pack

code	inner ring, mm	rod fitting, mm
2110525	10	2.4
2110526	10	2.6
2110527	10	2.8
2110528	10	3.0
2110529	10	3.2
2110530	10	3.4
2110535	12	2.8
2110536	12	3.0
2110537	12	3.2
2110538	12	3.4
2110539	12	3.6



GUIDES SET BK YSG 1 STEM

- color – Black

code	pcs/pack
2110000	60

size, #	4.0	5.0	6.5	8.0	11.5	12.3
pcs/pack	10	10	10	10	10	10



GUIDES SET BN YSG 1 STEM

- color – Black Nickel

code	pcs/pack
2110001	60

size, #	4.0	5.0	6.5	8.0	11.5	12.3
pcs/pack	10	10	10	10	10	10



GUIDES SET BK NSG 2 STEMS

- color – Black

code	pcs/pack
2110005	65

size, #	4.0	5.0	6.5	8.0
pcs/pack	10	10	10	10

size, #	11.5	14.0	18.0	23.5
pcs/pack	10	5	5	5



ANTI MOSQUITO HAT WITH MESH

- wide brim – provides protection from sunlight
- dense mesh does not obstruct visibility and allows free airflow
- drawstring mechanism on the mesh – for adjusting the fit around the neck or collar

code	size
2810200	OSFA



CAP BASEBALL MINIMAL BLUE

- cotton – 100%

code	size	head circumference, cm
2810110	OSFA	56-59



CAP TRUCKER MINIMAL BLUE WITH MESH

- cotton – 100%

code	size	head circumference, cm
2810111	OSFA	56-59



CAP SPORT BLUE

- cotton – 50%
- polyester – 50%

code	size	head circumference, cm
2810100	OSFA	56-59



CAP TRUCKER MINIMAL BLUE WITH MESH

- cotton – 50%
- polyester – 50%

code	size	head circumference, cm
2810101	OSFA	56-59



BANDANA ZEOX ELEMENT

- material – 100% polyester
- sun protection UPF +50

code	size
2810001	50×24



JERSEY ZEOX ELEMENT CM202

- material – 100% polyester
- sun protection UPF +50

code	size	width, cm	height, cm	sleeve length, cm
2610110	S	51	102	75
2610111	M	53	106	77
2610112	L	57	112	80
2610113	XL	59	118	84
2610114	XXL	62	124	86
2610115	XXXL	66	130	87







GOLDEN CATCH

Contacts

hello@goldencatch.fishing
Bulgaria, city Sofia,
Suhodolska st. 191, office 3